



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12N 15/12, C07K 14/705, C12N 5/10		A2	(11) International Publication Number: WO 00/05367
			(43) International Publication Date: 3 February 2000 (03.02.00)
(21) International Application Number: PCT/JP99/03929		(74) Agents: AOYAMA, Tamotsu et al.; Aoyama & Partners, IMP Building, 3-7, Shiromi 1-chome, Chuo-ku, Osaka-shi, Osaka 540-0001 (JP).	
(22) International Filing Date: 22 July 1999 (22.07.99)			
(30) Priority Data:		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
10/208820 24 July 1998 (24.07.98) JP 10/224105 7 August 1998 (07.08.98) JP 10/238116 25 August 1998 (25.08.98) JP 10/254736 9 September 1998 (09.09.98) JP 10/275505 29 September 1998 (29.09.98) JP			
(71) Applicants (for all designated States except US): SAGAMI CHEMICAL RESEARCH CENTER [JP/JP]; 4-1, Nishi-Ohnuma 4-chome, Sagamihara-shi, Kanagawa 229-0012 (JP). PROTEGENE INC. [JP/JP]; 2-20-3, Naka-cho, Meguro-ku, Tokyo 153-0065 (JP).			
(72) Inventors; and		Published	
(75) Inventors/Applicants (for US only): KATO, Seishi [JP/JP]; 3-46-50, Wakamatsu, Sagamihara-shi, Kanagawa 229-0014 (JP). KIMURA, Tomoko [JP/JP]; 302, 4-1-28, Nishiikuta, Tama-ku, Kawasaki-shi, Kanagawa 214-0037 (JP).		Without international search report and to be republished upon receipt of that report.	
(54) Title: HUMAN PROTEINS HAVING HYDROPHOBIC DOMAINS AND DNAs ENCODING THESE PROTEINS			
(57) Abstract			
<p>The present invention provides human proteins having hydrophobic domains, DNAs coding for these proteins, and expression vectors for these DNAs as well as eucaryotic cells expressing these DNAs.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KØ	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

DESCRIPTION

Human Proteins Having Hydrophobic
Domains and DNAs Encoding These Proteins

5

TECHNICAL FIELD

The present invention relates to human proteins having hydrophobic domains, DNAs coding for these proteins, and expression vectors for these DNAs as well as eucaryotic cells expressing these DNAs. The proteins of the present invention can be employed as pharmaceuticals or as antigens for preparing antibodies against these proteins. The human cDNAs of the present invention can be utilized as probes for the genetic diagnosis and gene sources for the gene therapy. Furthermore, the cDNAs can be utilized as gene sources for large-scale production of the proteins encoded by these cDNAs. Cells into which these genes are introduced to express secretory proteins and membrane proteins in large amounts can be utilized for detection of the corresponding receptors and ligands, screening of novel low-molecular pharmaceuticals, and so on.

20

BACKGROUND ART

Cells secrete many proteins outside the cells. These secretory proteins play important roles for the proliferation control, the differentiation induction, the material transportation, the biological protection, etc. in the cells. Different from intracellular proteins, the secretory proteins exert their actions outside the cells, whereby they can be administered in the intracorporeal manner such as the injection or the drip, so that there are

25

30

hidden potentialities as medicines. In fact, a number of human secretory proteins such as interferons, interleukins, erythropoietin, thrombolytic agents, etc. have been currently employed as medicines. In addition, secretory proteins other than those described above have been undergoing clinical trials to develop as pharmaceuticals. Because it has been conceived that the human cells still produce many unknown secretory proteins, availability of these secretory proteins as well as genes coding for them is expected to lead to development of novel pharmaceuticals utilizing these proteins.

On the other hand, membrane proteins play important roles, as signal receptors, ion channels, transporters, etc. in the material transportation and the information transmission through the cell membrane. Examples thereof include receptors for a variety of cytokines, ion channels for the sodium ion, the potassium ion, the chloride ion, etc., transporters for saccharides and amino acids, and so on, where the genes for many of them have been cloned already. It has been clarified that abnormalities of these membrane proteins are associated with a number of hitherto-cryptogenic diseases. Therefore, discovery of a new membrane protein is anticipated to lead to elucidation of the causes of many diseases, so that isolation of a new gene coding for the membrane protein has been desired.

Heretofore, owing to difficulty in the purification from human cells, these secretory proteins and membrane proteins have been isolated by an approach from the gene side. A general method is the so-called expression cloning which comprises introduction of a cDNA library into eucaryotic cells to express cDNAs and then screening of the cells secreting, or expressing on the surface of membrane,

the objective active protein. However, this method is applicable only to cloning of a gene for a protein with a known function.

5 In general, secretory proteins and membrane proteins possess at least one hydrophobic domain inside the proteins, wherein, after synthesis thereof in the ribosome, this domain works as a secretory signal or remains in the phospholipid membrane to be trapped in the membrane. Accordingly, the evidence of this cDNA for encoding a
10 secretory protein and a membrane protein is provided by determination of the whole base sequence of a full-length cDNA followed by detection of highly hydrophobic domain(s) in the amino acid sequence of the protein encoded by this cDNA.

15

OBJECTS OF THE INVENTION

The main object of the present invention is to provide novel human proteins having hydrophobic domains, DNAs coding for these proteins, and expression vectors for these DNAs as
20 well as transformed eucaryotic cells that are capable of expressing these DNAs. This object as well as other objects and advantages of the present invention will become apparent to those skilled in the art from the following description with reference to the accompanying drawings.

25

BRIEF DESCRIPTION OF DRAWINGS

Fig. 1 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP01550.

30 Fig. 2 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02593.

Fig. 3 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10195.

Fig. 4 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10423.

Fig. 5 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10506.

5 Fig. 6 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10507.

Fig. 7 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10548.

10 Fig. 8 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10566.

Fig. 9 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10567.

Fig. 10 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10568.

15 Fig. 11 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP01426.

Fig. 12 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02515.

20 Fig. 13 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02575.

Fig. 14 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10357.

Fig. 15 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10447.

25 Fig. 16 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10477.

Fig. 17 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10513.

30 Fig. 18 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10540.

Fig. 19 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10557.

Fig. 20 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10563.

Fig. 21 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP01467.

5 Fig. 22 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP01956.

Fig. 23 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02545.

10 Fig. 24 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02551.

Fig. 25 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02631.

Fig. 26 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02632.

15 Fig. 27 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10488.

Fig. 28 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10538.

20 Fig. 29 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10542.

Fig. 30 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10571.

Fig. 31 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP01470.

25 Fig. 32 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02419.

Fig. 33 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02631.

30 Fig. 34 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02695.

Fig. 35 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10031.

Fig. 36 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10530.

Fig. 37 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10541.

5 Fig. 38 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10550.

Fig. 39 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10590.

10 Fig. 40 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10591.

Fig. 41 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP01462.

Fig. 42 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02485.

15 Fig. 43 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP02798.

Fig. 44 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10041.

20 Fig. 45 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10246.

Fig. 46 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10392.

Fig. 47 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10489.

25 Fig. 48 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10519.

Fig. 49 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10531.

30 Fig. 50 illustrates the hydrophobicity/hydrophilicity profile of the protein encoded by clone HP10574.

SUMMARY OF THE INVENTION

As the result of intensive studies, the present inventors have been successful in cloning of cDNAs coding for proteins having hydrophobic domains from the human full-length cDNA bank, thereby completing the present invention.

5 In other words, the present invention provides human proteins having hydrophobic domains, namely proteins comprising any of the amino acid sequences represented by SEQ ID Nos. 1 to 10, 31 to 40, 61 to 70, 91 to 100, and 121 to 130. Moreover, the present invention provides DNAs coding

10 for the above-mentioned proteins, exemplified by cDNAs comprising any of the base sequences represented by SEQ ID Nos. 11 to 20, 41 to 50, 71 to 80, 101 to 110, and 131 to 140, as well as expression vectors that are capable of expressing any of these DNAs by in vitro translation or in

15 eucaryotic cells and transformed eucaryotic cells that are capable of expressing these DNAs and of producing the above-mentioned proteins.

DETAILED DESCRIPTION OF THE INVENTION

20 The proteins of the present invention can be obtained, for example, by a method for isolation from human organs, cell lines, etc., a method for preparation of peptides by the chemical synthesis, or a method for production with the recombinant DNA technology using the DNAs coding for the

25 hydrophobic domains of the present invention, among which the method for production with the recombinant DNA technology is employed preferably. For instance, in vitro expression of the proteins can be achieved by preparation of an RNA by in vitro transcription from a vector having one of

30 the cDNAs of the present invention, followed by in vitro translation using this RNA as a template. Also, introduction of the translated region into a suitable expression vector

by the method known in the art leads to expression of a large amount of the encoded protein in prokaryotic cells such as *Escherichia coli*, *Bacillus subtilis*, etc., and eucaryotic cells such as yeasts, insect cells, mammalian
5 cells, etc.

In the case where one of the proteins of the present invention is produced by expressing the DNA by in vitro translation, the protein of the present invention can be produced in vitro, when the translated region of this cDNA
10 is introduced into a vector having an RNA polymerase promoter, followed by addition of the vector to an in vitro translation system such as a rabbit reticulocyte lysate or a wheat germ extract, containing an RNA polymerase corresponding to the promoter. RNA polymerase promoters are
15 exemplified by T7, T3, SP6, and the like. The vectors containing these RNA polymerase promoters are exemplified by pKA1, pCDM8, pT3/T7 18, pT7/3 19, pBluescript II, and so on. Furthermore, the protein of the present invention can be expressed as the secreted form or the form incorporated into
20 the microsome membrane, when a canine pancreas microsome or the like is added to the reaction system.

In the case where one of the protein of the present invention is produced by expressing the DNA in a microorganism such as *Escherichia coli* etc., a recombinant
25 expression vector bearing the translated region of the cDNA of the present invention is constructed in an expression vector having an origin which can be replicated in the microorganism, a promoter, a ribosome-binding site, a cDNA-cloning site, a terminator etc. and, after transformation of
30 the host cells with this expression vector, the resulting transformant is incubated, whereby the protein encoded by said cDNA can be produced on a large scale in the

microorganism. In this case, a protein fragment containing any region can be obtained by carrying out the expression with inserting an initiation codon and a termination codon in front of and behind the selected translated region. Alternatively, a fusion protein with another protein can be expressed. Only the portion of the protein encoded by this cDNA can be obtained by cleavage of this fusion protein with a suitable protease. The expression vector for *Escherichia coli* is exemplified by the pUC series, pBluescript II, the pET expression system, the pGEX expression system, and so on.

In the case where one of the proteins of the present invention is produced by expressing the DNA in eucaryotic cells, the protein of the present invention can be produced as a secretory protein or as a membrane protein on the cell-membrane surface, when the translated region of this cDNA is introduced into an expression vector for eucaryotic cells that has a promoter, a splicing region, a poly(A) addition site, etc., followed by introduction into the eucaryotic cells. The expression vector is exemplified by pKA1, pED6dpc2, pCDM8, pSVK3, pMSG, pSVL, pBK-CMV, pBK-RSV, EBV vector, pRS, pYES2, and so on. Examples of eucaryotic cells to be used in general include mammalian cultured cells such as simian kidney cells COS7, Chinese hamster ovary cells CHO, etc., budding yeasts, fission yeasts, silkworm cells, *Xenopus* oocytes, and so on, but any eucaryotic cells may be used, provided that they are capable of expressing the proteins of the present invention. The expression vector can be introduced into the eucaryotic cells by methods known in the art such as the electroporation method, the calcium phosphate method, the liposome method, the DEAE-dextran method, and so on.

After one of the proteins of the present invention is

expressed in prokaryotic cells or eucaryotic cells, the objective protein can be isolated from the culture and purified by a combination of separation procedures known in the art. Such examples include treatment with a denaturing agent such as urea or a detergent, sonication, enzymatic digestion, salting-out or solvent precipitation, dialysis, centrifugation, ultrafiltration, gel filtration, SDS-PAGE, isoelectric focusing, ion-exchange chromatography, hydrophobic chromatography, affinity chromatography, reverse phase chromatography, and so on.

The proteins of the present invention include peptide fragments (5 amino acid residues or more) containing any partial amino acid sequence in the amino acid sequences represented by SEQ ID Nos. 1. to 10, 31 to 40, 61 to 70, 91 to 100, and 121 to 130. These peptide fragments can be utilized as antigens for preparation of antibodies. Hereupon, among the proteins of the present invention, those having the signal sequences are secreted in the form of mature proteins, after the signal sequences are removed. Therefore, these mature proteins shall come within the scope of the present invention. The N-terminal amino acid sequences of the mature proteins can be easily determined by using the method for the determination of cleavage site of a signal sequence [JP 8-187100 A]. Furthermore, some membrane proteins undergo the processing on the cell surface to be converted to the secretory forms. Such proteins or peptides in the secretory forms shall come within the scope of the present invention. In the case where sugar chain-binding sites are present in the amino acid sequences, expression in appropriate eucaryotic cells affords proteins to which sugar chains are attached. Accordingly, such proteins or peptides to which sugar chains are attached shall come within the

scope of the present invention.

The DNAs of the present invention include all the DNAs coding for the above-mentioned proteins. These DNAs can be obtained by using a method by chemical synthesis, a method
5 by cDNA cloning, and so on.

The cDNAs of the present invention can be cloned, for example, from cDNA libraries derived from the human cells. These cDNAs are synthesized by using as templates poly(A)⁺ RNAs extracted from human cells. The human cells may be
10 cells delivered from the human body, for example, by the operation or may be the cultured cells. The cDNAs can be synthesized by using any method selected from the Okayama-Berg method [Okayama, H. and Berg, P., Mol. Cell. Biol. 2: 161-170 (1982)], the Gubler-Hoffman method [Gubler, U. and
15 Hoffman, J. Gene 25: 263-269 (1983)], and so on, but it is preferred to use the capping method [Kato, S. et al., Gene 150: 243-250 (1994)], as exemplified in Examples, in order to obtain a full-length clone in an effective manner. In addition, commercially available, human cDNA libraries can
20 be utilized. Cloning of the cDNAs of the present invention from the cDNA libraries can be carried out by synthesis of an oligonucleotide on the basis of base sequences of any portion in the cDNA of the present invention, followed by screening using this oligonucleotide as the probe according
25 to the colony or plaque hybridization by a method known in the art. In addition, the cDNA fragments of the present invention can be prepared by synthesis of oligonucleotides which hybridize with both termini of the objective cDNA fragment, followed by the usage of these oligonucleotides as
30 the primers for the RT-PCR method using an mRNA isolated from human cells.

The cDNAs of the present invention are characterized by

comprising either of the base sequences represented by SEQ ID Nos. 11 to 20, 41 to 50, 71 to 80, 101 to 110, and 131 to 140 or the base sequences represented by SEQ ID Nos. 21 to 30, 51 to 60, 81 to 90, 111 to 120, and 141 to 150. Table 1
5 summarizes the clone number (HP number), the cells from which the cDNA was obtained, the total base number of the cDNA, and the number of the amino acid residues of the encoded protein, for each of the cDNAs.

Table 1

SEQ ID No.	HP number	Cells	Base number	Number of amino acid residues
1, 11, 21	HP01550	Stomach cancer	510	125
2, 12, 22	HP02593	Saos-2	697	131
3, 13, 23	HP10195	HT-1080	1619	242
4, 14, 24	HP10423	U-2 OS	1066	264
5, 15, 25	HP10506	Stomach cancer	618	112
6, 16, 26	HP10507	Stomach cancer	1021	146
7, 17, 27	HP10548	Stomach cancer	1432	344
8, 18, 28	HP10566	Stomach cancer	601	97
9, 19, 29	HP10567	Stomach cancer	585	124
10, 20, 30	HP10568	Stomach cancer	1100	327
31, 41, 51	HP01426	Stomach cancer	1065	313
32, 42, 52	HP02515	Saos-2	937	229
33, 43, 53	HP02575	Saos-2	1678	467
34, 44, 54	HP10357	Stomach cancer	467	99
35, 45, 55	HP10447	Liver	875	189
36, 46, 56	HP10477	Liver	1256	363
37, 47, 57	HP10513	Stomach cancer	884	249
38, 48, 58	HP10540	Saos-2	589	98
39, 49, 59	HP10557	Stomach cancer	673	172
40, 50, 60	HP10563	Saos-2	1425	120
61, 71, 81	HP01467	HT-1080	1436	307
62, 72, 82	HP01956	Liver	997	183
63, 73, 83	HP02545	Saos-2	1753	327
64, 74, 84	HP02551	Saos-2	1117	223
65, 75, 85	HP02631	Saos-2	1380	48
66, 76, 86	HP02632	HT-1080	1503	371
67, 77, 87	HP10488	Liver	733	90
68, 78, 88	HP10538	Saos-2	3768	499
69, 79, 89	HP10542	Stomach cancer	770	106
70, 80, 90	HP10571	Stomach cancer	1229	152

91, 101, 111	HP01470	Stomach cancer	1619	358
92, 102, 112	HP02419	Stomach cancer	2054	226
93, 103, 113	HP02631	Saos-2	1380	195
94, 104, 114	HP02695	Stomach cancer	1292	339
95, 105, 115	HP10031	Saos-2	2168	487
96, 106, 116	HP10530	Saos-2	1357	393
97, 107, 117	HP10541	Stomach cancer	711	196
98, 108, 118	HP10550	Stomach cancer	651	107
99, 109, 119	HP10590	HT-1080	1310	350
100, 110, 120	HP10591	HT-1080	1400	107
121, 131, 141	HP01462	HT-1080	2050	483
122, 132, 142	HP02485	Stomach cancer	2746	334
123, 133, 143	HP02798	HT-1080	1136	267
124, 134, 144	HP10041	Saos-2	619	106
125, 135, 145	HP10246	KB	864	224
126, 136, 146	HP10392	U-2 OS	1527	258
127, 137, 147	HP10489	Stomach cancer	659	110
128, 138, 148	HP10519	Stomach cancer	710	91
129, 139, 149	HP10531	Saos-2	2182	344
130, 140, 150	HP10574	Stomach cancer	2773	428

Hereupon, the same clones as the cDNAs of the present invention can be easily obtained by screening of the cDNA libraries constructed from the human cell lines or human tissues utilized in the present invention by the use of an oligonucleotide probe synthesized on the basis of the cDNA base sequence described in any of SEQ ID Nos. 11 to 30, 41 to 60, 71 to 90, 101 to 120, and 131 to 150.

In general, the polymorphism due to the individual difference is frequently observed in human genes. Accordingly, any cDNA in which one or plural nucleotides are inserted, deleted and/or substituted with other nucleotides in SEQ ID Nos. 11 to 30, 41 to 60, 71 to 90, 101 to 120, and

131 to 150 shall come within the scope of the present invention.

In a similar manner, any protein in which one or plural amino acids are inserted, deleted and/or substituted with other amino acids shall come within the scope of the present invention, as far as the protein possesses the activity of any protein having the amino acid sequences represented by SEQ ID Nos. 1 to 10, 31 to 40, 61 to 70, 91 to 100, and 121 to 130.

The cDNAs of the present invention include cDNA fragments (10 bp or more) containing any partial base sequence in the base sequences represented by SEQ ID Nos. 11 to 20, 41 to 50, 71 to 80, 101 to 110, and 131 to 140 or in the base sequences represented by SEQ ID Nos. 21 to 30, 51 to 60, 81 to 90, 111 to 120, and 141 to 150. Also, DNA fragments consisting of a sense strand and an anti-sense strand shall come within this scope. These DNA fragments can be utilized as the probes for the genetic diagnosis.

In addition to the activities and uses described above, the polynucleotides and proteins of the present invention may exhibit one or more of the uses or biological activities (including those associated with assays cited herein) identified below. Uses or activities described for proteins of the present invention may be provided by administration or use of such proteins or by administration or use of polynucleotides encoding such proteins (such as, for example, in gene therapies or vectors suitable for introduction of DNA).

Research Uses and Utilities

The polynucleotides provided by the present invention can be used by the research community for various purposes. The polynucleotides can be used to express recombinant

protein for analysis, characterization or therapeutic use; as markers for tissues in which the corresponding protein is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in disease states); as molecular weight markers on Southern gels; as chromosome markers or tags (when labeled) to identify chromosomes or to map related gene positions; to compare with endogenous DNA sequences in patients to identify potential genetic disorders; as probes to hybridize and thus discover novel, related DNA sequences; as a source of information to derive PCR primers for genetic fingerprinting; as a probe to "subtract-out" known sequences in the process of discovering other novel polynucleotides; for selecting and making oligomers for attachment to a "gene chip" or other support, including for examination of expression patterns; to raise anti-protein antibodies using DNA immunization techniques; and as an antigen to raise anti-DNA antibodies or elicit another immune response. Where the polynucleotide encodes a protein which binds or potentially binds to another protein (such as, for example, in a receptor-ligand interaction), the polynucleotide can also be used in interaction trap assays (such as, for example, that described in Gyuris et al., Cell 75:791-803 (1993)) to identify polynucleotides encoding the other protein with which binding occurs or to identify inhibitors of the binding interaction.

The proteins provided by the present invention can similarly be used in assay to determine biological activity, including in a panel of multiple proteins for high-throughput screening; to raise antibodies or to elicit another immune response; as a reagent (including the labeled reagent) in assays designed to quantitatively determine

levels of the protein (or its receptor) in biological fluids; as markers for tissues in which the corresponding protein is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in a disease state); and, of course, to isolate correlative receptors or ligands. Where the protein binds or potentially binds to another protein (such as, for example, in a receptor-ligand interaction), the protein can be used to identify the other protein with which binding occurs or to identify inhibitors of the binding interaction. Proteins involved in these binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction.

Any or all of these research utilities are capable of being developed into reagent grade or kit format for commercialization as research products.

Methods for performing the uses listed above are well known to those skilled in the art. References disclosing such methods include without limitation "Molecular Cloning: A Laboratory Manual", 2d ed., Cold Spring Harbor Laboratory Press, Sambrook, J., E.F. Fritsch and T. Maniatis eds., 1989, and "Methods in Enzymology: Guide to Molecular Cloning Techniques", Academic Press, Berger, S.L. and A.R. Kimmel eds., 1987.

Nutritional Uses

Polynucleotides and proteins of the present invention can also be used as nutritional sources or supplements. Such uses include without limitation use as a protein or amino acid supplement, use as a carbon source, use as a nitrogen source and use as a source of carbohydrate. In such cases the protein or polynucleotide of the invention can be added to the feed of a particular organism or can be

administered as a separate solid or liquid preparation, such as in the form of powder, pills, solutions, suspensions or capsules. In the case of microorganisms, the protein or polynucleotide of the invention can be added to the medium in or on which the microorganism is cultured.

Cytokine and Cell Proliferation/Differentiation

Activity

A protein of the present invention may exhibit cytokine, cell proliferation (either inducing or inhibiting) or cell differentiation (either inducing or inhibiting) activity or may induce production of other cytokines in certain cell populations. Many protein factors discovered to date, including all known cytokines, have exhibited activity in one or more factor dependent cell proliferation assays, and hence the assays serve as a convenient confirmation of cytokine activity. The activity of a protein of the present invention is evidenced by any one of a number of routine factor dependent cell proliferation assays for cell lines including, without limitation, 32D, DA2, DA1G, T10, B9, B9/11, BaF3, MC9/G, M+ (preB M+), 2E8, RB5, DA1, 123, T1165, HT2, CTLL2, TF-1, Mo7e and CMK.

The activity of a protein of the invention may, among other means, be measured by the following methods:

Assays for T-cell or thymocyte proliferation include without limitation those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, In Vitro assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Takai et al., J. Immunol. 137:3494-3500, 1986; Bertagnolli et al., J. Immunol. 145:1706-1712, 1990; Bertagnolli et al., Cellular

Immunology 133:327-341, 1991; Bertagnolli, et al., J. Immunol. 149:3778-3783, 1992; Bowman et al., J. Immunol. 152: 1756-1761, 1994.

Assays for cytokine production and/or proliferation of
5 spleen cells, lymph node cells or thymocytes include,
without limitation, those described in: Polyclonal T cell
stimulation, Kruisbeek, A.M. and Shevach, E.M. In Current
Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp.
3.12.1-3.12.14, John Wiley and Sons, Toronto. 1994; and
10 Measurement of mouse and human Interferon γ , Schreiber, R.D.
In Current Protocols in Immunology. J.E.e.a. Coligan eds.
Vol 1 pp. 6.8.1-6.8.8, John Wiley and Sons, Toronto. 1994.

Assays for proliferation and differentiation of
hematopoietic and lymphopoietic cells include, without
15 limitation, those described in: Measurement of Human and
Murine Interleukin 2 and Interleukin 4, Bottomly, K., Davis,
L.S. and Lipsky, P.E. In Current Protocols in Immunology.
J.E.e.a. Coligan eds. Vol 1 pp. 6.3.1-6.3.12, John Wiley and
Sons, Toronto. 1991; deVries et al., J. Exp. Med. 173:1205-
20 1211, 1991; Moreau et al., Nature 336:690-692, 1988;
Greenberger et al., Proc. Natl. Acad. Sci. U.S.A. 80:2931-
2938, 1983; Measurement of mouse and human interleukin 6-
Nordan, R. In Current Protocols in Immunology. J.E.e.a.
Coligan eds. Vol 1 pp. 6.6.1-6.6.5, John Wiley and Sons,
25 Toronto. 1991; Smith et al., Proc. Natl. Acad. Sci. U.S.A.
83:1857-1861, 1986; Measurement of human Interleukin 11 -
Bennett, F., Giannotti, J., Clark, S.C. and Turner, K. J.
In Current Protocols in Immunology. J.E.e.a. Coligan eds.
Vol 1 pp. 6.15.1 John Wiley and Sons, Toronto. 1991;
30 Measurement of mouse and human Interleukin 9 - Ciarletta, A.,
Giannotti, J., Clark, S.C. and Turner, K.J. In Current
Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp.

6.13.1, John Wiley and Sons, Toronto. 1991.

Assays for T-cell clone responses to antigens (which will identify, among others, proteins that affect APC-T cell interactions as well as direct T-cell effects by measuring proliferation and cytokine production) include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, In Vitro assays for Mouse Lymphocyte Function; Chapter 6, Cytokines and their cellular receptors; Chapter 7, Immunologic studies in Humans); Weinberger et al., Proc. Natl. Acad. Sci. USA 77:6091-6095, 1980; Weinberger et al., Eur. J. Immun. 11:405-411, 1981; Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988.

Immune Stimulating or Suppressing Activity

A protein of the present invention may also exhibit immune stimulating or immune suppressing activity, including without limitation the activities for which assays are described herein. A protein may be useful in the treatment of various immune deficiencies and disorders (including severe combined immunodeficiency (SCID)), e.g., in regulating (up or down) growth and proliferation of T and/or B lymphocytes, as well as effecting the cytolytic activity of NK cells and other cell populations. These immune deficiencies may be genetic or be caused by viral (e.g., HIV) as well as bacterial or fungal infections, or may result from autoimmune disorders. More specifically, infectious diseases caused by viral, bacterial, fungal or other infection may be treatable using a protein of the present invention, including infections by HIV, hepatitis viruses, herpesviruses, mycobacteria, Leishmania spp., malaria spp.

and various fungal infections such as candidiasis. Of course, in this regard, a protein of the present invention may also be useful where a boost to the immune system generally may be desirable, i.e., in the treatment of cancer.

5 Autoimmune disorders which may be treated using a protein of the present invention include, for example, connective tissue disease, multiple sclerosis, systemic lupus erythematosus, rheumatoid arthritis, autoimmune pulmonary inflammation, Guillain-Barre syndrome, autoimmune
10 thyroiditis, insulin dependent diabetes mellitus, myasthenia gravis, graft-versus-host disease and autoimmune inflammatory eye disease. Such a protein of the present invention may also to be useful in the treatment of allergic reactions and conditions, such as asthma (particularly
15 allergic asthma) or other respiratory problems. Other conditions, in which immune suppression is desired (including, for example, organ transplantation), may also be treatable using a protein of the present invention.

 Using the proteins of the invention it may also be
20 possible to immune responses, in a number of ways. Down regulation may be in the form of inhibiting or blocking an immune response already in progress or may involve preventing the induction of an immune response. The functions of activated T cells may be inhibited by
25 suppressing T cell responses or by inducing specific tolerance in T cells, or both. Immunosuppression of T cell responses is generally an active, non-antigen-specific, process which requires continuous exposure of the T cells to the suppressive agent. Tolerance, which involves inducing
30 non-responsiveness or anergy in T cells, is distinguishable from immunosuppression in that it is generally antigen-specific and persists after exposure to the tolerizing agent

has ceased. Operationally, tolerance can be demonstrated by the lack of a T cell response upon reexposure to specific antigen in the absence of the tolerizing agent.

Down regulating or preventing one or more antigen
5 functions (including without limitation B lymphocyte antigen functions (such as , for example, B7)), e.g., preventing high level lymphokine synthesis by activated T cells, will be useful in situations of tissue, skin and organ transplantation and in graft-versus-host disease (GVHD).
10 For example, blockage of T cell function should result in reduced tissue destruction in tissue transplantation. Typically, in tissue transplants, rejection of the transplant is initiated through its recognition as foreign by T cells, followed by an immune reaction that destroys the
15 transplant. The administration of a molecule which inhibits or blocks interaction of a B7 lymphocyte antigen with its natural ligand(s) on immune cells (such as a soluble, monomeric form of a peptide having B7-2 activity alone or in conjunction with a monomeric form of a peptide having an
20 activity of another B lymphocyte antigen (e.g., B7-1, B7-3) or blocking antibody), prior to transplantation can lead to the binding of the molecule to the natural ligand(s) on the immune cells without transmitting the corresponding costimulatory signal. Blocking B lymphocyte antigen
25 function in this matter prevents cytokine synthesis by immune cells, such as T cells, and thus acts as an immunosuppressant. Moreover, the lack of costimulation may also be sufficient to anergize the T cells, thereby inducing tolerance in a subject. Induction of long-term tolerance by
30 B lymphocyte antigen-blocking reagents may avoid the necessity of repeated administration of these blocking reagents. To achieve sufficient immunosuppression or

tolerance in a subject, it may also be necessary to block the function of a combination of B lymphocyte antigens.

The efficacy of particular blocking reagents in preventing organ transplant rejection or GVHD can be assessed using animal models that are predictive of efficacy in humans. Examples of appropriate systems which can be used include allogeneic cardiac grafts in rats and xenogeneic pancreatic islet cell grafts in mice, both of which have been used to examine the immunosuppressive effects of CTLA4Ig fusion proteins in vivo as described in Lenschow et al., Science 257:789-792 (1992) and Turka et al., Proc. Natl. Acad. Sci USA, 89:11102-11105 (1992). In addition, murine models of GVHD (see Paul ed., Fundamental Immunology, Raven Press, New York, 1989, pp. 846-847) can be used to determine the effect of blocking B lymphocyte antigen function in vivo on the development of that disease.

Blocking antigen function may also be therapeutically useful for treating autoimmune diseases. Many autoimmune disorders are the result of inappropriate activation of T cells that are reactive against self tissue and which promote the production of cytokines and autoantibodies involved in the pathology of the diseases. Preventing the activation of autoreactive T cells may reduce or eliminate disease symptoms. Administration of reagents which block costimulation of T cells by disrupting receptor:ligand interactions of B lymphocyte antigens can be used to inhibit T cell activation and prevent production of autoantibodies or T cell-derived cytokines which may be involved in the disease process. Additionally, blocking reagents may induce antigen-specific tolerance of autoreactive T cells which could lead to long-term relief from the disease. The efficacy of blocking reagents in preventing or alleviating

autoimmune disorders can be determined using a number of well-characterized animal models of human autoimmune diseases. Examples include murine experimental autoimmune encephalitis, systemic lupus erythmatosis in MRL/lpr/lpr mice or NZB hybrid mice, murine autoimmune collagen arthritis, diabetes mellitus in NOD mice and BB rats, and murine experimental myasthenia gravis (see Paul ed., Fundamental Immunology, Raven Press, New York, 1989, pp. 840-856).

Upregulation of an antigen function (preferably a B lymphocyte antigen function), as a means of up regulating immune responses, may also be useful in therapy. Upregulation of immune responses may be in the form of enhancing an existing immune response or eliciting an initial immune response. For example, enhancing an immune response through stimulating B lymphocyte antigen function may be useful in cases of viral infection. In addition, systemic viral diseases such as influenza, the commoncold, and encephalitis might be alleviated by the administration of stimulatory forms of B lymphocyte antigens systemically.

Alternatively, anti-viral immune responses may be enhanced in an infected patient by removing T cells from the patient, costimulating the T cells in vitro with viral antigen-pulsed APCs either expressing a peptide of the present invention or together with a stimulatory form of a soluble peptide of the present invention and reintroducing the in vitro activated T cells into the patient. Another method of enhancing anti-viral immune responses would be to isolate infected cells from a patient, transfect them with a nucleic acid encoding a protein of the present invention as described herein such that the cells express all or a portion of the protein on their surface, and reintroduce the

transfected cells into the patient. The infected cells would now be capable of delivering a costimulatory signal to, and thereby activate, T cells in vivo.

In another application, up regulation or enhancement of antigen function (preferably B lymphocyte antigen function) may be useful in the induction of tumor immunity. Tumor cells (e.g., sarcoma, melanoma, lymphoma, leukemia, neuroblastoma, carcinoma) transfected with a nucleic acid encoding at least one peptide of the present invention can be administered to a subject to overcome tumor-specific tolerance in the subject. If desired, the tumor cell can be transfected to express a combination of peptides. For example, tumor cells obtained from a patient can be transfected ex vivo with an expression vector directing the expression of a peptide having B7-2-like activity alone, or in conjunction with a peptide having B7-1-like activity and/or B7-3-like activity. The transfected tumor cells are returned to the patient to result in expression of the peptides on the surface of the transfected cell. Alternatively, gene therapy techniques can be used to target a tumor cell for transfection in vivo.

The presence of the peptide of the present invention having the activity of a B lymphocyte antigen(s) on the surface of the tumor cell provides the necessary costimulation signal to T cells to induce a T cell mediated immune response against the transfected tumor cells. In addition, tumor cells which lack MHC class I or MHC class II molecules, or which fail to reexpress sufficient amounts of MHC class I or MHC class II molecules, can be transfected with nucleic acid encoding all or a portion of (e.g., a cytoplasmic-domain truncated portion) of an MHC class I α chain protein and β microglobulin protein or an MHC class

II chain protein and an MHC class II chain protein to thereby express MHC class I or MHC class II proteins on the cell surface. Expression of the appropriate class I or class II MHC in conjunction with a peptide having the activity of a B lymphocyte antigen (e.g., B7-1, B7-2, B7-3) induces a T cell mediated immune response against the transfected tumor cell. Optionally, a gene encoding an antisense construct which blocks expression of an MHC class II associated protein, such as the invariant chain, can also be cotransfected with a DNA encoding a peptide having the activity of a B lymphocyte antigen to promote presentation of tumor associated antigens and induce tumor specific immunity. Thus, the induction of a T cell mediated immune response in a human subject may be sufficient to overcome tumor-specific tolerance in the subject.

The activity of a protein of the invention may, among other means, be measured by the following methods:

Suitable assays for thymocyte or splenocyte cytotoxicity include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, In Vitro assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Herrmann et al., Proc. Natl. Acad. Sci. USA 78:2488-2492, 1981; Herrmann et al., J. Immunol. 128:1968-1974, 1982; Handa et al., J. Immunol. 135:1564-1572, 1985; Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988; Herrmann et al., Proc. Natl. Acad. Sci. USA 78:2488-2492, 1981; Herrmann et al., J. Immunol. 128:1968-1974, 1982; Handa et al., J. Immunol. 135:1564-1572, 1985; Takai et al., J. Immunol. 137:3494-3500, 1986; Bowman et al., J.

Virology 61:1992-1998; Takai et al., J. Immunol. 140:508-512, 1988; Bertagnolli et al., Cellular Immunology 133:327-341, 1991; Brown et al., J. Immunol. 153:3079-3092, 1994.

Assays for T-cell-dependent immunoglobulin responses and isotype switching (which will identify, among others, proteins that modulate T-cell dependent antibody responses and that affect Th1/Th2 profiles) include, without limitation, those described in: Maliszewski, J. Immunol. 144:3028-3033, 1990; and Assays for B cell function: In vitro antibody production, Mond, J.J. and Brunswick, M. In Current Protocols in Immunology. J.E.e.a. Coligan eds. Vol 1 pp. 3.8.1-3.8.16, John Wiley and Sons, Toronto. 1994.

Mixed lymphocyte reaction (MLR) assays (which will identify, among others, proteins that generate predominantly Th1 and CTL responses) include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, In Vitro assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988; Bertagnolli et al., J. Immunol. 149:3778-3783, 1992.

Dendritic cell-dependent assays (which will identify, among others, proteins expressed by dendritic cells that activate naive T-cells) include, without limitation, those described in: Guery et al., J. Immunol. 134:536-544, 1995; Inaba et al., Journal of Experimental Medicine 173:549-559, 1991; Macatonia et al., Journal of Immunology 154:5071-5079, 1995; Porgador et al., Journal of Experimental Medicine 182:255-260, 1995; Nair et al., Journal of Virology 67:4062-4069, 1993; Huang et al., Science 264:961-965,

1994; Macatonia et al., Journal of Experimental Medicine 169:1255-1264, 1989; Bhardwaj et al., Journal of Clinical Investigation 94:797-807, 1994; and Inaba et al., Journal of Experimental Medicine 172:631-640, 1990.

5 Assays for lymphocyte survival/apoptosis (which will identify, among others, proteins that prevent apoptosis after superantigen induction and proteins that regulate lymphocyte homeostasis) include, without limitation, those described in: Darzynkiewicz et al., Cytometry 13:795-808,
10 1992; Gorczyca et al., Leukemia 7:659-670, 1993; Gorczyca et al., Cancer Research 53:1945-1951, 1993; Itoh et al., Cell 66:233-243, 1991; Zacharchuk, Journal of Immunology 145:4037-4045, 1990; Zamai et al., Cytometry 14:891-897, 1993; Gorczyca et al., International Journal of Oncology
15 1:639-648, 1992.

 Assays for proteins that influence early steps of T-cell commitment and development include, without limitation, those described in: Antica et al., Blood 84:111-117, 1994; Fine et al., Cellular Immunology 155:111-122, 1994; Galy et
20 al., Blood 85:2770-2778, 1995; Toki et al., Proc. Nat. Acad Sci. USA 88:7548-7551, 1991.

Hematopoiesis Regulating Activity

 A protein of the present invention may be useful in regulation of hematopoiesis and, consequently, in the
25 treatment of myeloid or lymphoid cell deficiencies. Even marginal biological activity in support of colony forming cells or of factor-dependent cell lines indicates involvement in regulating hematopoiesis, e.g. in supporting the growth and proliferation of erythroid progenitor cells
30 alone or in combination with other cytokines, thereby indicating utility, for example, in treating various anemias or for use in conjunction with irradiation/chemotherapy to

stimulate the production of erythroid precursors and/or erythroid cells; in supporting the growth and proliferation of myeloid cells such as granulocytes and monocytes/macrophages (i.e., traditional CSF activity) 5 useful, for example, in conjunction with chemotherapy to prevent or treat consequent myelo-suppression; in supporting the growth and proliferation of megakaryocytes and consequently of platelets thereby allowing prevention or treatment of various platelet disorders such as 10 thrombocytopenia, and generally for use in place of or complimentary to platelet transfusions; and/or in supporting the growth and proliferation of hematopoietic stem cells which are capable of maturing to any and all of the above-mentioned hematopoietic cells and therefore find therapeutic 15 utility in various stem cell disorders (such as those usually treated with transplantation, including, without limitation, aplastic anemia and paroxysmal nocturnal hemoglobinuria), as well as in repopulating the stem cell compartment post irradiation/chemotherapy, either in-vivo or 20 ex-vivo (i.e., in conjunction with bone marrow transplantation or with peripheral progenitor cell transplantation (homologous or heterologous)) as normal cells or genetically manipulated for gene therapy.

The activity of a protein of the invention may, among 25 other means, be measured by the following methods:

Suitable assays for proliferation and differentiation of various hematopoietic lines are cited above.

Assays for embryonic stem cell differentiation (which will identify, among others, proteins that influence 30 embryonic differentiation hematopoiesis) include, without limitation, those described in: Johansson et al. Cellular Biology 15:141-151, 1995; Keller et al., Molecular and

Cellular Biology 13:473-486, 1993; McClanahan et al., Blood 81:2903-2915, 1993.

Assays for stem cell survival and differentiation (which will identify, among others, proteins that regulate lympho-hematopoiesis) include, without limitation, those described in: Methylcellulose colony forming assays, Freshney, M.G. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 265-268, Wiley-Liss, Inc., New York, NY. 1994; Hirayama et al., Proc. Natl. Acad. Sci. USA 89:5907-5911, 1992; Primitive hematopoietic colony forming cells with high proliferative potential, McNiece, I.K. and Briddell, R.A. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 23-39, Wiley-Liss, Inc., New York, NY. 1994; Neben et al., Experimental Hematology 22:353-359, 1994; Cobblestone area forming cell assay, Ploemacher, R.E. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 1-21, Wiley-Liss, Inc., New York, NY. 1994; Long term bone marrow cultures in the presence of stromal cells, Spooncer, E., Dexter, M. and Allen, T. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 163-179, Wiley-Liss, Inc., New York, NY. 1994; Long term culture initiating cell assay, Sutherland, H.J. In Culture of Hematopoietic Cells. R.I. Freshney, et al. eds. Vol pp. 139-162, Wiley-Liss, Inc., New York, NY. 1994.

Tissue Growth Activity

A protein of the present invention also may have utility in compositions used for bone, cartilage, tendon, ligament and/or nerve tissue growth or regeneration, as well as for wound healing and tissue repair and replacement, and in the treatment of burns, incisions and ulcers.

A protein of the present invention, which induces cartilage and/or bone growth in circumstances where bone is

not normally formed, has application in the healing of bone fractures and cartilage damage or defects in humans and other animals. Such a preparation employing a protein of the invention may have prophylactic use in closed as well as open fracture reduction and also in the improved fixation of artificial joints. De novo bone formation induced by an osteogenic agent contributes to the repair of congenital, trauma induced, or oncologic resection induced craniofacial defects, and also is useful in cosmetic plastic surgery.

A protein of this invention may also be used in the treatment of periodontal disease, and in other tooth repair processes. Such agents may provide an environment to attract bone-forming cells, stimulate growth of bone-forming cells or induce differentiation of progenitors of bone-forming cells. A protein of the invention may also be useful in the treatment of osteoporosis or osteoarthritis, such as through stimulation of bone and/or cartilage repair or by blocking inflammation or processes of tissue destruction (collagenase activity, osteoclast activity, etc.) mediated by inflammatory processes.

Another category of tissue regeneration activity that may be attributable to the protein of the present invention is tendon/ligament formation. A protein of the present invention, which induces tendon/ligament-like tissue or other tissue formation in circumstances where such tissue is not normally formed, has application in the healing of tendon or ligament tears, deformities and other tendon or ligament defects in humans and other animals. Such a preparation employing a tendon/ligament-like tissue inducing protein may have prophylactic use in preventing damage to tendon or ligament tissue, as well as use in the improved fixation of tendon or ligament to bone or other tissues, and

in repairing defects to tendon or ligament tissue. De novo tendon/ligament-like tissue formation induced by a composition of the present invention contributes to the repair of congenital, trauma induced, or other tendon or ligament defects of other origin, and is also useful in cosmetic plastic surgery for attachment or repair of tendons or ligaments. The compositions of the present invention may provide an environment to attract tendon or ligament-forming cells, stimulate growth of tendon- or ligament-forming cells, induce differentiation of progenitors of tendon- or ligament-forming cells, or induce growth of tendon/ligament cells or progenitors ex vivo for return in vivo to effect tissue repair. The compositions of the invention may also be useful in the treatment of tendinitis, carpal tunnel syndrome and other tendon or ligament defects. The compositions may also include an appropriate matrix and/or sequestering agent as a carrier as is well known in the art.

The protein of the present invention may also be useful for proliferation of neural cells and for regeneration of nerve and brain tissue, i.e. for the treatment of central and peripheral nervous system diseases and neuropathies, as well as mechanical and traumatic disorders, which involve degeneration, death or trauma to neural cells or nerve tissue. More specifically, a protein may be used in the treatment of diseases of the peripheral nervous system, such as peripheral nerve injuries, peripheral neuropathy and localized neuropathies, and central nervous system diseases, such as Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, and Shy-Drager syndrome. Further conditions which may be treated in accordance with the present invention include mechanical and traumatic disorders, such as spinal cord disorders, head

trauma and cerebrovascular diseases such as stroke. Peripheral neuropathies resulting from chemotherapy or other medical therapies may also be treatable using a protein of the invention.

5 Proteins of the invention may also be useful to promote better or faster closure of non-healing wounds, including without limitation pressure ulcers, ulcers associated with vascular insufficiency, surgical and traumatic wounds, and the like.

10 It is expected that a protein of the present invention may also exhibit activity for generation or regeneration of other tissues, such as organs (including, for example, pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac) and vascular (including
15 vascular endothelium) tissue, or for promoting the growth of cells comprising such tissues. Part of the desired effects may be by inhibition or modulation of fibrotic scarring to allow normal tissue to regenerate. A protein of the invention may also exhibit angiogenic activity.

20 A protein of the present invention may also be useful for gut protection or regeneration and treatment of lung or liver fibrosis, reperfusion injury in various tissues, and conditions resulting from systemic cytokine damage.

A protein of the present invention may also be useful
25 for promoting or inhibiting differentiation of tissues described above from precursor tissues or cells; or for inhibiting the growth of tissues described above.

The activity of a protein of the invention may, among other means, be measured by the following methods:

30 Assays for tissue generation activity include, without limitation, those described in: International Patent Publication No. WO95/16035 (bone, cartilage, tendon);

International Patent Publication No. WO95/05846 (nerve, neuronal); International Patent Publication No. WO91/07491 (skin, endothelium).

Assays for wound healing activity include, without
5 limitation, those described in: Winter, Epidermal Wound Healing, pps. 71-112 (Maibach, HI and Rovee, DT, eds.), Year Book Medical Publishers, Inc., Chicago, as modified by Eaglstein and Mertz, J. Invest. Dermatol 71:382-84 (1978).

Activin/Inhibin Activity

10 A protein of the present invention may also exhibit activin- or inhibin-related activities. Inhibins are characterized by their ability to inhibit the release of follicle stimulating hormone (FSH), while activins and are characterized by their ability to stimulate the release of
15 follicle stimulating hormone (FSH). Thus, a protein of the present invention, alone or in heterodimers with a member of the inhibin family, may be useful as a contraceptive based on the ability of inhibins to decrease fertility in female mammals and decrease spermatogenesis in male mammals.
20 Administration of sufficient amounts of other inhibins can induce infertility in these mammals. Alternatively, the protein of the invention, as a homodimer or as a heterodimer with other protein subunits of the inhibin- group, may be useful as a fertility inducing therapeutic, based upon the
25 ability of activin molecules in stimulating FSH release from cells of the anterior pituitary. See, for example, United States Patent 4,798,885. A protein of the invention may also be useful for advancement of the onset of fertility in sexually immature mammals, so as to increase the lifetime
30 reproductive performance of domestic animals such as cows, sheep and pigs.

The activity of a protein of the invention may, among

other means, be measured by the following methods:

Assays for activin/inhibin activity include, without limitation, those described in: Vale et al., Endocrinology 91:562-572, 1972; Ling et al., Nature 321:779-782, 1986; 5 Vale et al., Nature 321:776-779, 1986; Mason et al., Nature 318:659-663, 1985; Forage et al., Proc. Natl. Acad. Sci. USA 83:3091-3095, 1986.

Chemotactic/Chemokinetic Activity

A protein of the present invention may have chemotactic 10 or chemokinetic activity (e.g., act as a chemokine) for mammalian cells, including, for example, monocytes, fibroblasts, neutrophils, T-cells, mast cells, eosinophils, epithelial and/or endothelial cells. Chemotactic and chemokinetic proteins can be used to mobilize or attract a 15 desired cell population to a desired site of action. Chemotactic or chemokinetic proteins provide particular advantages in treatment of wounds and other trauma to tissues, as well as in treatment of localized infections. For example, attraction of lymphocytes, monocytes or 20 neutrophils to tumors or sites of infection may result in improved immune responses against the tumor or infecting agent.

A protein or peptide has chemotactic activity for a particular cell population if it can stimulate, directly or 25 indirectly, the directed orientation or movement of such cell population. Preferably, the protein or peptide has the ability to directly stimulate directed movement of cells. Whether a particular protein has chemotactic activity for a population of cells can be readily determined by employing 30 such protein or peptide in any known assay for cell chemotaxis.

The activity of a protein of the invention may, among

other means, be measured by the following methods:

Assays for chemotactic activity (which will identify proteins that induce or prevent chemotaxis) consist of assays that measure the ability of a protein to induce the migration of cells across a membrane as well as the ability of a protein to induce the adhesion of one cell population to another cell population. Suitable assays for movement and adhesion include, without limitation, those described in: Current Protocols in Immunology, Ed by J.E. Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 6.12, Measurement of alpha and beta Chemokines 6.12.1-6.12.28; Taub et al. J. Clin. Invest. 95:1370-1376, 1995; Lind et al. APMIS 103:140-146, 1995; Muller et al Eur. J. Immunol. 25: 1744-1748; Gruber et al. J. of Immunol. 152:5860-5867, 1994; Johnston et al. J. of Immunol. 153: 1762-1768, 1994.

Hemostatic and Thrombolytic Activity

A protein of the invention may also exhibit hemostatic or thrombolytic activity. As a result, such a protein is expected to be useful in treatment of various coagulation disorders (including hereditary disorders, such as hemophilias) or to enhance coagulation and other hemostatic events in treating wounds resulting from trauma, surgery or other causes. A protein of the invention may also be useful for dissolving or inhibiting formation of thromboses and for treatment and prevention of conditions resulting therefrom (such as, for example, infarction of cardiac and central nervous system vessels (e.g., stroke).

The activity of a protein of the invention may, among other means, be measured by the following methods:

Assay for hemostatic and thrombolytic activity include,

without limitation, those described in: Linet et al., J. Clin. Pharmacol. 26:131-140, 1986; Burdick et al., Thrombosis Res. 45:413-419, 1987; Humphrey et al., Fibrinolysis 5:71-79 (1991); Schaub, Prostaglandins 35:467-474, 1988.

Receptor/Ligand Activity

A protein of the present invention may also demonstrate activity as receptors, receptor ligands or inhibitors or agonists of receptor/ligand interactions. Examples of such receptors and ligands include, without limitation, cytokine receptors and their ligands, receptor kinases and their ligands, receptor phosphatases and their ligands, receptors involved in cell-cell interactions and their ligands (including without limitation, cellular adhesion molecules (such as selectins, integrins and their ligands) and receptor/ligand pairs involved in antigen presentation, antigen recognition and development of cellular and humoral immune responses). Receptors and ligands are also useful for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction. A protein of the present invention (including, without limitation, fragments of receptors and ligands) may themselves be useful as inhibitors of receptor/ligand interactions.

The activity of a protein of the invention may, among other means, be measured by the following methods:

Suitable assays for receptor-ligand activity include without limitation those described in: Current Protocols in Immunology, Ed by J.E. Coligan, A.M. Kruisbeek, D.H. Margulies, E.M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 7.28, Measurement of Cellular Adhesion under static conditions 7.28.1-7.28.22),

Takai et al., Proc. Natl. Acad. Sci. USA 84:6864-6868, 1987;
Bierer et al., J. Exp. Med. 168:1145-1156, 1988; Rosenstein
et al., J. Exp. Med. 169:149-160 1989; Stoltenborg et
al., J. Immunol. Methods 175:59-68, 1994; Stitt et al.,
5 Cell 80:661-670, 1995.

Anti-Inflammatory Activity

Proteins of the present invention may also exhibit
anti-inflammatory activity. The anti-inflammatory activity
may be achieved by providing a stimulus to cells involved in
10 the inflammatory response, by inhibiting or promoting cell-
cell interactions (such as, for example, cell adhesion), by
inhibiting or promoting chemotaxis of cells involved in the
inflammatory process, inhibiting or promoting cell
extravasation, or by stimulating or suppressing production
15 of other factors which more directly inhibit or promote an
inflammatory response. Proteins exhibiting such activities
can be used to treat inflammatory conditions including
chronic or acute conditions), including without limitation
inflammation associated with infection (such as septic shock,
20 sepsis or systemic inflammatory response syndrome (SIRS)),
ischemia-reperfusion injury, endotoxin lethality, arthritis,
complement-mediated hyperacute rejection, nephritis,
cytokine or chemokine-induced lung injury, inflammatory
bowel disease, Crohn's disease or resulting from over
25 production of cytokines such as TNF or IL-1. Proteins of the
invention may also be useful to treat anaphylaxis and
hypersensitivity to an antigenic substance or material.

Tumor Inhibition Activity

In addition to the activities described above for
30 immunological treatment or prevention of tumors, a protein
of the invention may exhibit other anti-tumor activities. A

protein may inhibit tumor growth directly or indirectly (such as, for example, via ADCC). A protein may exhibit its tumor inhibitory activity by acting on tumor tissue or tumor precursor tissue, by inhibiting formation of tissues
5 necessary to support tumor growth (such as, for example, by inhibiting angiogenesis), by causing production of other factors, agents or cell types which inhibit tumor growth, or by suppressing, eliminating or inhibiting factors, agents or cell types which promote tumor growth

10 Other Activities

A protein of the invention may also exhibit one or more of the following additional activities or effects: inhibiting the growth, infection or function of, or killing, infectious agents, including, without limitation, bacteria,
15 viruses, fungi and other parasites; effecting (suppressing or enhancing) bodily characteristics, including, without limitation, height, weight, hair color, eye color, skin, fat to lean ratio or other tissue pigmentation, or organ or body part size or shape (such as, for example, breast
20 augmentation or diminution, change in bone form or shape); effecting biorhythms or circadian cycles or rhythms; effecting the fertility of male or female subjects; effecting the metabolism, catabolism, anabolism, processing, utilization, storage or elimination of dietary fat, lipid,
25 protein, carbohydrate, vitamins, minerals, cofactors or other nutritional factors or component(s); effecting behavioral characteristics, including, without limitation, appetite, libido, stress, cognition (including cognitive disorders), depression (including depressive disorders) and
30 violent behaviors; providing analgesic effects or other pain reducing effects; promoting differentiation and growth of

embryonic stem cells in lineages other than hematopoietic lineages; hormonal or endocrine activity; in the case of enzymes, correcting deficiencies of the enzyme and treating deficiency-related diseases; treatment of hyperproliferative disorders (such as, for example, psoriasis); immunoglobulin-like activity (such as, for example, the ability to bind antigens or complement); and the ability to act as an antigen in a vaccine composition to raise an immune response against such protein or another material or entity which is cross-reactive with such protein.

Examples

The present invention is specifically illustrated in more detail by the following Examples, but Examples are not intended to restrict the present invention. The basic operations with regard to the recombinant DNA and the enzymatic reactions were carried out according to the literature ["Molecular Cloning. A Laboratory Manual", Cold Spring Harbor Laboratory, 1989]. Unless otherwise stated, restrictive enzymes and a variety of modification enzymes to be used were those available from Takara Shuzo. The buffer compositions and the reaction conditions for each of the enzyme reactions were as described in the manufacturer's instructions. The cDNA synthesis was carried out according to the literature [Kato, S. et al., Gene 150: 243-250 (1994)].

(1) Selection of cDNAs Encoding Proteins Having Hydrophobic Domains

The cDNA library of fibrosarcoma cell line HT-1080 (WO98/11217), the cDNA library of osteosarcoma cell line Saos-2 (WO97/33993), the cDNA library of osteosarcoma cell line U-2 OS (WO98/21328), the cDNA library of epidermoid

carcinoma cell line KB (WO98/11217), the cDNA library of tissues of stomach cancer delivered by the operation (WO98/21328), the cDNA library of liver tissue delivered by the operation (WO98/21328), and were used for the cDNA
5 libraries. Full-length cDNA clones were selected from respective libraries and the whole base sequences thereof were determined to construct a homo-protein cDNA bank consisting of the full-length cDNA clones. The hydrophobicity/hydrophilicity profiles were determined for
10 the proteins encoded by the full-length cDNA clones registered in the homo-protein cDNA bank by the Kyte-Doolittle method [Kyte, J. & Doolittle, R. F., J. Mol. Biol. 157: 105-132 (1982)] to examine the presence or absence of a hydrophobic region. Any clone that has a hydrophobic region
15 being putative as a secretory signal or a transmembrane domain in the amino acid sequence of the encoded protein was selected as a clone candidate.

(2) Protein Synthesis by In Vitro Translation

The plasmid vector bearing the cDNA of the present
20 invention was used for in vitro transcription/translation with a T₇T rabbit reticulocyte lysate kit (Promega). In this case, [³⁵S]methionine was added to label the expression product with a radioisotope. Each of the reactions was carried out according to the protocols attached to the kit.
25 Two micrograms of the plasmid was subjected to the reaction at 30°C for 90 minutes in the reaction solution of a total volume of 25 μ l containing 12.5 μ l μ of T₇T rabbit reticulocyte lysate, 0.5 μ l of a buffer solution (attached to the kit), 2 μ l of an amino acid mixture (without
30 methionine), 2 μ l of [³⁵S]methionine (Amersham) (0.37 MBq/ μ l), 0.5 μ l of T7 RNA polymerase, and 20 U of RNasin. Also, an experiment in the presence of a membrane system was carried

out by adding to this reaction system 2.5 μ l of a canine pancreas microsomal fraction (Promega). To 3 μ l of the resulting reaction solution was added 2 μ l of the SDS sampling buffer (125 mM Tris-hydrochloric acid buffer, pH 6.8, 120 mM 2-mercaptoethanol, 2% SDS solution, 0.025% bromophenol blue, and 20% glycerol) and the resulting mixture was heated at 95°C for 3 minutes and then subjected to SDS-polyacrylamide gel electrophoresis. The molecular weight of the translation product was determined by carrying out the autoradiography.

(3) Expression by COS7

Escherichia coli cells bearing the expression vector for the protein of the present invention was incubated at 37°C for 2 hours in 2 ml of the 2xYT culture medium containing 100 μ g/ml of ampicillin, the helper phage M13K07 (50 μ l) was added, and the incubation was continued at 37°C overnight. A supernatant separated by centrifugation underwent precipitation with polyethylene glycol to obtain single-stranded phage particles. These particles were suspended in 100 μ l of 1 mM Tris-0.1 mM EDTA, pH 8 (TE).

The cultured cells derived from simian kidney, COS7, were incubated at 37°C in the presence of 5% CO₂ in the Dulbecco's modified Eagle's culture medium (DMEM) containing 10% fetal calf serum. Into a 6-well plate (Nunc, well diameter: 3 cm) were inoculated with 1 x 10⁵ COS7 cells and incubation was carried out at 37°C for 22 hours in the presence of 5% CO₂. After the culture medium was removed, the cell surface was washed with a phosphate buffer solution and then washed again with DMEM containing 50 mM Tris-hydrochloric acid (pH 7.5) (TDMEM). To the resulting cells was added a suspension of 1 μ l of the single-stranded phage suspension, 0.6 ml of the DMEM culture medium, and 3 μ l of

TRANSFECTAM™ (IBF) and the resulting mixture was incubated at 37°C for 3 hours in the presence of 5% CO₂. After the sample solution was removed, the cell surface was washed with TDMEM, 2 ml per well of DMEM containing 10% fetal calf serum was added, and the incubation was carried out at 37°C for 2 days in the presence of 5% CO₂. After the culture medium was replaced by a culture medium containing [³⁵S]cystine or [³⁵S]methionine, the incubation was carried out for one hour. After the culture medium and the cells were separated by centrifugation, proteins in the culture medium fraction and the cell-membrane fraction were subjected to SDS-PAGE.

(4) Clone Examples

<HP01550> (SEQ ID Nos. 1, 11, and 21)

Determination of the whole base sequence of the cDNA insert of clone HP01550 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 65-bp 5'-untranslated region, a 378-bp ORF, and a 67-bp 3'-untranslated region. The ORF codes for a protein consisting of 125 amino acid residues and there existed one putative transmembrane domain. Figure 1 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 15 kDa that was almost identical with the molecular weight of 13,825 predicted from the ORF.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the *Caenorhabditis elegans* hypothetical protein F45G2.c (GenBank Accession No. Z93382). Table 2 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the C.

and a 198-bp 3'-untranslated region. The ORF codes for a protein consisting of 131 amino acid residues and there existed four putative transmembrane domains at the C-terminus. Figure 2 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of a high molecular weight.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to a human OB-R gene-related protein (EMBL Accession No. Y12670). Table 3 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the human OB-R gene-related protein (OB). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 67.9% in the entire region.

Table 3

	HP	MAGIKALISLSFGGAIGLMFLMLGCALPIYNKYWPLFVLFFYILSPIPYCIARRRLVDDTD
		...***.***** ***** *. *****.*. **.*.. *.*
25	OB	MAGVKALVALSFSGAIGLTFMLGCALEDYGVYWPLFVLIFHAISPIPHFIKRVTYDSD
	HP	AMSNACKELAIFLTGTGIVVSAFGLPIVFAHLEWACALVLTGNTVIFATILGFFLVF
		* *.***.*** *.*****.*...*. *.*****.***.*** ** *****.*
	OB	ATSSACRELAYFFTGTGIVVSAFGFPVILARVAVIKWGACGLVLGNAVIFLTIQGFFLIF
	HP	GSNDDFSWQQW
30		*..*****.**
	OB	GRGDDFSWEQW

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA306490) in ESTs, but, since they
5 are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10195> (SEQ ID Nos. 3, 13, and 23)

10 Determination of the whole base sequence of the cDNA insert of clone HP10195 obtained from cDNA library of human fibrosarcoma HT-1080 revealed the structure consisting of a 286-bp 5'-untranslated region, a 729-bp ORF, and a 604-bp 3'-untranslated region. The ORF codes for a protein
15 consisting of 242 amino acid residues and there existed one putative transmembrane domain at the C-terminus. Figure 3 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation
20 product of 32 kDa that was somewhat larger than the molecular weight of 27,300 predicted from the ORF. When expressed in COS7 cells, an expression product of about 21 kDa was observed in the supernatant fraction and the membrane fraction.

25 The search of the protein data base using the amino acid sequence of the present protein has revealed the registration of sequences that were similar to the Aplysia VAP-33 (SWISS-PROT Accession No. P53173). Table 4 shows the comparison between amino acid sequences of the human protein
30 of the present invention (HP) and the Aplysia VAP-33 (AP). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the

Determination of the whole base sequence of the cDNA insert of clone HP10423 obtained from cDNA library of human osteosarcoma cell line U-2 OS revealed the structure consisting of a 64-bp 5'-untranslated region, a 795-bp ORF, and a 207-bp 3'-untranslated region. The ORF codes for a protein consisting of 264 amino acid residues and there existed a secretory signal at the N-terminus and one putative transmembrane domain at the N-terminus. Figure 4 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 30 kDa that was almost identical with the molecular weight of 29,377 predicted from the ORF. When expressed in COS7 cells, an expression product of about 31 kDa was observed in the membrane fraction.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. D80116) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10506> (SEQ ID Nos. 5, 15, and 25)

Determination of the whole base sequence of the cDNA insert of clone HP10506 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 53-bp 5'-untranslated region, a 339-bp ORF, and a 226-bp 3'-untranslated region. The ORF codes for a protein consisting of 112 amino acid residues and there existed one putative transmembrane domain. Figure 5 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-

Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 12 kDa that was almost identical with the molecular weight of 11,821 predicted from the ORF. When expressed in
5 COS7 cells, an expression product of about 13 kDa was observed in the membrane fraction.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for
10 example, Accession No. AA282544) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

15 <HP10507> (SEQ ID Nos. 6, 16, and 26)

Determination of the whole base sequence of the cDNA insert of clone HP10507 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 412-bp 5'-untranslated region, a 441-bp ORF, and a 168-bp 3'-
20 untranslated region. The ORF codes for a protein consisting of 146 amino acid residues and there existed a secretory signal at the N-terminus and one putative transmembrane domain at the C-terminus. Figure 6 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-
25 Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 19 kDa that was somewhat larger than the molecular weight of 16,347 predicted from the ORF.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for
30 example, Accession No. AA424759) in ESTs, but, since they

are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

5 <HP10548> (SEQ ID Nos. 7, 17, and 27)

Determination of the whole base sequence of the cDNA insert of clone HP10548 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 330-bp 5'-untranslated region, a 1035-bp ORF, and a 67-bp 3'-
10 untranslated region. The ORF codes for a protein consisting of 344 amino acid residues and there existed four putative transmembrane domains. Figure 7 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro
15 translation resulted in formation of a translation product of a high molecular weight.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for
20 example, Accession No. AA143152) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

25 <HP10566> (SEQ ID Nos. 8, 18, and 28)

Determination of the whole base sequence of the cDNA insert of clone HP10566 obtained from cDNA library of the human stomach cancer revealed the structure consisting of a 61-bp 5'-untranslated region, a 294-bp ORF, and a 246-bp 3'-
30 untranslated region. The ORF codes for a protein consisting of 97 amino acid residues and there existed one putative transmembrane domain at the C-terminus. Figure 8 depicts the

hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 12 kDa that was almost identical with the molecular weight of 11,452 predicted from the ORF. When expressed in
5 COS7 cells, an expression product of about 12 kDa was observed in the membrane fraction.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration
10 of sequences that shared a homology of 90% or more (for example, Accession No. W79821) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

15

<HP10567> (SEQ ID Nos. 9, 19, and 29)

Determination of the whole base sequence of the cDNA insert of clone HP10567 obtained from cDNA library of the human stomach cancer revealed the structure consisting of a
20 77-bp 5'-untranslated region, a 375-bp ORF, and a 133-bp 3'-untranslated region. The ORF codes for a protein consisting of 124 amino acid residues and there existed one putative transmembrane domain at the C-terminus. Figure 9 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-
25 Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 14 kDa that was almost identical with the molecular weight of 14,484 predicted from the ORF.

Furthermore, the search of the GenBank using the base
30 sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA428475) in ESTs, but, since they

are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

5 <HP10568> (SEQ ID Nos. 10, 20, and 30)

Determination of the whole base sequence of the cDNA insert of clone HP10568 obtained from cDNA library of the human stomach cancer revealed the structure consisting of a 56-bp 5'-untranslated region, a 984-bp ORF, and a 60-bp 3'-untranslated region. The ORF codes for a protein consisting of 327 amino acid residues and there existed a secretory signal at the N-terminus and one putative transmembrane domain at the C-terminus. Figure 10 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 36.5 kDa that was almost identical with the molecular weight of 34,326 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 40 kDa which is considered to have a sugar chain being attached. In addition, there exist in the amino acid sequence of this protein two sites at which N-glycosylation may occur (Asn-Leu-Thr at position 138 and Asn-Leu-Ser at position 206). Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from valine at position 24. When expressed in COS7 cells, an expression product of about 31 kDa was observed in the supernatant fraction and the membrane fraction.

30 The search of the protein data base using the amino acid sequence of the present protein has revealed that the protein was similar to the human cell-surface A33 antigen

(SWISS-PROT Accession No. Q99795). Table 5 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the human cell-surface A33 antigen (A3). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 30.0% in the N-terminal region of 243 residues.

Table 5

	HP	MAELPGPFLCGALLGFLCGLAVEVKVPTEPLSTPLGKTAELTCTYSTSVGDSFAL-EW
	* . *... **.....** *... . * . *
15	A3	MVGKMWPVLWTLCAVRVTVDALSVETPQDVLRSQGKSVTLPCYHTSTSSREGLIQW
	HP	SFVQPGKPISESHPILYFTNGHLYPTGSKSKRVSLQNPPTVGVATLKLTDVHPSDTGTG
	 * . * . * . * . * . . * . . . *..... .*.***
	A3	DKLL--LHTERVVIWPFSSNKN-YIHGELYKNRVSISNNAEQSDASITIDQLTMADNGTY
	HP	LCQVNNPPDFYTNGGLINLTVLVPPSNPLCSQSGQTSVGGSTALRCSSSEGAPKPVYNW
20		* * . . * . . . ** * . . * . ** ** * . *
	A3	ECSVSLMSDLEGNTKSRVRLVLVPPSKPECGIEGETIIGNNIQLTCQSKEGSPTPOYSW
	HP	VRLGTFPTSPGSMVQDEVSGQLILTNLSTSSGTYRCVATNQMGASCELTLSVTEPS-
		* ... * ..* . . . *..* ..** ** ..** ..*
	A3	KRYNILNQEQP--LAQPASGQPVSLKNISTDTSGYYICTSSNEEGTQFCNITVAVRSPSM
25	HP	-QGRVAGALIGVLLGVLLLSVAAFCLVRFQKERGKKPKETYGGSDLREDAIAPGISEHTC
		. . * .** *
	A3	NVALYVGIAVGVVAALIIIGIIIIYCCCCRGKDDNTEDKEDARPNREAYEEPPEQLRELSR
	HP	MRADSSKGFLERPSSASTVTTTTSKLPVV
30	A3	EREEEDDYRQEEQRSTGRES PDHLDQ

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration

of sequences that shared a homology of 90% or more (for example, Accession No. T24595) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP01426> (SEQ ID Nos. 31, 41, and 51)

Determination of the whole base sequence of the cDNA insert of clone HP01426 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 1-bp 5'-untranslated region, a 942-bp ORF, and a 122-bp 3'-untranslated region. The ORF codes for a protein consisting of 313 amino acid residues and there existed a putative secretory signal. Figure 11 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 36 kDa that was almost identical with the molecular weight of 34,955 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 38 kDa which is considered to have a sugar chain being attached after secretion. In addition, there exists in the amino acid sequence of this protein one site at which N-glycosylation may occur (Asn-Ser-Ser at position 163). Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from tryptophan at position 17. When expressed in COS7 cells, an expression product of about 39 kDa was observed in the supernatant fraction and the membrane fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the

protein was similar to the *Xenopus laevis* cortical granule lectin (EMBL Accession No. X82626). Table 6 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the *X. laevis* cortical granule lectin (XL). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 67.9% in the region other than the N-terminal region.

Table 6

```

HP MNQLSFLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKGDECPSAFDGLYFLRT
15      *      **      *      *****. . * *. * * .
XL MLVHILLLLVTGGLSQSCEPVVIVASKNMVKQLDCDKFRSCKEIKDSNEEAQDGIYTLTS
HP ENGVIYQTFCDMTSGGGWTLVASVHENDMRGKCTVGDWRSSQOGSKADYPEGDGNWANY
. *. *****. *****. * ****. *****. *****
XL SDGISYQTFCDMTTNGGGWTLVASVHENNMAGKCTIGDRWSSQOGNRADYPEGDGNWANY
20 HP NTFGSAEAATSDDYKNPGYYDIAKDLGIWHVPNKSPMQHWRNSSLRYRTDTGFLQTLG
*****. *****. * *. *****. * ***** ****. *. * . *
XL NTFGSAGGATSDDYKNPGYYDIEAYNLGVHVPNKTPLSVWRNSSLQRYRTTDGILFKHG
HP HNLFGIYQKYPVKYGEKGCWTDNGPVI PVVYDFGDAQKTASYSPYQGREFTAGFVQFRV
***. *. ***** *. * *. *****. *. * *. ***. *** ...*. * . ***
25 XL GNLFSLYRIYPVKYGIGSCSKDSGPTVPVVDLGS AKLTASFYSPDFRSQFTPGYIQFRP
HP FNNERAANALCAGMRVTGCNTEHHCIGGGYFPEAS PQCGDFSGFDWSGYGTHVGYS SS
*. *. * * * *. * . . . * * * * * * * * * * * * * * * * * * * * * * * *
XL INTEKAALALCPGMKME SCNVEHVCIGGGYFPEADPRQCGDFAAYDFNGYGTKKFNSAG
HP REITEAAVLLFYR
30      *****
XL IEITEAAVLLFYL

```

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. R06009) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP02515> (SEQ ID Nos. 32, 42, and 52)

Determination of the whole base sequence of the cDNA insert of clone HP02515 obtained from cDNA library of human osteosarcoma cell line Saos-2 revealed the structure consisting of a 176-bp 5'-untranslated region, a 690-bp ORF, and a 71-bp 3'-untranslated region. The ORF codes for a protein consisting of 229 amino acid residues and there existed a putative secretory signal at N-terminus and one putative transmembrane domain at the C-terminus. Figure 12 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 27 kDa that was almost identical with the molecular weight of 26,000 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 25.5 kDa from which the secretory signal is considered to have been cleaved. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from phenylalanine at position 28.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the human T1/ST2 receptor binding protein (GenBank Accession No. U41804). Table 7 shows the

comparison between amino acid sequences of the human protein of the present invention (HP) and the human T1/ST2 receptor binding protein (T1). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 55.8% in the entire region.

10

Table 7

15	HP MGDKIWLFPFVLLLAALPPVLLPGAAGFTPSLSDFTFTLPAGQKECFYQPMPLKASLE *.... ** .*** . *.** . * ..*** ***.*****. * .*** T1 MMAAGAALALALWLL--MPPVEV-GGAGPPPIQDGEFTFLPAGRKQCFYQSAPANASLE HP IEYQVLGDGAGLDIDFHLASPEGKTLVFEQRKSDGVHTVE-TEVGDMFCFDNTFSTISEK *****.*****.* *.**.* ** * **.****** **.*.....*****.***** T1 TEYQVIGGAGLDVDFTLESPQGVLLVSESERKADGVHTVEPTAGDYKLCFDNSFSTISEK HP VIFFELILDNMGEQAQEQEDWKYITGTDILDMKLEDILESINSIKSRLSKSGHIQILLR *****.*..* *. * . . .**.*.*** **.*.....* .. .*** T1 LVFFELIFDSL-QDDEEVEGWAEAVEPEEMLDVKMEDIKESIETMRTRLERSIQMLTLRL HP AFEARDRNIQESNFDRVNFWSMVNLVVMVVVSAIQVYMLKSLFEDKRKSRT *****.*..*..***** **.*...*...*. **.*.*** . * T1 AFEARDRNLQEGNLERNVNFWSAVNVAVLLLVAVLQVCTLKRFFQDKRPVPT
----	--

25

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA381943) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

30

<HP02575> (SEQ ID Nos. 33, 43, and 53)

Determination of the whole base sequence of the cDNA insert of clone HP02575 obtained from cDNA library of human osteosarcome cell line Saos-2 revealed the structure consisting of a 55-bp 5'-untranslated region, a 1404-bp ORF, and a 219-bp 3'-untranslated region. The ORF codes for a protein consisting of 467 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 13 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 52 kDa that was almost identical with the molecular weight of 54,065 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 57 kDa which is considered to have a sugar chain being attached afetr secretion. In addition, there exist in the amino acid sequence of this protein three sites at which N-glycosylation may occur (Asn-Arg-Thr at position 171, Asn-Ser-Thr at position 239 and Asn-Asp-Thr at position 377). Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from histidine at position 29. When expressed in COS7 cells, an expression product of about 55 kDa was observed in the supernatant fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the human α -L-fucosidase (SWISS-PROT Accession No. P04066). Table 8 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the human α -L-fucosidase (FC). Therein,

the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both
 5 proteins shared a homology of 54.8% in the entire region.

Table 8

	HP	MRPQELPRLAFPLLLLLLLLLLPPPPC-PAHSATRFDPWTWESLDARQLPAWFDQAKFGIFI
10		.*****.* .. . *... *...* ****.*.....*****.*
	FC	MRSRPAGPALLLLLLLFLGAAESVRRSQPPRRYTPDWPSLDSRPLPAWFDEAKFGVFI
	HP	HWGVFSVPFSGSEFWWWYQKEKIPKYVEFMKDNYPSPFKYEDFGPLFTAKFFNANQWAD
		*****.*.....*****.* * *.* ****.*.....*.*.....*****.*
	FC	HWGVFSVPAGWSEFWWWHWQEGRPQYQRFMRDNYPFGFSYADFGPQFTARFFHPEEWAD
15	HP	IFQASGAKYIVLTSKHHEGFTLWGSEYSWNWNAIDEGPKRDIVKELEVAIRNRTDLRFGL
		.***.*.....*****.* * *.....* *.....* *.....* *.....*
	FC	LFQAAGAKYVVLTTKHHEGFTNWPSVSWNWSKDVGPHRDLVGELGTALRKR-NIRYGL
	HP	YYSLFWFHPLFLEDESSSFHKRQFPVSKTLPELYELVNNYQPEVLWSDGDGGAPDQYWN
	* *.....* *.....* *.....* *.....* *.....*
20	FC	YHSLLEWFHPLYLLDKNGFKTQHFVSAKTMPELYDLVNSYKPDLIWSDGEWECPDITYWN
	HP	STGFLAWLYNESPVRGTVVTNDRWGAGSICKHGGFYTCSDRYNPGHLLPHKWENCMTIDK
	*.....*.....*.....*.....*.....*.....*.....*
	FC	STNFLSWLYNDSPVKDEVVNDRWGQNCCHGGYNCEDKFKPQSLPDHKWEMCTSIDK
	HP	LSWGYRREAGISDYLTIEELVKQLVETVSCGGNLLMNIGPTLDGTISVVFEERLRQMGSW
25		.*****.*.....*.....*.....*.....*.....*.....*.....*
	FC	FSWGYRRDMALSDVTEESEIISELVQTVSLGGNYLLNIGPTKDGLIVPIFQERLLAVGKW
	HP	LKVNGEAIYETHWRSQNDTVTPDVWYTSKPKEKLVYAIFLKWPTSGQLFLGHPKAILGA
	*.....*.....*.....*.....*.....*.....*
	FC	LSINGEAIYASKPWRVQWEKNTTSVWYTSKGS--VYAIFLHWPENGVLNLESPITT-ST
30	HP	TEVKLLGHGQPLNWISLEQNGIMVELPQLTIHQMPCKGWALALTNVI
	*.....*.....*.....*.....*.....*.....*
	FC	TKITMLGIQGDWKSTDPDKGLFISLPQLPPSAVPAEFAWTIKLTGVK

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. N28668) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

10 <HP10357> (SEQ ID Nos. 34, 44, and 54)

Determination of the whole base sequence of the cDNA insert of clone HP10357 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 113-bp 5'-untranslated region, a 300-bp ORF, and a 54-bp 3'-untranslated region. The ORF codes for a protein consisting of 99 amino acid residues and there existed two putative transmembrane domains. Figure 14 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 11 kDa that was almost identical with the molecular weight of 10,923 predicted from the ORF.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA477156) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

30

<HP10447> (SEQ ID Nos. 35, 45, and 55)

Determination of the whole base sequence of the cDNA

insert of clone HP10447 obtained from cDNA library of human liver revealed the structure consisting of a 271-bp 5'-untranslated region, a 570-bp ORF, and a 34-bp 3'-untranslated region. The ORF codes for a protein consisting of 189 amino acid residues and there existed five putative transmembrane domains. Figure 15 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA296976) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10477> (SEQ ID Nos. 36, 46, and 56)

Determination of the whole base sequence of the cDNA insert of clone HP10477 obtained from cDNA library of human liver revealed the structure consisting of a 149-bp 5'-untranslated region, a 1092-bp ORF, and a 15-bp 3'-untranslated region. The ORF codes for a protein consisting of 363 amino acid residues and there existed one putative transmembrane domain at the N-terminus. Figure 16 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 40 kDa that was almost identical with the molecular weight of 39,884 predicted from the ORF.

The search of the protein data base using the amino

acid sequence of the present protein revealed that the protein was similar to the human peptidoglycan recognition protein (GenBank Accession No. AF076483). Table 9 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the human peptidoglycan recognition protein (PG). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 54.8% in the entire region.

Table 9

15	HP	MVDSLLAVTLAGNLGLTFLRGSQTQSHPDLGTEGCWDQLSAPRTFTLLDPKASLLTKAFL
	HP	NGALDGVILGDYLSRTPEPRPSLSHLLSQYYGAGVARDPGFRSNFRRQNGAALTSASILA
	HP	QQVWGTLVLLQRLPEVHLQLQCMSQEQLAQVAANATKEFTEAFLGCPAHPRCRWGAAPY
		.. ** * * *
	PG	MSRRSMLLAWALPSLLRLGAAQETEDPACCSPIVPRNEWKALA-
20	HP	RGRPKLLQLPLGFLYVHHTYVPAPPCTDFTRCAANMRSMQRYHQDTQGWGDIGYSFVVGS
	 * *** .. * ***.. ..*... *...*** . * ** *...*****.
	PG	SECAQHLSLPLRYVVVSHT--AGSSCNTPASCQQQARNVQHYHMKTLGWCDVGYNFLIGE
	HP	DGYVYEGRGWHWVGAHTLGH-NSRGFGVAIVGNNTAALPTEAALRTVRDTLPSCAVRAGL
		** *****...***. *.....*.....*** . *** .*. *..... * .*. * *
25	PG	DGLVYEGRGWNFTGAHSGHLWNPMSIGISFMGNYMDRVPTPQAIRAAQGLL-ACGVAQGA
	HP	LRPDYALLGHRQLVRTDCPGDALFDLLRTWPHTATVKPRPARSVSKRSRREPPPPRTLPA
		..* ***.. ** ...*...***.
	PG	LRSNYVLKGRDVGQRTLSPGNQLYHLIQNWPHYRSP

30

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration

of sequences that shared a homology of 90% or more (for example, Accession No. AA424759) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10513> (SEQ ID Nos. 37, 47, and 57)

Determination of the whole base sequence of the cDNA insert of clone HP10513 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 134-bp 5'-untranslated region, a 750-bp ORF, and a 0-bp 3'-untranslated region. The ORF codes for a protein consisting of 249 amino acid residues and there existed one putative transmembrane domain at the N-terminus. Figure 17 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 29 kDa that was almost identical with the molecular weight of 27,373 predicted from the ORF.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the human hypothetical protein KIAA0512 (GenBank Accession No. AB011084). Table 10 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the human hypothetical protein KIAA0512 (KI). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 31.6% in the C-terminal region of 196 amino acid residues.

Table 10

HP MGPRGAGVWAAGLLLLGAGACYCIYRLTRGRRRG

5 KI RGRGRRPVAMQKRPFPEIDEILGVRDLRKVLALLQKSDDPFIQQVALLTLSNNANYSCN
HP DRELGIRSSKSAEDLTDGSYDDVLNAEQQLKLLYLLESTEDPVIIERALITLGNNAAFSV
** . * *. *.. *

10 KI QETIRKLGGLPPIIANMINKTDPHIKEKALMAMNNLSENYENQGRQLQVYMKNVMDDIMASN
HP NQAIIRELGGIPIVANKINHSNQSIKEKALNALNNLSVNVENQIKIKVQLKLLNLSEN
.. .. * ... *... * ***** *... **
KI LNSAVQVVGLKFLTNMTITNDYQHLLVNSIANF--FRLLSQGGGKIKVEILKILSNFAEN
HP PAMTEGLLRAQVDSSFLSLYDSHVAKEILLRVLTFLQNIKNCLKIEGHLAVQPTFTEGSL
. . **..** ..** **..*..*****.****. * . * . * *

15 KI PDMLKLLSTQVPASFSSLYNSYVESEILINALTLFEIYDNLRAE--VFNYREFNKGSL
HP FFL-LHGEECAQKIRALVDHHDAAEVKEKVVTIIPKI
. .. *..*****.**** ** **..... *.
KI FYLCTTSGVCVKKIRALANHHDLLVKVKVIKLVNKF

20 Furthermore, the search of the GenBank using the base
sequences of the present cDNA has revealed the registration
of sequences that shared a homology of 90% or more (for
example, Accession No. N92228) in ESTs, but, since they are
25 partial sequences, it can not be judged whether or not any
of these sequences codes for the same protein as the protein
of the present invention.

<HP10540> (SEQ ID Nos. 38, 48, and 58)

30 Determination of the whole base sequence of the cDNA
insert of clone HP10540 obtained from cDNA library of human
osteosarcoma cell line Saos-2 revealed the structure

consisting of a 47-bp 5'-untranslated region, a 297-bp ORF, and a 245-bp 3'-untranslated region. The ORF codes for a protein consisting of 98 amino acid residues and there existed two putative transmembrane domains. Figure 18 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the *Caenorhabditis elegans* hypothetical protein CEF49C12.12 (GenBank Accession No. Z68227). Table 11 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the *C. elegans* hypothetical protein CEF49C12.12 (CE). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 36.1% in the entire region.

Table 11

25	HP M-ASLLCCGPKLAACGIVLSAWGVIMLIMLGIFNVHSAVLIEDVPFTEKDFENGPNQNIY
	* *** * * * * * * * * * * *
	CE MGKICPLMGPKMSAFCMVMSVWGVIFLGLLGVFYIQAFTLEPDLHF-EGHGKVPSSVID
	HP NLYEQVSYNCFIAAGLYLLLGGFSFCQVRLNKRKEYMVR
	* * * * * * * * **
30	CE AKYNEKATQCWIAAGLYAVTLIAVFWQ---NKYNTAQIF

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA420715) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

10 <HP10557> (SEQ ID Nos. 39, 49, and 59)

Determination of the whole base sequence of the cDNA insert of clone HP10557 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 24-bp 5'-untranslated region, a 519-bp ORF, and a 130-bp 3'-untranslated region. The ORF codes for a protein consisting of 172 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 19 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 32 kDa that was larger than the molecular weight of 18,844 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 39 kDa which is considered to have been subjected to some modification after secretion. In addition, there exist in the amino acid sequence of this protein no site at which N-glycosylation may occur. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from glycine at position 32. When expressed in COS7 cells, an expression product of about 20 kDa was observed in the supernatant fraction and the membrane fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the human progesterone binding protein (EMBL Accession No. AJ002030). Table 12 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the human progesterone binding protein (PG). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 30.5% in the C-terminal region of 151 amino acid residues.

Table 12

15	HP	MVGPAP
	PG MAAGDGDVVLGTLGSGSESSNDGGSESPGDAGAAAEGGGWAAAALALLTGGGEMLLNVAL	
	HP RRRRLRPLAALALVLALAPGLPTARAGQTPRPAERGPPV--RLFTEEEELARYGGEEEDQPI	
20	PG VALVLLGAYRLWVRWGRRGLGAGAGAGEESPATSLPRMKKRDFSLEQLRQYDG--SRNPRI	
	HP YLAVKGVVFDVTSGKEFYGRGAPYNALTGKDSTRGVAKMSLDPADLTHDTTGLTAKELEA	
	PG LLAVNGKVFDVTGSKFYGPAGPYGIFAGRDASRGLATFCLDKDALRDEYDDLSDLNAVQ	
25	HP LDEV--FTKVYKAKYPIVGYTARRILNEDGSPNLDFKPEDQPHFDIKDEF	
	PG MESVREWEMQFKEY---DYVG-RLLKPGEEPS-EYTDEEDTKDHNKQD	

30 Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for

example, Accession No. AA101709) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

5

<HP10563> (SEQ ID Nos. 40, 50, and 60)

Determination of the whole base sequence of the cDNA insert of clone HP10563 obtained from cDNA library of human osteosarcoma cell line Saos-2 revealed the structure
10 consisting of a 126-bp 5'-untranslated region, a 363-bp ORF, and a 936-bp 3'-untranslated region. The ORF codes for a protein consisting of 120 amino acid residues and there existed two putative transmembrane domains. Figure 20 depicts the hydrophobicity/hydrophilicity profile, obtained
15 by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 18.5 kDa that was larger than the molecular weight of 13,180 predicted from the ORF.

The search of the protein data base using the amino
20 acid sequence of the present protein revealed that the protein was similar to the Arabidopsis thaliana hypothetical protein F27F23.15 (GenBank Accession No. AC003058). Table 13 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the A.
25 thaliana hypothetical protein F27F23.15 (AT). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins
30 shared a homology of 35.5% in the entire region.

Table 13

```

HP MMPSRTNLATGIPSSKVKYSRLSSTDGYYDLQFKKTPPKIPYKAIALATVFLIGAFLI
      *...*  * . . . . * *...*. *...*. *
5  AT          MAYVDHAFSISDEDLMIGTSY-TVSNRPPVKEISLAVGLLVFGTLGI
HP IIGSLLLSGYISKGGADRAVPVLIIGILVFLPGFYHLRIAYYASKGYRGYSYDDIPDFDD
      ..* .. . . . * . . . . . *...*. *...*. *...*. *...*. *
AT VLGFFMAYNRVG-GDRGHGIFIVLGCLLFIPGFYYTRIAYYAYKGYKGFSSNIPSV

```

10

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA083574) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP01467> (SEQ ID Nos. 61, 71, and 81)

20 Determination of the whole base sequence of the cDNA insert of clone HP01467 obtained from cDNA library of human fibrosarcoma cell line HT-1080 revealed the structure consisting of a 65-bp 5'-untranslated region, a 924-bp ORF, and a 447-bp 3'-untranslated region. The ORF codes for a protein consisting of 307 amino acid residues and there
 25 existed three putative transmembrane domains. Figure 21 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation
 30 product of high molecular weight.

The search of the protein data base using the amino

acid sequence of the present protein revealed that the protein was similar to the rat Sec22 homologue (GenBank Accession No. U42209). Table 14 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the rat Sec22 homologue (RN). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 94.6% in the N-terminal region of 241 amino acid residues. The protein of the present invention was longer by 53 amino acids at the C-terminus than the rat Sec22 homologue.

15

Table 14

	HP	MSMILSASVIRVRDGLPLSASTDYEQSTGMQECRKYFKMLSRKLAQLPDRCTLKTGHYNI
		*****.*****.***.*.*****.*****.***
	RN	MSMILSASVVRVRDGLPLSASTDCEQSAGVQECRKYFKMLSRKLAQFPDRCTLKTGRHNI
20	HP	NFISSLGVS YMM LCTENYPNVLA FSFLDELQKEFITTYNMMKTNTAVRPYCFIEFDNFIQ

	RN	NFISSLGVS YMM LCTENYPNVLA FSFLDELQKEFITTYNMMKTNTAVRPYCFIEFDNFIQ
	HP	RTKQRYNNPRSLSTKINLSDMQTEIKLRPPYQISMCELGSANGVTSAFSVDCKGAGKISS
		***** *****.*****
25	RN	RTKQRYNNPRSLSTKINLSDMQMEIKLRPPYQIPMCELGSANGVTSAFSVDCKGAGKISS
	HP	AHQRLPATLSGIVGFILSLLCGALNLIRGFHAIESLLQSDGDDFNYYIIAFLGTAACLY
		*****.*****.***.*.*****
	RN	AHQRLPATLSGIVAFILSLLCGALNLIRGFHAIESLLQSDGEDFSYMI A FLGTAACLY
	HP	QCYLLVYYTGWRNVKSFLT FGLICLCNMYLYELRN LWQLFFHVTVGAFVTLQIWL RQAQG
30		*
	RN	QMICLCLQGRKERT

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA421925) in ESTs, but, since they
5 are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP01956> (SEQ ID Nos. 62, 72, and 82)

10 Determination of the whole base sequence of the cDNA insert of clone HP01956 obtained from cDNA library of human liver revealed the structure consisting of a 86-bp 5'-untranslated region, a 552-bp ORF, and a 359-bp 3'-untranslated region. The ORF codes for a protein consisting
15 of 183 amino acid residues and there existed one putative transmembrane domain. Figure 22 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product
20 of 20.5 kDa that was almost identical with the molecular weight of 20,073 predicted from the ORF.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the yeast hypothetical protein 21.5
25 kDa (SWISS-PROT Accession No. P53073). Table 15 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the yeast hypothetical protein 21.5 kDa (SC). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that
30 of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology

of 34.3% in the C-terminal region of 108 amino acid residues.

Table 15

```

5      HP      MTAQGGGLVANRRGRRFKWAIELSGPGGSRGRSDRGSGQGSLSYPVGYLDKQVPDTS

      SC MSEQEPYEWAKHLLDTKYIEKYNIQNSNTLPSPPGFEGNSSKGNVTRKQQDATSQTTSLA
      HP VQETDRILVEKRCWDIALGPLKQIPMNLFIMYMAGNTISIFPTMMVCMMAWRPIQALMAI
          . *   . .   * . * * * * . *   * . . .   * . * .   . *   . * . * . . .
10     SC QKNQITVLQVQKAWQIALQPAKSIPMNIFMSYMSGTSLQIIPIMTALMLLSGPIKAIFST
      HP SATFK--MLESSSQKFLQGLVYLIGNLMGLALAV-Y-KCQSMGLLPTHASDWLAFIEPPE
          . . . * *   . . . . * .   . * .   .   . * *   . * * * . * .   . * * .
      SC RSAFKPVLGNKATQSQVQTAMFMYIVFQGVLMYIGYRKLNSMGLIPNAKGDWLPWERIAH
      HP RMEFSGGGLLL

15     SC YNNGLOWFSD

```

Furthermore, the search of the GenBank using the base
sequences of the present cDNA has revealed the registration
of sequences that shared a homology of 90% or more (for
example, Accession No. AA159753) in ESTs, but, since they
are partial sequences, it can not be judged whether or not
any of these sequences codes for the same protein as the
protein of the present invention.

<HP02545> (SEQ ID Nos. 63, 73, and 83)

Determination of the whole base sequence of the cDNA insert of clone HP02545 obtained from cDNA library of human osteosarcoma cell line Saos-2 revealed the structure consisting of a 133-bp 5'-untranslated region, a 984-bp ORF, and a 636-bp 3'-untranslated region. The ORF codes for a

protein consisting of 327 amino acid residues and there
existed a putative secretory signal at the N-terminus and
one putative transmembrane domain at the C-terminus. Figure
23 depicts the hydrophobicity/hydrophilicity profile,
5 obtained by the Kyte-Doolittle method, of the present
protein.

The search of the protein data base using the amino
acid sequence of the present protein revealed that the
protein was similar to the rat embigin (EMBL Accession No.
10 AJ009698). Table 16 shows the comparison between amino acid
sequences of the human protein of the present invention (HP)
and the rat embigin (RN). Therein, the marks of -, *, and .
represent a gap, an amino acid residue identical with that
of the protein of the present invention, and an amino acid
15 residue similar to that of the protein of the present
invention, respectively. The both proteins shared a homology
of 65.4% in the entire region.

Table 16

HP MRALPGLLEARARTPRLLLLQCLLAAARPSSADGSAPDSPFTSPPLREEIMAN--NFSLE
 ** . ** . *.. ***** .***** **..* *...*.*** *.....** .***
 5 RN MRSHTGLRALVAPGCSLLLL--YLLAATRPDRAVGDPADSAFTSLPVREEMMAKYANLSLE
 HP SHNISLTEHSSMPVEKNITLERPSNVNLTCQFTTSGDLNAVNVTWKKDGEQLE--NNYLV
 .*****..... *.....**..* * *...* . *****.. ** ...
 RN TYNISLTEQTRVS-EQNITLERPSHLELECTFTATEDVMSMNVTWKKDDALLETTDGFNT
 HP SATGSTLYTQYRFTIINSKQMGSYSCFFREEKEQRGTFNFKVPELHGKNKPLISYVG DST
 10 . *...*****.*****.*****. ** *****.***.*****.*****
 RN TKMGDTLYSQYRFTVFNSKQMGKYSCFLGEE--LRGTFNIRVPKVHGKNKPLITYVG DST
 HP VLTCKCQNCFPLNWTWYSSNGSVKVPVGVQM-NKYVINGTYANETKLKITQLLEEDGESY
 .*.***.***** **..*...*.. *. ***.*****.*****.**
 RN VLKCECQNCPLNWTWYMSNGTAQVPIDVHVNDKFDINGSYANETKLKVHLLLEEDGGSY
 15 HP WCRAFLQLGEEHIELVVL SylVPLKPFLVIVA EVILLVATILLCEKYTQKKKKHSDEG
 **** *.*****.*****.*****.*.*****.***** *****...*.
 RN WCRAAFPLGESEEHIKLVVLSFMVPLKPFLAIIAEVILLVAIILLCEVYTQKKKNPDG
 HP KEFEQIEQLKSDDSGIENNVPRHRKNESLGQ
 *****.***.*.
 20 RN KEFEQIEQLKSDDSGIENNVPRYRKTDSGDQ

25 Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA312629) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

30

<HP02551> (SEQ ID Nos. 64, 74, and 84)

Determination of the whole base sequence of the cDNA insert of clone HP02551 obtained from cDNA library of human

osteosarcoma cell line Saos-2 revealed the structure consisting of a 61-bp 5'-untranslated region, a 672-bp ORF, and a 384-bp 3'-untranslated region. The ORF codes for a protein consisting of 223 amino acid residues and there
5 existed a putative secretory signal at the N-terminus. Figure 24 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 27 kDa that was somewhat larger than
10 the molecular weight of 24,555 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 26 kDa from which the secretory signal is considered to have been cleaved. Application of the (-3,-1) rule, a method for predicting the cleavage site of the
15 secretory signal sequence, allows to expect that the mature protein starts from glutamine at position 20.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the mouse FGF binding protein
20 (GenBank Accession No. U49641). Table 17 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the mouse FGF binding protein (MM). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the
25 protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 21.2% in the entire region other than the N-terminal region. In particular, all the eight cysteine residues contained in the
30 both proteins were conserved.

Table 17

	HP	MKFVPCLLLVTLSCLGTLGQAPRQKQGST
		...*. . .*
5	MM	MRLHSLILLSFLLLATQAFSEKVRKRAKNAPHSTAEEGVEGSAPSLGKAQNKQRSRTSKS
	HP	GEEFHFQTGGRDSCMRPSSLGQGAGEVWLRVDCRNTDQTYWCEYRGQPSMCQAFADPK
		..* ** * * *
	MM	LTHGKFVTKDQATC---RWAVTEEEQGISLKVQCTQADQEFSCVFAGDPTDCLKHDKD-Q
	HP	SYWNQALQELRRLHHACQGA-PVLRPSVCREAGPQAHMQQVTSSSLKGSPEPNQQPEAGTP
10		***.* * * *
	MM	IYWKQVARTLRKQKNICRDAKSVLKTRVCRKRFESNLKLVNPNARGNTKPRKEKAEVSA
	HP	SLRPKATVKLTQATQLGKDSMEELGKAKPTTRPTAKPTQPGPRPGGNEEAKKKAWHCWK
		. . * * * *
	MM	REHNKVQEAUVSTEPNRIKEDI-TLNPAATQTM-TIRDPECLEDPDVLNQ-RKTALEFCGE
15	HP	PFQALCAFLISFFRG
	*
	MM	SWSSICTFFLNMLQATSC

20 Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA317400) in ESTs, but, since they are partial sequences, it can not be judged whether or not

25 any of these sequences codes for the same protein as the protein of the present invention.

<HP02631> (SEQ ID Nos. 65, 75, and 85)

30 Determination of the whole base sequence of the cDNA insert of clone HP02631 obtained from cDNA library of human osteosarcoma cell line Saos-2 revealed the structure consisting of a 42-bp 5'-untranslated region, a 147-bp ORF,

and a 1191-bp 3'-untranslated region. The ORF codes for a protein consisting of 48 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 25 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 10 kDa or less.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA156969) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

15

<HP02632> (SEQ ID Nos. 66, 76, and 86)

Determination of the whole base sequence of the cDNA insert of clone HP02632 obtained from cDNA library of human fibrosarcoma cell line HT-1080 revealed the structure consisting of a 50-bp 5'-untranslated region, a 1116-bp ORF, and a 337-bp 3'-untranslated region. The ORF codes for a protein consisting of 371 amino acid residues and there existed eight putative transmembrane domains. Figure 26 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

25

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the *Caenorhabditis elegans* hypothetical protein CELC2H12 (GenBank Accession No. U23169). Table 18 shows the comparison between amino acid sequences

30

of the human protein of the present invention (HP) and the C. elegans hypothetical protein CELC2H12 (CE). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 51.4% in the entire region.

Table 18

10

HP MAWTKYQLFLAGLMLVTGSINTLSAKWADNFMAEGCGGSKEHSFQHPFLQAVGMFLGEFS
 *.*****.*****..... . *.*****. *****

CE MVAFAVIISVMMVVTGSLNTICAKWADSIKAD-----GVPFNHPFLQATCMFFGEFL

HP CLAAFYL-----LRCRAAGQSDS-----SVDPQQPFNPLFLPPALCDMTGTSL

15

..* * **. *****. ***.

CE CLVVFFLIFGYKRYVWNRANVQGESGSVTEITSEEKPTLPPFNPFLLFPPALCDILGTSL

HP MYVALNMTSASSFQMLRGAVIIFTGLFSVAFGLRRLLVLSQWLGIATLTIAGLVVVGLADLL

..*.*.**.*****.***..* .. .***..* .. *****..*

CE MYIGLNLTTASSFQMLRGAVIIFTGLLSVGMLNAQIKPKWFGMLFVMLGLVIVGVTDIY

20

HP SKHDSQHKLSEVITGDLLIIMAQIIVAIQMVLEEKFVYKHNHPLRAVGTEGLFGFVILS

... ..***.***.*****.***..** ****..*

CE YDDDPLDDKNAIITGNLLIVMAQIIVAIQMVYEQKYLTKYDVPALFAVGLEGLFGMVTL

HP LLLVPMYYIPAG-SFSGNPRGTLEDALDAFCQVGQQPLIAVALLGNISSIAFFNFAGISV

...*.*****.* *** .. *****..*

25

CE ILMIPFYYIHPRTFSTNPEGRLEDVFYAWKEITEPTIALALSGTVVSI AFFNFAGVSV

HP TKELSATTRMVLDSLRTVVIWALSLALGWEAFHALQILGFLILLIGTALYNGLHRPLLGR

*****.***.***..*..* * * *..* ..*..* ..*..*

CE TKELSATTRMVLDSVRTLVIWVVSIPLFHEKFIAIQLSGFAMLILGTLYNDILIGPWFR

HP LSRGRPLAESEQERLLGGTRTPINDAS

30

CE RNILPNLSSHANCARCWLCICGGDSELIEYEQEDQEHLMEA

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. N50907) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10488> (SEQ ID Nos. 67, 77, and 87)

Determination of the whole base sequence of the cDNA insert of clone HP10488 obtained from cDNA library of human liver revealed the structure consisting of a 39-bp 5'-untranslated region, a 273-bp ORF, and a 421-bp 3'-untranslated region. The ORF codes for a protein consisting of 90 amino acid residues and there existed one putative transmembrane domain at the N-terminus. Figure 27 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 10 kDa that was almost identical with the molecular weight of 10,151 predicted from the ORF. When expressed in COS7 cells, an expression product of about 6 kDa was observed in the membrane fraction.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. H73534) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10538> (SEQ ID Nos. 68, 78, and 88)

Determination of the whole base sequence of the cDNA insert of clone HP10538 obtained from cDNA library of human osteosarcoma cell line Saos-2 revealed the structure consisting of a 357-bp 5'-untranslated region, a 1500-bp ORF, and a 1911-bp 3'-untranslated region. The ORF codes for a protein consisting of 499 amino acid residues and there existed at least four putative transmembrane domains. Figure 28 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the mouse pore-forming K⁺ channel subunit (GenBank Accession No. AF056492). Table 19 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the mouse pore-forming K⁺ channel subunit (MM). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 32.4% in the N-terminal region of 241 amino acid residues.

Table 19

```

HP  MVDRGPLLTSIAIFYLAIGAAIFEVLEEPHWKEAKKNYYTQKLHLLKEFPCLGQEGLDK
      * . . . . . ** . * . . . . ** . . . . . . . . . . ** . . . . .
5  MM MRSTTLALLLVLLYLVS GALVFQALEQPHEQQAQKKMDHGRDQFLRDHPCVSQKSLED
HP  ILEVVS DAAGQG-----VAITGNQTFNNWNWPNAMIFAATVITTIGYGNVAPKTPAGRLE
      . . . . . * * * . . . . . ** . * . . . . ** . . . . . ** . . . . .
MM  FIKLLVEALGGGANPETS WTNSSNHSSAWNLSAFFFFSGTIITTIGYGNIVLHTDAGRLE
HP  CVFYGLFGVPLCLTWISALGKFFGGRKR-----LGQFLTKRGVSLRKAQITCTVIFIVWG
10  * . . . . * . . . . . . . . . . * . . . . . * . . . . . * . . . . .
MM  CIFYALVGIPFLFGMLLAGVGDRLGSSLRRGIGHIEAIFLKWHVPPGLVRSLSAVLFLIG
HP  VLVHLVIPPFVFMVTEGWNYIEGLYYSFITISTIGFGDFVAGVNPSANYHALYRYFVELW
      * . . . . ** . * . . . . * . . . . . ** . . . . . * . . . . .
MM  CLLFVLTPTFVFSYMESWSKLEAIYFVIVTLTTVGFGDYVPG-DGTGQNSPAYQPLVWFW
15  HP  IYLG LAWLSLFVNWKVSMFVEVHKAIKRRRRRKESFESSPHSRKALQVKGSTASKDVNI
      * . . . . .
MM  ILFGLAYFASVLTTIGNWLRVSRRTAEMGGLTAQAASWTGTVTARVTQRTGPSAPPPE

```

20 Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. R25184) in ESTs, but, since they are partial sequences, it can not be judged whether or not any

25 of these sequences codes for the same protein as the protein of the present invention.

<HP10542> (SEQ ID Nos. 69, 79, and 89)

30 Determination of the whole base sequence of the cDNA insert of clone HP10542 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 23-bp 5'-untranslated region, a 321-bp ORF, and a 426-bp 3'-

untranslated region. The ORF codes for a protein consisting of 106 amino acid residues and there existed one putative transmembrane domain. Figure 29 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 12 kDa that was almost identical with the molecular weight of 11,724 predicted from the ORF. When expressed in COS7 cells, an expression product of about 13 kDa was observed in the membrane fraction.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA029683) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10571> (SEQ ID Nos. 70, 80, and 90)

Determination of the whole base sequence of the cDNA insert of clone HP10571 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 95-bp 5'-untranslated region, a 459-bp ORF, and a 675-bp 3'-untranslated region. The ORF codes for a protein consisting of 152 amino acid residues and there existed one putative transmembrane domain. Figure 30 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 20 kDa that was larger than the molecular weight of 17,062 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 23 kDa

which is considered to have a sugar chain being attached after secretion. In addition, there exists in the amino acid sequence of this protein one site at which N-glycosylation may occur (Asn-Ile-Thr at position 10).

5 Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA105822) in ESTs, but, since they are partial sequences, it can not be judged whether or not
10 any of these sequences codes for the same protein as the protein of the present invention.

<HP01470> (SEQ ID Nos. 91, 101, and 111)

 Determination of the whole base sequence of the cDNA
15 insert of clone HP01470 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 157-bp 5'-untranslated region, a 1077-bp ORF, and a 385-bp 3'-untranslated region. The ORF codes for a protein consisting of 358 amino acid residues and there existed one putative
20 transmembrane domain. Figure 31 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 43 kDa that was somewhat larger than the molecular weight
25 of 40,489 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of 40 kDa from which the secretory signal is considered to have been cleaved and a product of 43.5 kDa which is considered to have been subjected to some modification. Application of the
30 (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from glycine at position 23. When

expressed in COS7 cells, an expression product of about 44 kDa was observed in the supernatant fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the *Caenorhabditis elegans* hypothetical protein 39.9 kDa (SWISS-PROT Accession No. Q10005). Table 20 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the *C. elegans* hypothetical protein 39.9 kDa (CE). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 58.9% in the entire region.

Table 20

```

HP MAPQNLSTFCLLLLGLIGAVIAGRDFYKILGVPRASIKDIKKAYRKALQLHPDRNPDD
      * . . * * * * * . . * . . * * * * * . * * * * *
5  CE MRILNVSLVLASSLVAFVECGRDFYKILGVAKNANANQIKKAYRKALAKELHPDRNQDD
HP PQAQEKFPQDLGAAYEVLSDSEKRRQYDITYGEEGL--KDGHQSSHGDIFFSHFFGDFGFMFG
      * . * * * * . . * * * * * . * * * * * . . * . . * * * * * *
CE EMANEKFPQDLSSAYEVLSDKEKRAMYDRHGEEGVAKMGGGGGGGHDPFSSFFGDF-FG-G
HP GTPRQQDRNIPRGSDIIVDLEVTLEEVYAGNFVEVVRNKPVARQAPGKRKCNCRQEMRTT
10      * . . . . * . . . . * * * * * . * . * . * . * . * . * . * . * .
CE GGGHGGEEGTPKGADVTIDLFVTLEEVYNGHFVEIKRKKAVYKQTSGTRQCNCRHEMRTE
HP QLGPGRFQMTQEVVCDECPNVKLVNEERTLEVEIEPGVRDGMETPFIFEGEGEPHVDGEPGD
      * . * . * * * * * * * * * * * . * . . * . * * * * * . . * * *
CE QMGQGRFQMFQVKVCDECPNVKLVQENKVLVEVEVGADNGHQQIFHGEGERPHIEGDPGD
15 HP LRFRIKVVKHPIFERRGDDLYTNVTISLVESLVGFEMDITHLDGHKVVHISRDKITRPGAK
      * . * . * . * * * * * . * * * * * . * * * * * . * . * * * . * . * .
CE LKFKIRIQKHPRFERKGGDDLYTNVTISLQDALNGFEMEIQHLDGHIVKVQRDKVTWPGAR
HP LWKKGEGLPNFDNNNIKGLIITFDVDFPKEQLTEEAREGIKQLLKQGSVQ-KVYNGLQG
      * . * . * . * . . . * * * * . * . * * * . * . . * . . * . * * *
20 CE LRKKDEGMPSIEDNNKKGLVVTEDVEFPKTELSDEOKAQIIEILOONTVKPKAYNGL

```

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA282838) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

30 <HP002419> (SEO ID Nos. 92, 102, and 112)

Determination of the whole base sequence of the cDNA insert of clone HP02419 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 253-bp

5'-untranslated region, a 681-bp ORF, and a 1120-bp 3'-untranslated region. The ORF codes for a protein consisting of 226 amino acid residues and there existed four putative transmembrane domains. Figure 32 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the human hypothetical protein KIAA0108 (SWISS-PROT Accession No. Q15012). Table 21 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the human hypothetical protein KIAA0108 (KI). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 43.9% in the entire region.

Table 21

HP MKMVAPWTRFYNSCCLCHVRTGTILLGVWYLIINAVVLLILLSALADPD---QY
 5 KI MVSMSEKRNRSRDFYSTRCCGCCHVRTGTIILGTWYMVVNLLMAILLTVEVTHPNSMPAV
 HP NFSSSELGGDFEF-MDDANMCIAIAISLLMILICAMATYGAYKQRAAWIIPFFCYQIFDF
 KI NIQYEVIGNYYSSERMADNACVLFAVSVLMFIISSMLVYGAISYQVGWLIPFFCYRLDFD
 HP ALNMLVAITVLIYPNSIQEYIRQLPPNFPYRDDVMSVNPTCLVLIILLFISIILTFKGYL
 10 KI VLSCLVAISLTYLPRIKEYLDQL-PDFPYKDDLALDSSCLLFIVLVFFALFIIFKAYL
 HP ISCVWNCYRYINGRNSSDVLVYVT-SNDTTVLLPPYDDATVNGAAKEPPPPYVSA
 KI INCVWNCYKYINNRRNVPEIAVYPAFEAPPQYVLPTY-EMAVKMPKEPPPPYLP

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA173214) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

25 <HP02631> (SEQ ID Nos. 93, 103, and 113)

Determination of the whole base sequence of the cDNA insert of clone HP02631 obtained from cDNA library of human osteosarcoma cell line Saos-2 revealed the structure consisting of a 42-bp 5'-untranslated region, a 588-bp ORF, and a 750-bp 3'-untranslated region. Although the 49th amino acid residue is encoded by a stop codon, it is likely that this codon encodes selenocysteine from the molecular weight

of the translation product and the sequence comparison data with the *Caenorhabditis elegans* homologue. The ORF codes for a protein consisting of 195 amino acid residues and there existed a putative secretory signal at the N-terminus and one putative transmembrane domain in the intermediate region. Figure 33 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 58 kDa. In this case, the addition of a microsome led to the formation of a product of 56 kDa from which the secretory signal is considered to have been cleaved. Since both of these products are larger than the molecular weight of 22 kDa predicted from the ORF, it is likely that the protein interacts with another protein.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the *Caenorhabditis elegans* hypothetical protein C35C5.3 (EMBL Accession No. Z78417). Table 22 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the *C. elegans* hypothetical protein C35C5.3 (CE). U at position 49 in the amino acid sequence of the protein of the present invention represents selenocysteine. Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 37.9% in the entire region other than the N-terminal region. Cystein was found in the sequence of the *C. elegans* protein at the position corresponding to position 49 encoded by the stop codon (selenocysteine) of the protein of the present invention.

Table 22

	HP	MRLLLL
5	CE MRIHDELQKQDMSRFGVFIIGVLFFMSVCDVLRTEESHSHDENHVHEKDDFEAEFGDETDS	
	HP LLVAASAMVRSEASANLGGVPSKRLKMQYATGPLLKFCICVSUGYRRVFEEYMRVISQRY	
		* *.. *** *..... *..*
	CE QSFSQGTEEDHIEVREQSSFKPTAVHAKDLPTLRIFYCVSCGYKQAFDQFTTFAKEY	
	HP PDIRIEGENYLPQPIYRHIAFSLSVFKLVLIIGLIIVGKDPFAFFGMQAPSIWQWGQENKV	
10		*...***.*. * ..* ** *.... *.. * .***. **. * * * ...**.
	CE PNMPIEGANFAPVLWKAYVAQALSFKMAVLVLVLGGINPFFERFGLGYPQILQHAHGKMK	
	HP YACMMVFFLSNMIENQCMSTGAFEITLNDVPVWSKLESGHLPSMQQLVQILDNEMKLVH	
		.***.*.*...* .*****. *.. ..****.*.....* *.....*.... .
	CE SSCMLVFMLGNLVEQSLISTGAFEVYLGNEQIWSKIESGRVPSPQEFMQLIDAQLAVLGK	
15	HP MDSIPHRS	
	CE APVNTESFGEFQQTV	

20 Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA156969) in ESTs, but, since they are partial sequences, it can not be judged whether or not

25 any of these sequences codes for the same protein as the protein of the present invention.

<HP02695> (SEQ ID Nos. 94, 104, and 114)

30 Determination of the whole base sequence of the cDNA insert of clone HP02695 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 112-bp 5'-untranslated region, a 1020-bp ORF, and a 160-bp 3'-

untranslated region. The ORF codes for a protein consisting of 339 amino acid residues and there existed three putative transmembrane domains. Figure 34 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 38 kDa that was almost identical with the molecular weight of 38,274 kDa predicted from the ORF.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the rat hypertension-induced protein S-2 fragment (PIR Accession No. 539959). Table 23 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the rat hypertension-induced protein S-2 fragment (RN). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 74.3% in the entire region.

Table 23

HP MNWELLWLLVLCALLLLLVQLLRFLRADGDLTLLWAEWQGRPEWELTDMVVWVTGASS

5 HP GIGEELAYQLSKLGVSLVLSARRVHELERVKRRCLENGNLKEKDILVPLDLTDTGSHEA
 ****.*****.***.***.
 RN VKRRSLENGNLKEKDILVPLDLADTSSHDI
 HP ATKAVLQEFGRIDILVNNGGMSQSRSLCMDTSLDVYRKLIENYLGTVSLTKCVLPHMIER
 .**... ** .*...***.*****.***.***
 10 RN ATKTVLQEFGRIDILVNNGGVAHASLVENTNMDIFKVLIEVNYLGTVSLTKCFLPHMMER
 HP KQGKIVTVNSILGIISVPLSIGYCASKHALRGFFNGLRTELATYPGIIVSNICPGPVQSN
 .*****...*
 RN NQGKIVVMKS

15

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. T84331) in ESTs, but, since they are

20 partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10031> (SEQ ID Nos. 95, 105, and 115)

25 Determination of the whole base sequence of the cDNA insert of clone HP10031 obtained from cDNA library of human osteosarcoma cell line Saos-2 revealed the structure consisting of a 55-bp 5'-untranslated region, a 1464-bp ORF, and a 649-bp 3'-untranslated region. The ORF codes for a

30 protein consisting of 487 amino acid residues and there existed eleven putative transmembrane domains. Figure 35 depicts the hydrophobicity/hydrophilicity profile, obtained

by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight. When expressed in COS7 cells, an expression product of about 55 kDa was observed in the membrane fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the *Caenorhabditis elegans* hypothetical protein CELK07H8 (GenBank Accession No. AF047659). Table 24 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the *C. elegans* hypothetical protein CELK07H8 (CE). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 44.2% in the entire region.

Table 24

HP	MDGTETQRRLDSCGKPGELGLPHPLSTGGLPVAS
5	CE MKGGGGIGDGKKDYQSAVHEGLTTFDQLGIALEDVGKSMDAETATPGGSLFSRVIFRFRN HP EDGALRAPESQSVTPKPLETEPSRETAWSIGLQVTVPFMFAGLGLSWAGMLLDYFQHPV *...*... *... . ** ** ****.*... **
10	CE ENSSLKSRTYDHSNDLVNMSVIPAESYVLFQVLFPPFAVAGLGMVFAGLVLSIVVTWPL HP FVEVKDLLTLVPPLVGLKGNLEMTLASRLSTAANTGQIDDPQEQHRVISSNLALIQVQAT * * . . *...*...***** ** *...*...*...*...*...*...*...*...*...*... CE FEEIPEILILVPALLGLKGNLEMTLASRLSTLANLGHMDSSKQRKDVVIANLALVQVQAT HP VVGLLAAVAALLLGVSREEVDVAKVELLCASSVLTAFIAAFALGVLVCIVIGARKLG **...**... * * * * . . *...*... ** *...*...*...*...*...*...
15	CE VVAFLASAFAAALAFIPSGDFDWAHGALMCASSLATAACSASLVLSLLMVVIVTSRKYNI HP NPDNIATPIAASLGLTLTSLALVSSFFYR-HKDSRYLTPLVCLSFALTPVWVLIQKQ ****.*****.***.***. * * . *...*...*...*...*...*...*...*...*... CE NPDNVATPIAASLGLTLTTLVLAFFGSVFLKAHNTESWLNVIIVIVLFLLLLFPWIKIANE HP SPPIVKILKFGWFPILAMVISSFGGLILSKTVSKQYKGMALFTPVICGVGGNLVAIQT * ** *...*...*...*...*...*...*...*...*...*...*...*...*...
20	CE NEGTOETLYNGWTPVIMSLISSAGGFILETAV--RRYHSLSTYGPVLNGVGGNLAHVQA HP SRISTYLHMWSAPGVLPLQ--MKKFWPNPCSTFCTSEINSMSARVLLLLLVVPGHLIF-FY **...*...*...*...*...*...*...*...*...*...*...*...*...*...*...*... CE SRLSTYFHKAGTVGVLPNEWTVSRF-TSVQRAFFSKEWDSRSARVLLLLLVVPGHICFNFL HP I-IYLVGQSVINSQ--TFVVLVLLAGLIQVTILLYLAEVMVRLTWHQALDPDNHCIPYL * * . **...*...*...*...*...*...*...*...*...*...*...
25	CE IQLFTLTSKNNVTPHGPLEFTSLYMIAAIIQVVILLFVCQLLVALLWKWKIDPDNSVIPYL HP TGLGDLGTLGALLCFFTDWLLKSKAELGGISELASGPP *...***** . *...*
30	CE TALGDLGTLGLFIVFLTTDHFDPKELTSS

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for

example, Accession No. AA334000) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

5

<HP10530> (SEQ ID Nos. 96, 106, and 116)

Determination of the whole base sequence of the cDNA insert of clone HP10530 obtained from cDNA library of human osteosarcoma cell line Saos-2 revealed the structure
10 consisting of a 80-bp 5'-untranslated region, a 1182-bp ORF, and a 95-bp 3'-untranslated region. The ORF codes for a protein consisting of 393 amino acid residues and there existed a putative secretory signal at the N-terminus. Figure 36 depicts the hydrophobicity/hydrophilicity profile,
15 obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 46 kDa that was somewhat larger than the molecular weight of 44,912 predicted from the ORF. In this case, the addition of a microsome led to the formation
20 of a product of 45.5 kDa from which the secretory signal is considered to have been cleaved. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from lysine at position 23. When expressed in
25 COS7 cells, an expression product of about 43 kDa was observed in the supernatant fraction and the membrane fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the
30 protein was similar to the Arabidopsis thaliana hypothetical protein IG002N01 (GenBank Accession No. AF007269). Table 25 shows the comparison between amino acid sequences of the

human protein of the present invention (HP) and the A.
thaliana hypothetical protein IG002N01 (AT). Therein, the
marks of -, *, and . represent a gap, an amino acid residue
identical with that of the protein of the present invention,
5 and an amino acid residue similar to that of the protein of
the present invention, respectively. The both proteins
shared a homology of 27.0% in the N-terminal region of 355
amino acid residues.

Table 25

HP	MRTLFLNLLWL
5	AT MELTSFQKSPSSNDVVSFSVSLVRNSMARRRRSSAAESLKRRNDGYESLCQVVQQDSRRR HP ALACSPVHTTLSKSDAKKAASKTLEKSQFSDKPVQDRGLVVTDLKAESVLEHRSYCSA*.* **.. **.. ..
10	AT LITIFVIFVIVIPAVSIAVYKVKFADRVIQTESSIRQKGIVKTDINFQEILTEHSK--AS HP KARDRHFAAGDVLGYVTPWNHGYDVTKVFGSKFTQISPVWLQ-LKRRGREMFVETGLHDV**.. **.*.*** ..* .. *.... . . **.*..... . **.... AT ENSTRHYDYPVLAYITP--CQGSGL--VLEGR-HNADKGWIQELRSRGNALSASKGLPKL HP DQGWMAVRKHAKGLHIVPRLLFEDWTYDDFRNVLDSEDEIEELSKTVVQVAKNQHFDFG * . . . * . ** . . .**.* **
15	AT ---YNSCIFHALKRMNFFTLELVNFNTYLVIMFALNS-REMEYNGIVLESWSRWAAYGVL HP VVEVWNQLLSQKRVGLIHMLTHLAEALHQARLLALLVIPPAITPGTDQLGMFTHKEFEQL * . * * . *..... * AT HDPDLRKMALKFVKQLGDALHSTSSPRNNQOHMQFMYVVGPPRSEKLQMYDFGPEDLQFL HP APVLDGFSLMTYDYSTAHPGPNAPLSWVRACVQ-VLDPKSK----WRSKILLGLNIFYGM .*****.*.....*****.*. . . *..... .*****.*****
20	AT KDSVDGFSLMTYDFSNPQNPGPNAPVKWIDLTCLKLLGSSNNIDSNIARKVLLGINIFYGN HP DYATSKDAREPVVGARYIQTLKDHRPRMVWDSQASEHFFEYKKSRSRGRHVVFYPTLKSLO *...** *.. *...* . **.....* *..... .*****.*. AT DFVISGGGGGAITGRDYLALLQKHKPTFRWDKESGEHLFMYRDDKNIKHAVFYPTLMSIL HP VRLELARELGVGVSIEWELGQGLDYFYDLL
25	.*** ** *.**.....**.. ..* AT LRLENARLWGIGISIWEIGQDKGHFGKYAEASLEASSIFSGHTFDMQFRTNPRQLSRNGS

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA302913) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the

protein of the present invention.

<HP10541> (SEQ ID Nos. 97, 107, and 117)

Determination of the whole base sequence of the cDNA
5 insert of clone HP10541 obtained from cDNA library of human
stomach cancer revealed the structure consisting of a 7-bp
5'-untranslated region, a 591-bp ORF, and a 113-bp 3'-
untranslated region. The ORF codes for a protein consisting
of 196 amino acid residues and there existed a putative
10 secretory signal at the N-terminus. Figure 37 depicts the
hydrophobicity/hydrophilicity profile, obtained by the Kyte-
Doolittle method, of the present protein. In vitro
translation resulted in formation of a translation product
of 23 kDa that was somewhat larger than the molecular weight
15 of 21,553 predicted from the ORF. In this case, the addition
of a microsome led to the formation of a product of 20 kDa
from which the secretory signal is considered to have been
cleaved and a product of 23 kDa which is considered to have
a sugar chain being attached. Application of the (-3,-1)
20 rule, a method for predicting the cleavage site of the
secretory signal sequence, allows to expect that the mature
protein starts from glycine at position 41. In addition,
there exists in the amino acid sequence of this protein one
site at which N-glycosylation may occur (Asn-Leu-Thr at
25 position 185).

The search of the protein data base using the amino
acid sequence of the present protein revealed that the
protein was similar to the human zymogen membrane protein
(GenBank Accession No. AF056492). Table 26 shows the
30 comparison between amino acid sequences of the human protein
of the present invention (HP) and the human zymogen membrane
protein (ZM). Therein, the marks of -, *, and . represent a

gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 37.6% in the C-terminal region of 133 amino acid residues.

Table 26

	HP MWRVPGTTRRPVTGESPGMHRPEAMLLLLTLALLGGPTWAGKMYGPGGGKYFS-TTEDYD	
10		**.***** ** *
	ZM MLTVALLALLCASASGNAIQARSSSYSGEYGS GGGKRF SHSGNQLD	
	HP HEITGLRVS VGLLLVKS VQVKLGDSWDVKLGALGGNTQEVTLQPG EYITKVFVAFQAFLR	
		.*.*. . .***. *. *. *. *. *. *.**** ..**.
	ZM GPITALRVRVNTYYIVGLQVRYGKVWSDYVGG RNGDLEEIFLHPGESVIQVSGKYKWYLK	
15	HP GMVMTSKDRYFYFGKLDGQISSAYPSQEGQVLVGIYGQYQLLGIKSIGFEWN-YPLEEP	
		.*. *.***. *** .* . * * . . * * . * *.....* **
	ZM KLVFVTDKGRYLSFGKDSGTSFNAVPLHPNTVLR FISRSGSL-IDAIGLHWDVYPTSCS	
	HP TTEPPVNLTYSANSPVGR	
20	ZM RC	

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA340605) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

30

<HP10550> (SEQ ID Nos. 98, 108, and 118)

Determination of the whole base sequence of the cDNA

insert of clone HP10550 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 241-bp 5'-untranslated region, a 324-bp ORF, and a 86-bp 3'-untranslated region. The ORF codes for a protein consisting of 107 amino acid residues and there existed one putative transmembrane domain. Figure 38 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA348310) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10590> (SEQ ID Nos. 99, 109, and 119)

Determination of the whole base sequence of the cDNA insert of clone HP10590 obtained from cDNA library of human fibrosarcoma cell line HT-1080 revealed the structure consisting of a 77-bp 5'-untranslated region, a 1053-bp ORF, and a 180-bp 3'-untranslated region. The ORF codes for a protein consisting of 350 amino acid residues and there existed one putative transmembrane domain. Figure 39 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 40 kDa that was almost identical with the molecular weight of 39,285 predicted from the ORF. In this case, the addition of a microsome led to the formation of a product of

43 kDa which is considered to have a sugar chain being attached. In addition, there exist in the amino acid sequence of this protein two sites at which N-glycosylation may occur (Asn-Asn-Ser at position 144 and Asn-Leu-Thr at position 328).

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA461346) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10591> (SEQ ID Nos. 100, 110, and 120)

Determination of the whole base sequence of the cDNA insert of clone HP10591 obtained from cDNA library of human fibrosarcoma cell line HT-1080 revealed the structure consisting of a 232-bp 5'-untranslated region, a 324-bp ORF, and a 844-bp 3'-untranslated region. The ORF codes for a protein consisting of 107 amino acid residues and there existed one putative transmembrane domain. Figure 40 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 12 kDa that was almost identical with the molecular weight of 11,328 predicted from the ORF.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. H09424) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein

of the present invention.

<HP01462> (SEQ ID Nos. 121, 131, and 141)

Determination of the whole base sequence of the cDNA
5 insert of clone HP01462 obtained from cDNA library of human
fibrosarcoma cell line HT-1080 revealed the structure
consisting of a 121-bp 5'-untranslated region, a 1452-bp ORF,
and a 477-bp 3'-untranslated region. The ORF codes for a
protein consisting of 483 amino acid residues and there
10 existed a putative secretory signal at the N-terminus.
Figure 41 depicts the hydrophobicity/hydrophilicity profile,
obtained by the Kyte-Doolittle method, of the present
protein. In vitro translation resulted in formation of a
translation product of 72 kDa that was larger than the
15 molecular weight of 55,838 predicted from the ORF.
Application of the (-3,-1) rule, a method for predicting the
cleavage site of the secretory signal sequence, allows to
expect that the mature protein starts from lysine at
position 21.

20 The search of the protein data base using the amino
acid sequence of the present protein revealed that the
protein was similar to the *Caenorhabditis elegans*
hypothetical protein ZK1058.4 (EMBL Accession No. Z35604).
Table 27 shows the comparison between amino acid sequences
25 of the human protein of the present invention (HP) and the *C.*
elegans hypothetical protein ZK1058.4 (CE). Therein, the
marks of -, *, and . represent a gap, an amino acid residue
identical with that of the protein of the present invention,
and an amino acid residue similar to that of the protein of
30 the present invention, respectively. The both proteins
shared a homology of 35.6% in the entire region.

example, Accession No. AA307793) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

5

<HP02485> (SEQ ID Nos. 122, 132, and 142)

Determination of the whole base sequence of the cDNA insert of clone HP02485 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 69-bp
10 5'-untranslated region, a 1005-bp ORF, and a 1672-bp 3'-untranslated region. The ORF codes for a protein consisting of 334 amino acid residues and there existed one putative transmembrane domain. Figure 42 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-
15 Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 36 kDa that was almost identical with the molecular weight of 38,171 predicted from the ORF. When expressed in COS7 cells, an expression product of about 23 kDa was
20 observed in the membrane fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the *Caenorhabditis elegans* hypothetical protein W01A11.2 (GenBank Accession No. U64852).
25 Table 28 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the *C. elegans* hypothetical protein W01A11.2 (CE). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of
30 the present invention, respectively. The both proteins shared a homology of 45.5% in the entire region.

Table 28

```

5      HP      MVEFAPLFMPWERRLQTLAVLQFVFSFLALAEICT-V
          .***.***.***.***. *.* .. *. . *
CE MRLRLSSISGKAKLPDKEICSSVSRI LAPLLVPWKRRLETLAVMGFIFMWVILPIMDLWV
HP GFIALLFTRFWLLTVLYAAWWYLD RDKPRQGGRHIQAIRCWTIWKYM KDYFPISLVKTAE
      * .. **.*.*. ***.*.* *.*.....* . * . ***. ****.*.***.
CE PFHVLFNTRWWFLVPLYAVWFYDFDTPKKASRRWNWARRHVAWKYFASYFPLRLIKTAD
10 HP LDPSRNYIAGFHPHGVLA VGAFANLCTESTGFSSIFPGIRPHLMMLTLWFRAPFFRDYIM
      * ..**** * ****...***.*.....*.....* .....*.* * ** *..
CE LPADRNYIIGSHPHGMF SVGGFTAMSTNATGFEDKFP GIKSHIMTLNGQFYFPFRREFGI
HP SAGLVTSEKESA AHILNRKGGGNLLGIIVGGAQEALDARPGSFTLLLRNRKGFVRLALTH
      * .. *** ..*.. *.* .*.....* .....* * * **.*. **.
15 CE MLGGIEVSKESLEYTLTKCGKGRACAIVIGGASEALEAHPNKNLTLT LINRRGFCKYALKF
HP GAPLVPIFSFGENDLFDQIPNSSG SWLRYIQNRLQKIMGISLPLF HGRGVF-QYSFGLIP
      ** ***..*****.* *..**.*.* ..*.....* .....* * * **.*.
CE GADLVPMYNGFENDLYEQYENPKGSRLREVQEKIKDMFGLCPPLLGRS LFNQYLIGLLP
HP YRRPITTVVGKPIEVQKTLHPSEEEVNQLHQRYIKELCNLFEAHKLKFNIPADQHLEFC
20 .*..***.*.* * .* ..* .....*.....* .....* .....* * *
CE FRKPVTTVMGRPIRV TQTDPTVEQIDELHAKYCDALYNLFEEYKHLHSIPDPDTHLIFQ

```

Furthermore, the search of the GenBank using the base
25 sequences of the present cDNA has revealed the registration
of sequences that shared a homology of 90% or more (for
example, Accession No. D25664) in ESTs, but, since they are
partial sequences, it can not be judged whether or not any
of these sequences codes for the same protein as the protein
30 of the present invention.

<HP02798> (SEQ ID Nos. 123, 133, and 143)

Determination of the whole base sequence of the cDNA

insert of clone HP02798 obtained from cDNA library of human fibrosarcoma cell line HT-1080 revealed the structure consisting of a 31-bp 5'-untranslated region, a 804-bp ORF, and a 301-bp 3'-untranslated region. The ORF codes for a protein consisting of 267 amino acid residues and there existed four putative transmembrane domains. Figure 43 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 29 kDa that was almost identical with the molecular weight of 30,778 predicted from the ORF. When expressed in COS7 cells, an expression product of about 26 kDa was observed in the membrane fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the human DHHC-containing cysteine-rich protein (GenBank Accession No. U90653). Table 29 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the human DHHC-containing cysteine-rich protein (DH). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 35.0% in the intermediate region of 100 amino acid residues. The positions of seven cysteines were conserved between the two proteins. The protein of the present invention also had the DHHC (Asp-His-His-Cys) sequence.

Table 29

HP MAPWALLSPGVLVRTGHTVLTWGI

5 DH MYKMNICNKPSNKTAPAEKSVWTAPAQPSGSPSELQGQSRNRNGWSWPPHPLQIVAWLLYL
HP TLVLFLHDTELQWEEQGELLPLTFLLLVLSILLYLAVSLMDPGYVNVQPP-QEELK
* * . . . * * *

DH FFAVIGFGILVPLPHHWVPAGYACMGAIFAGHLVVHLTAVSIDPADDNVRDKSYAGPLP
HP EEQTAMVPPAIPLRRCRYCLVLQPLRARHCRECRRCVRRYDHHCPCWMENCVGERNHPLFV
10 * . * . * . * * * * * * * *

DH IFNRSQHAHVIEDLHCNLCNVDVSARSKHCSACNKCVCGFDHCKWLNNCVGERNYRLF
HP VYLALQLVVLLWGLYLAWSGLRFFQPWGLWLRSSGLLFATFLLSLFSLVASLLLVSHLY
. * . * . *

DH HSVASALLGVLLLVLGGHICLRGVLCQPHASAHQPTL

15

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. D79050) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

25 <HP10041> (SEQ ID Nos. 124, 134, and 144)

Determination of the whole base sequence of the cDNA insert of clone HP10041 obtained from cDNA library of human osteosarcoma cell line Saos-2 revealed the structure consisting of a 12-bp 5'-untranslated region, a 321-bp ORF, and a 286-bp 3'-untranslated region. The ORF codes for a protein consisting of 106 amino acid residues and there existed one putative transmembrane domain. Figure 44 depicts

the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 12 kDa that was almost identical with the molecular weight of 12,060 predicted from the ORF. When expressed in COS7 cells, an expression product of about 13 kDa was observed in the membrane fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the *Caenorhabditis elegans* hypothetical protein K10B2.4 (GenBank Accession No. U28730). Table 30 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the *C. elegans* hypothetical protein K10B2.4 (CE). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The both proteins shared a homology of 62.1% in the entire region.

Table 30

	HP	MSTNNMSDPRRPKNKVLRYKP---PPSECNPALDDPTPDYMNLLGMIFSMCGLMLKLKWC
		.****.*.....** .. .** *.****.*.....****.
25	CE	MQQNGDPRRTNRIVRYKPLDSTANQQQAISEDPLPEYMNVLGMIFSMCGLMIRMKWCS
	HP	WVAVYCSFISFANSRSSSEDTKQMMSSFMLSISAVVMSYLQNPQPMTPPW
		.. ** *****.*.*.*.....*****.***** *..***
	CE	WLALVCSCISFANTRTSDDAKQIVSSFMLSVSAVVMSYLQNPSPPIPPWVTLLQS

Furthermore, the search of the GenBank using the base

sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. H20098) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10246> (SEQ ID Nos. 125, 135, and 145)

Determination of the whole base sequence of the cDNA insert of clone HP10246 obtained from cDNA library of human epidermoid carcinoma cell line KB revealed the structure consisting of a 110-bp 5'-untranslated region, a 675-bp ORF, and a 79-bp 3'-untranslated region. The ORF codes for a protein consisting of 224 amino acid residues and there existed five putative transmembrane domains. Figure 45 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 23 kDa that was somewhat smaller than the molecular weight of 25,244 predicted from the ORF. When expressed in COS7 cells, an expression product of about 21 kDa was observed in the membrane fraction.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the human putative seven transmembrane domain protein (GenBank Accession No. Y18007). Table 31 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the human putative seven transmembrane domain protein (TM). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that

of the protein of the present invention, respectively. The both proteins shared a homology of 93.3% in the entire region.

Table 31

5

```

HP MTLFHFPGNCFALAYFPYFITYKCSGLSEYNAFWKCVQAGVTYLFVQLCKMLFLATFFPTW
*****_.*****
TM MTLFHFPGNCFALAYFPYFITYKCTDLSEYNAFWKCVQAGVTYLFVQLCKMLFLATFFPTW
10 HP EGGIYDFIGEFMKASVDVADLIGLNLVMSRNAGKGEYKIMVAALGWATAELIMSRCIPLW
*****
TM EGGIYDFIGEFMKASVDVADLIGLNLVMSRNAGKGEYKIMVAALGWATAELIMSRCIPLW
HP VGARGIEFDWKYIQMSIDSNISLVHYIVASAQVWMITRYDLYHTFRPAVLLLMFLSVYKA
*****.*****.****
15 TM VGARGIEFDWKYIQMSIDSNISLGPYIVASAQVWMITRYDLYHTFRPAVLLLMFLRVYKA
HP FVMETFFVHLCSLGSWAALLARAVVTGLLALSTLALYVAVVNVHS
*****.*.*.***...*.*****
TM FVMETFFVHLCSLGSWAFLMAGVVVKGLLVIRNLAMYVAVVNVHS

```

20

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA453931) in ESTs, but, since they

25 are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10392> (SEQ ID Nos. 126, 136, and 146)

30 Determination of the whole base sequence of the cDNA insert of clone HP10392 obtained from cDNA library of human osteosarcoma cell line U-2 OS revealed the structure

consisting of a 24-bp 5'-untranslated region, a 777-bp ORF, and a 726-bp 3'-untranslated region. The ORF codes for a protein consisting of 258 amino acid residues and there existed a putative secretory signal at the N-terminus.

5 Figure 46 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 34 kDa that was somewhat larger than the molecular weight of 29,623 predicted from the ORF.
10 Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from leucine at position 49.

Furthermore, the search of the GenBank using the base
15 sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. H15999) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein
20 of the present invention. In addition, partial identity with the hypothetical protein KIAA0384 (Accession No. AB002382) was observed, although the hypothetical protein had a different ORF.

25 <HP10489> (SEQ ID Nos. 127, 137, and 147)

Determination of the whole base sequence of the cDNA insert of clone HP10489 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 137-bp 5'-untranslated region, a 333-bp ORF, and a 189-bp 3'-
30 untranslated region. The ORF codes for a protein consisting of 110 amino acid residues and there existed two putative transmembrane domains. Figure 47 depicts the

hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 19 kDa that was somewhat larger than the molecular weight of 12,010 predicted from the ORF.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. AA262162) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein of the present invention.

<HP10519> (SEQ ID Nos. 128, 138, and 148)

Determination of the whole base sequence of the cDNA insert of clone HP10519 obtained from cDNA library of human stomach cancer revealed the structure consisting of a 67-bp 5'-untranslated region, a 276-bp ORF, and a 367-bp 3'-untranslated region. The ORF codes for a protein consisting of 91 amino acid residues and there existed one putative transmembrane domain. Figure 48 depicts the hydrophobicity/hydrophilicity profile, obtained by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of 10 kDa that was almost identical with the molecular weight of 10,275 predicted from the ORF.

Furthermore, the search of the GenBank using the base sequences of the present cDNA has revealed the registration of sequences that shared a homology of 90% or more (for example, Accession No. W16639) in ESTs, but, since they are partial sequences, it can not be judged whether or not any of these sequences codes for the same protein as the protein

of the present invention.

<HP10531> (SEQ ID Nos. 129, 139, and 149)

Determination of the whole base sequence of the cDNA
5 insert of clone HP10531 obtained from cDNA library of human
osteosarcoma cell line Saos-2 revealed the structure
consisting of a 55-bp 5'-untranslated region, a 1035-bp ORF,
and a 1092-bp 3'-untranslated region. The ORF codes for a
protein consisting of 344 amino acid residues and there
10 existed five putative transmembrane domains. Figure 49
depicts the hydrophobicity/hydrophilicity profile, obtained
by the Kyte-Doolittle method, of the present protein. In
vitro translation resulted in formation of a translation
product of high molecular weight.

15 Furthermore, the search of the GenBank using the base
sequences of the present cDNA has revealed the registration
of sequences that shared a homology of 90% or more (for
example, Accession No. R50695) in ESTs, but, since they are
partial sequences, it can not be judged whether or not any
20 of these sequences codes for the same protein as the protein
of the present invention.

<HP10574> (SEQ ID Nos. 130, 140, and 150)

Determination of the whole base sequence of the cDNA
25 insert of clone HP10574 obtained from cDNA library of human
stomach cancer revealed the structure consisting of a 210-bp
5'-untranslated region, a 1287-bp ORF, and a 1276-bp 3'-
untranslated region. The ORF codes for a protein consisting
of 428 amino acid residues and there existed a putative
30 secretory signal at the N-terminus and one putative
transmembrane domain in the intermediate region. Figure 50
depicts the hydrophobicity/hydrophilicity profile, obtained

by the Kyte-Doolittle method, of the present protein. In vitro translation resulted in formation of a translation product of high molecular weight. Application of the (-3,-1) rule, a method for predicting the cleavage site of the secretory signal sequence, allows to expect that the mature protein starts from serine at position 36.

The search of the protein data base using the amino acid sequence of the present protein revealed that the protein was similar to the *Drosophila melanogaster* GOLIATH protein (SWISS-PROT Accession No. Q06003). Table 32 shows the comparison between amino acid sequences of the human protein of the present invention (HP) and the *D. melanogaster* GOLIATH protein (DM). Therein, the marks of -, *, and . represent a gap, an amino acid residue identical with that of the protein of the present invention, and an amino acid residue similar to that of the protein of the present invention, respectively. The intermediate region of 169 amino acids of the protein of the present invention shared a homology of 41.4% with the N-terminal region of the *D. melanogaster* GOLIATH protein.

Table 32

[illegible]

25 Furthermore, the search of the GenBank using the base
sequences of the present cDNA has revealed the registration
of sequences that shared a homology of 90% or more (for
example, Accession No. AA155685) in ESTs, but, since they
are partial sequences, it can not be judged whether or not
30 any of these sequences codes for the same protein as the
protein of the present invention.

INDUSTRIAL APPLICABILITY

The present invention provides human proteins having hydrophobic domains, DNAs coding for these proteins, and expression vectors for these DNAs as well as eucaryotic cells expressing these DNAs. All of the proteins of the present invention are secreted or exist in the cell membrane, so that they are considered to be proteins controlling the proliferation and/or the differentiation of the cells. Accordingly, the proteins of the present invention can be employed as pharmaceuticals such as carcinostatic agents which act to control the proliferation and/or the differentiation of the cells, or as antigens for preparing antibodies against these proteins. The DNAs of the present invention can be utilized as probes for the genetic diagnosis and gene sources for the gene therapy. Furthermore, the DNAs can be utilized for large-scale expression of these proteins. Cells into which these genes are introduced to express these proteins, can be utilized for detection of the corresponding receptors and ligands, screening of novel low-molecular pharmaceuticals, and so on.

The present invention also provides genes corresponding to the polynucleotide sequences disclosed herein. "Corresponding genes" are the regions of the genome that are transcribed to produce the mRNAs from which cDNA polynucleotide sequences are derived and may include contiguous regions of the genome necessary for the regulated expression of such genes. Corresponding genes may therefore include but are not limited to coding sequences, 5' and 3' untranslated regions, alternatively spliced exons, introns, promoters, enhancers, and silencer or suppressor elements. The corresponding genes can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include the preparation of probes or

primers from the disclosed sequence information for identification and/or amplification of genes in appropriate genomic libraries or other sources of genomic materials. An "isolated gene" is a gene that has been separated from the adjacent coding sequences, if any, present in the genome of the organism from which the gene was isolated.

Organisms that have enhanced, reduced, or modified expression of the gene(s) corresponding to the polynucleotide sequences disclosed herein are provided. The desired change in gene expression can be achieved through the use of antisense polynucleotides or ribozymes that bind and/or cleave the mRNA transcribed from the gene (Albert and Morris, 1994, Trends Pharmacol. Sci. 15(7): 250-254; Lavarosky et al., 1997, Biochem. Mol. Med. 62(1): 11-22; and Hampel, 1998, Prog. Nucleic Acid Res. Mol. Biol. 58: 1-39; all of which are incorporated by reference herein). Transgenic animals that have multiple copies of the gene(s) corresponding to the polynucleotide sequences disclosed herein, preferably produced by transformation of cells with genetic constructs that are stably maintained within the transformed cells and their progeny, are provided. Transgenic animals that have modified genetic control regions that increase or reduce gene expression levels, or that change temporal or spatial patterns of gene expression, are also provided (see European Patent No. 0 649 464 B1, incorporated by reference herein). In addition, organisms are provided in which the gene(s) corresponding to the polynucleotide sequences disclosed herein have been partially or completely inactivated, through insertion of extraneous sequences into the corresponding gene(s) or through deletion of all or part of the corresponding gene(s). Partial or complete gene inactivation can be accomplished

through insertion, preferably followed by imprecise excision, of transposable elements (Plasterk, 1992, Bioessays 14(9): 629-633; Zwaal et al., 1993, Proc. Natl. Acad. Sci. USA 90(16): 7431-7435; Clark et al., 1994, Proc. Natl. Acad. Sci. USA 91(2): 719-722; all of which are incorporated by reference herein), or through homologous recombination, preferably detected by positive/negative genetic selection strategies (Mansour et al., 1988, Nature 336: 348-352; U.S. Patent Nos. 5,464,764; 5,487,992; 5,627,059; 5,631,153; 5,614, 396; 5,616,491; and 5,679,523; all of which are incorporated by reference herein). These organisms with altered gene expression are preferably eukaryotes and more preferably are mammals. Such organisms are useful for the development of non-human models for the study of disorders involving the corresponding gene(s), and for the development of assay systems for the identification of molecules that interact with the protein product(s) of the corresponding gene(s). Where the protein of the present invention is membrane-bound (e.g., is a receptor), the present invention also provides for soluble forms of such protein. In such forms part or all of the intracellular and transmembrane domains of the protein are deleted such that the protein is fully secreted from the cell in which it is expressed. The intracellular and transmembrane domains of proteins of the invention can be identified in accordance with known techniques for determination of such domains from sequence information.

Proteins and protein fragments of the present invention include proteins with amino acid sequence lengths that are at least 25% (more preferably at least 50%, and most preferably at least 75%) of the length of a disclosed protein and have at least 60% sequence identity (more

preferably, at least 75% identity; most preferably at least 90% or 95% identity) with that disclosed protein, where sequence identity is determined by comparing the amino acid sequences of the proteins when aligned so as to maximize overlap and identity while minimizing sequence gaps. Also included in the present invention are proteins and protein fragments that contain a segment preferably comprising 8 or more (more preferably 20 or more, most preferably 30 or more) contiguous amino acids that shares at least 75% sequence identity (more preferably, at least 85% identity; most preferably at least 95% identity) with any such segment of any of the disclosed proteins.

Species homologs of the disclosed polynucleotides and proteins are also provided by the present invention. As used herein, a "species homologue" is a protein or polynucleotide with a different species of origin from that of a given protein or polynucleotide, but with significant sequence similarity to the given protein or polynucleotide, as determined by those of skill in the art. Species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source from the desired species.

The invention also encompasses allelic variants of the disclosed polynucleotides or proteins; that is, naturally-occurring alternative forms of the isolated polynucleotide which also encode proteins which are identical, homologous, or related to that encoded by the polynucleotides.

The invention also includes polynucleotides with sequences complementary to those of the polynucleotides disclosed herein.

The present invention also includes polynucleotides

capable of hybridizing under reduced stringency conditions, more preferably stringent conditions, and most preferably highly stringent conditions, to polynucleotides described herein. Examples of stringency conditions are shown in the

5 table 33 below: highly stringent conditions are those that are at least as stringent as, for example, conditions A-F; stringent conditions are at least as stringent as, for example, conditions G-L; and reduced stringency conditions are at least as stringent as, for example, conditions M-R.

10

Table 33

Stringency Condition	Polynucleotide Hybrid	Hybrid Length (bp) [‡]	Hybridization Temperature and Buffer [†]	Wash Temperature and Buffer [†]
A	DNA : DNA	≥50	65°C; 1×SSC -or- 42°C; 1×SSC, 50% formamide	65°C; 0.3×SSC
B	DNA : DNA	<50	T _B [*] ; 1×SSC	T _B [*] ; 1×SSC
C	DNA : RNA	≥50	67°C; 1×SSC -or- 45°C; 1×SSC, 50% formamide	67°C; 0.3×SSC
D	DNA : RNA	<50	T _D [*] ; 1×SSC	T _D [*] ; 1×SSC
E	RNA : RNA	≥50	70°C; 1×SSC -or- 50°C; 1×SSC, 50% formamide	70°C; 0.3×SSC
F	RNA : RNA	<50	T _F [*] ; 1×SSC	T _F [*] ; 1×SSC
G	DNA : DNA	≥50	65°C; 4×SSC -or- 42°C; 4×SSC, 50% formamide	65°C; 1×SSC
H	DNA : DNA	<50	T _H [*] ; 4×SSC	T _H [*] ; 4×SSC
I	DNA : RNA	≥50	67°C; 4×SSC -or- 45°C; 4×SSC, 50% formamide	67°C; 1×SSC
J	DNA : RNA	<50	T _J [*] ; 4×SSC	T _J [*] ; 4×SSC
K	RNA : RNA	≥50	70°C; 4×SSC -or- 50°C; 4×SSC, 50% formamide	67°C; 1×SSC
L	RNA : RNA	<50	T _L [*] ; 2×SSC	T _L [*] ; 2×SSC
M	DNA : DNA	≥50	50°C; 4×SSC -or- 40°C; 6×SSC, 50% formamide	50°C; 2×SSC
N	DNA : DNA	<50	T _N [*] ; 6×SSC	T _N [*] ; 6×SSC
O	DNA : RNA	≥50	55°C; 4×SSC -or- 42°C; 6×SSC, 50% formamide	55°C; 2×SSC
P	DNA : RNA	<50	T _P [*] ; 6×SSC	T _P [*] ; 6×SSC
Q	RNA : RNA	≥50	60°C; 4×SSC -or- 45°C; 6×SSC, 50% formamide	60°C; 2×SSC
R	RNA : RNA	<50	T _R [*] ; 4×SSC	T _R [*] ; 4×SSC

‡ : The hybrid length is that anticipated for the hybridized region(s) of the hybridizing polynucleotides. When hybridizing a polynucleotide to a target polynucleotide of unknown sequence, the hybrid length is assumed to be that of the hybridizing polynucleotide. When polynucleotides of known sequence are hybridized, the hybrid length can be determined by aligning the sequences of the polynucleotides and identifying the region or regions of optimal sequence complementarity.

† : SSPE (1×SSPE is 0.15M NaCl, 10mM NaH₂PO₄, and 1.25mM EDTA, pH7.4) can be substituted for SSC (1×SSC is 0.15M NaCl and 15mM sodium citrate) in the hybridization and wash buffers; washes are performed for 15 minutes after hybridization is complete.

*T_B - T_R : The hybridization temperature for hybrids anticipated to be less than

50 base pairs in length should be 5-10°C less than the melting temperature (T_m) of the hybrid, where T_m is determined according to the following equations. For hybrids less than 18 base pairs in length, $T_m(^{\circ}\text{C}) = 2(\text{\# of A + T bases}) + 4(\text{\# of G + C bases})$. For hybrids between 18 and 49 base pairs in length, $T_m(^{\circ}\text{C}) = 81.5 + 16.6(\log_{10}[\text{Na}^+]) + 0.41(\% \text{G+C}) - (600/N)$, where N is the number of bases in the hybrid, and $[\text{Na}^+]$ is the concentration of sodium ions in the hybridization buffer ($[\text{Na}^+]$ for 1×SSC=0.165M).

Additional examples of stringency conditions for polynucleotide hybridization are provided in Sambrook, J., E.F. Fritsch, and T. Maniatis, 1989, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, chapters 9 and 11, and *Current Protocols in Molecular Biology*, 1995, F.M. Ausubel et al., eds., John Wiley & Sons, Inc., sections 2.10 and 6.3-6.4, incorporated herein by reference.

Preferably, each such hybridizing polynucleotide has a length that is at least 25% (more preferably at least 50%, and most preferably at least 75%) of the length of the polynucleotide of the present invention to which it hybridizes, and has at least 60% sequence identity (more preferably, at least 75% identity; most preferably at least 90% or 95% identity) with the polynucleotide of the present invention to which it hybridizes, where sequence identity is determined by comparing the sequences of the hybridizing polynucleotides when aligned so as to maximize overlap and identity while minimizing sequence gaps.

CLAIMS

1. A protein comprising any one of an amino acid
sequence selected from the group consisting of SEQ ID Nos. 1
5 to 10, 31 to 40, 61 to 70, 91 to 100, and 121 to 130.

2. An isolated DNA coding for the protein according
to Claim 1.

3. An isolated cDNA comprising any one of a base
sequence selected from the group consisting of SEQ ID Nos.
10 11 to 20, 41 to 50, 71 to 80, 101 to 110, and 131 to 140.

4. The cDNA according to Claim 3 consisting of any
one of a base sequence selected from the group consisting of
SEQ ID Nos. 21 to 30, 51 to 60, 81 to 90, 111 to 120, and
141 to 150.

15 5. An expression vector that is capable of expressing
the DNA according to any one of Claim 2 to Claim 4 by in
vitro translation or in eucaryotic cells.

6. A transformed eucaryotic cell that is capable of
expressing the DNA according to any one of Claim 2 to Claim
20 4 and of producing the protein according to Claim 1.

1/50




Fig. 1

2/50




Fig. 2

3/50




Fig. 3

4/50




Fig. 4

5/50




Fig. 5

6/50




Fig. 6

7/50




Fig. 7




Fig. 8

9/50




Fig. 9

10/50




Fig. 10

11/50




Fig. 11

12/50




Fig.12




Fig. 13




Fig. 14

15/50




Fig. 15




Fig. 16




Fig.17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig.22




Fig. 23




Fig. 24




Fig. 25




Fig. 26

27/50




Fig.27

28/50




Fig. 28

29/50




Fig. 29

30/50




Fig. 30




Fig. 31




Fig.32

33/50




Fig. 33

34/50




Fig. 34




Fig. 35

36/50




Fig. 36

37/50




Fig.37




Fig. 38




Fig. 39

40/50




Fig. 40




Fig. 41




Fig.42




Fig. 43




Fig. 44

45/50




Fig. 45




Fig. 46

47/50




Fig.47

48/50




Fig. 48




Fig. 49

50/50




Fig. 50

1/177

Sequence listing

<110> Sagami Chemical Research Center; Protegene Inc.

5 <120> Human Proteins Having Hydrophobic Domains And DNAs Encoding These
Proteins

<130> 661102

10 <150> JP 10-208820
 <151> 1998-07-24

<150> JP 10-224105
<151> 1998-08-07

15 <150> JP 10-238116
 <151> 1998-08-25

20 <150> JP 10-254736
 <151> 1998-09-09

<150> JP 10-275505
<151> 1998-09-29

25 <160> 150

<170> Windows 95 (Word 98)

30 <210> 1
 <211> 125
 <212> PRT
 <213> Homo sapiens

35 <400> 1
Met Ala Lys Tyr Leu Ala Gln Ile Ile Val Met Gly Val Gln Val Val

2/177

1 5 10 15
 Gly Arg Ala Phe Ala Arg Ala Leu Arg Gln Glu Phe Ala Ala Ser Arg
 20 25 30
 Ala Ala Ala Asp Ala Arg Gly Arg Ala Gly His Arg Ser Ala Ala Ala
 5 35 40 45
 Ser Asn Leu Ser Gly Leu Ser Leu Gln Glu Ala Gln Gln Ile Leu Asn
 50 55 60
 Val Ser Lys Leu Ser Pro Glu Glu Val Gln Lys Asn Tyr Glu His Leu
 65 70 75 80
 10 Phe Lys Val Asn Asp Lys Ser Val Gly Gly Ser Phe Tyr Leu Gln Ser
 85 90 95
 Lys Val Val Arg Ala Lys Glu Arg Leu Asp Glu Glu Leu Lys Ile Gln
 100 105 110
 Ala Gln Glu Asp Arg Glu Lys Gly Gln Met Pro His Thr
 15 115 120 125

<210> 2

<211> 131

<212> PRT

20 <213> Homo sapiens

<400> 2

Met Ala Gly Ile Lys Ala Leu Ile Ser Leu Ser Phe Gly Gly Ala Ile
 1 5 10 15
 25 Gly Leu Met Phe Leu Met Leu Gly Cys Ala Leu Pro Ile Tyr Asn Lys
 20 25 30
 Tyr Trp Pro Leu Phe Val Leu Phe Phe Tyr Ile Leu Ser Pro Ile Pro
 35 40 45
 Tyr Cys Ile Ala Arg Arg Leu Val Asp Asp Thr Asp Ala Met Ser Asn
 30 50 55 60
 Ala Cys Lys Glu Leu Ala Ile Phe Leu Thr Thr Gly Ile Val Val Ser
 65 70 75 80
 Ala Phe Gly Leu Pro Ile Val Phe Ala Arg Ala His Leu Ile Glu Trp
 85 90 95
 35 Gly Ala Cys Ala Leu Val Leu Thr Gly Asn Thr Val Ile Phe Ala Thr

3/177

100 105 110
 Ile Leu Gly Phe Phe Leu Val Phe Gly Ser Asn Asp Asp Phe Ser Trp
 115 120 125
 Gln Gln Trp
 5 130

 <210> 3
 <211> 242
 <212> PRT
 10 <213> Homo sapiens

 <400> 3
 Met Ala Lys His Glu Gln Ile Leu Val Leu Asp Pro Pro Thr Asp Leu
 1 5 10 15
 15 Lys Phe Lys Gly Pro Phe Thr Asp Val Val Thr Thr Asn Leu Lys Leu
 20 25 30
 Arg Asn Pro Ser Asp Arg Lys Val Cys Phe Lys Val Lys Thr Thr Ala
 35 40 45
 Pro Arg Arg Tyr Cys Val Arg Pro Asn Ser Gly Ile Ile Asp Pro Gly
 20 50 55 60
 Ser Thr Val Thr Val Ser Val Met Leu Gln Pro Phe Asp Tyr Asp Pro
 65 70 75 80
 Asn Glu Lys Ser Lys His Lys Phe Met Val Gln Thr Ile Phe Ala Pro
 85 90 95
 25 Pro Asn Thr Ser Asp Met Glu Ala Val Trp Lys Glu Ala Lys Pro Asp
 100 105 110
 Glu Leu Met Asp Ser Lys Leu Arg Cys Val Phe Glu Met Pro Asn Glu
 115 120 125
 Asn Asp Lys Leu Asn Asp Met Glu Pro Ser Lys Ala Val Pro Leu Asn
 30 130 135 140
 Ala Ser Lys Gln Asp Gly Pro Met Pro Lys Pro His Ser Val Ser Leu
 145 150 155 160
 Asn Asp Thr Glu Thr Arg Lys Leu Met Glu Glu Cys Lys Arg Leu Gln
 165 170 175
 35 Gly Glu Met Met Lys Leu Ser Glu Glu Asn Arg His Leu Arg Asp Glu

4/177

180 185 190
 Gly Leu Arg Leu Arg Lys Val Ala His Ser Asp Lys Pro Gly Ser Thr
 195 200 205
 Ser Thr Ala Ser Phe Arg Asp Asn Val Thr Ser Pro Leu Pro Ser Leu
 5 210 215 220
 Leu Val Val Ile Ala Ala Ile Phe Ile Gly Phe Phe Leu Gly Lys Phe
 225 230 235 240
 Ile Leu

 10 <210> 4
 <211> 264
 <212> PRT
 <213> Homo sapiens

 15 <400> 4
 Met Phe Val Pro Cys Gly Glu Ser Ala Pro Asp Leu Ala Gly Phe Thr
 1 5 10 15
 Leu Leu Met Pro Ala Val Ser Val Gly Asn Val Gly Gln Leu Ala Met
 20 25 30
 20 Asp Leu Ile Ile Ser Thr Leu Asn Met Ser Lys Ile Gly Tyr Phe Tyr
 35 40 45
 Thr Asp Cys Leu Val Pro Met Val Gly Asn Asn Pro Tyr Ala Thr Thr
 50 55 60
 Glu Gly Asn Ser Thr Glu Leu Ser Ile Asn Ala Glu Val Tyr Ser Leu
 25 65 70 75 80
 Pro Ser Arg Lys Leu Val Ala Leu Gln Leu Arg Ser Ile Phe Ile Lys
 85 90 95
 Tyr Lys Ser Lys Pro Phe Cys Glu Lys Leu Leu Ser Trp Val Lys Ser
 100 105 110
 30 Ser Gly Cys Ala Arg Val Ile Val Leu Ser Ser Ser His Ser Tyr Gln
 115 120 125
 Arg Asn Asp Leu Gln Leu Arg Ser Thr Pro Phe Arg Tyr Leu Leu Thr
 130 135 140
 Pro Ser Met Gln Lys Ser Val Gln Asn Lys Ile Lys Ser Leu Asn Trp
 35 145 150 155 160

Glu Glu Met Glu Lys Ser Arg Cys Ile Pro Glu Ile Asp Asp Ser Glu
165 170 175
Phe Cys Ile Arg Ile Pro Gly Gly Gly Ile Thr Lys Thr Leu Tyr Asp
180 185 190
5 Glu Ser Cys Ser Lys Glu Ile Gln Met Ala Val Leu Leu Lys Phe Val
195 200 205
Ser Glu Gly Asp Asn Ile Pro Asp Ala Leu Gly Leu Val Glu Tyr Leu
210 215 220
Asn Glu Trp Leu Gln Ile Leu Lys Pro Leu Ser Asp Asp Pro Thr Val
10 225 230 235 240
Ser Ala Ser Arg Trp Lys Ile Pro Ser Ser Trp Arg Leu Leu Phe Gly
245 250 255
Ser Gly Leu Pro Pro Ala Leu Phe
260
15
<210> 5
<211> 112
<212> PRT
<213> Homo sapiens
20
<400> 5
Met Gly Ser Arg Leu Ser Gln Pro Phe Glu Ser Tyr Ile Thr Ala Pro
1 5 10 15
Pro Gly Thr Ala Ala Ala Pro Ala Lys Pro Ala Pro Pro Ala Thr Pro
25 20 25 30
Gly Ala Pro Thr Ser Pro Ala Glu His Arg Leu Leu Lys Thr Cys Trp
35 40 45
Ser Cys Arg Val Leu Ser Gly Leu Gly Leu Met Gly Ala Gly Gly Tyr
50 55 60
30 Val Tyr Trp Val Ala Arg Lys Pro Met Lys Met Gly Tyr Pro Pro Ser
65 70 75 80
Pro Trp Thr Ile Thr Gln Met Val Ile Gly Leu Ser Ile Ala Thr Trp
85 90 95
Gly Ile Val Val Met Ala Asp Pro Lys Gly Lys Ala Tyr Arg Val Val
35 100 105 110

6/177

<210> 6

<211> 146

<212> PRT

5 <213> Homo sapiens

<400> 6

Met Leu Ala Gly Ala Gly Arg Pro Gly Leu Pro Gln Gly Arg His Leu
 1 5 10 15
 10 Cys Trp Leu Leu Cys Ala Phe Thr Leu Lys Leu Cys Gln Ala Glu Ala
 20 25 30
 Pro Val Gln Glu Glu Lys Leu Ser Ala Ser Thr Ser Asn Leu Pro Cys
 35 40 45
 Trp Leu Val Glu Glu Phe Val Val Ala Glu Glu Cys Ser Pro Cys Ser
 15 50 55 60
 Asn Phe Arg Ala Lys Thr Thr Pro Glu Cys Gly Pro Thr Gly Tyr Val
 65 70 75 80
 Glu Lys Ile Thr Cys Ser Ser Ser Lys Arg Asn Glu Phe Lys Ser Cys
 85 90 95
 20 Arg Ser Ala Leu Met Glu Gln Arg Leu Phe Trp Lys Phe Glu Gly Ala
 100 105 110
 Val Val Cys Val Ala Leu Ile Phe Ala Cys Leu Val Ile Ile Arg Gln
 115 120 125
 Arg Gln Leu Asp Arg Lys Ala Leu Glu Lys Val Arg Lys Gln Ile Glu
 25 130 135 140
 Ser Ile
 145

<210> 7

30 <211> 344

<212> PRT

<213> Homo sapiens

<400> 7

35 Met Asp Phe Leu Val Leu Phe Leu Phe Tyr Leu Ala Ser Val Leu Met

7/177

	1	5	10	15
	Gly	Leu Val	Leu Ile Cys Val Cys Ser Lys Thr His Ser	Leu Lys Gly
		20	25	30
	Leu	Ala Arg Gly Gly	Ala Gln Ile Phe Ser Cys Ile Ile	Pro Glu Cys
5		35	40	45
	Leu	Gln Arg Ala Val His Gly	Leu Leu His Tyr Leu Phe His Thr	Arg
		50	55	60
	Asn	His Thr Phe Ile Val Leu His Leu Val Leu	Gln Gly Met Val Tyr	
		65	70	75
10	Thr	Glu Tyr Thr Trp Glu Val Phe Gly Tyr Cys	Gln Glu Leu Glu Leu	
		85	90	95
	Ser	Leu His Tyr Leu Leu Leu Pro Tyr Leu Leu Leu	Gly Val Asn Leu	
		100	105	110
	Phe	Phe Phe Thr Leu Thr Cys Gly Thr Asn Pro Gly	Ile Ile Thr Lys	
15		115	120	125
	Ala	Asn Glu Leu Leu Phe Leu His Val Tyr Glu Phe	Asp Glu Val Met	
		130	135	140
	Phe	Pro Lys Asn Val Arg Cys Ser Thr Cys Asp Leu	Arg Lys Pro Ala	
		145	150	155
20	Arg	Ser Lys His Cys Ser Val Cys Asn Trp Cys Val His	Arg Phe Asp	
		165	170	175
	His	His Cys Val Trp Val Asn Asn Cys Ile Gly Ala Trp	Asn Ile Arg	
		180	185	190
	Tyr	Phe Leu Ile Tyr Val Leu Thr Leu Thr Ala Ser Ala	Ala Thr Val	
25		195	200	205
	Ala	Ile Val Ser Thr Thr Phe Leu Val His Leu Val Val	Met Ser Asp	
		210	215	220
	Leu	Tyr Gln Glu Thr Tyr Ile Asp Asp Leu Gly His Leu	His Val Met	
		225	230	235
30	Asp	Thr Val Phe Leu Ile Gln Tyr Leu Phe Leu Thr Phe	Pro Arg Ile	
		245	250	255
	Val	Phe Met Leu Gly Phe Val Val Val Leu Ser Phe Leu	Leu Gly Gly	
		260	265	270
	Tyr	Leu Leu Phe Val Leu Tyr Leu Ala Ala Thr Asn Gln	Thr Thr Asn	
35		275	280	285

8/177

Glu Trp Tyr Arg Gly Asp Trp Ala Trp Cys Gln Arg Cys Pro Leu Val
 290 295 300
 Ala Trp Pro Pro Ser Ala Glu Pro Gln Val His Arg Asn Ile His Ser
 305 310 315 320
 5 His Gly Leu Arg Ser Asn Leu Gln Glu Ile Phe Leu Pro Ala Phe Pro
 325 330 335
 Cys His Glu Arg Lys Lys Gln Glu
 340

10 <210> 8
 <211> 97
 <212> PRT
 <213> Homo sapiens

15 <400> 8
 Met Thr Lys Lys Lys Arg Glu Asn Leu Gly Val Ala Leu Glu Ile Asp
 1 5 10 15
 Gly Leu Glu Glu Lys Leu Ser Gln Cys Arg Arg Asp Leu Glu Ala Val
 20 25 30
 20 Asn Ser Arg Leu His Ser Arg Glu Leu Ser Pro Glu Ala Arg Arg Ser
 35 40 45
 Leu Glu Lys Glu Lys Asn Ser Leu Met Asn Lys Ala Ser Asn Tyr Glu
 50 55 60
 Lys Glu Leu Lys Phe Leu Arg Gln Glu Asn Arg Lys Asn Met Leu Leu
 25 65 70 75 80
 Ser Val Ala Ile Phe Ile Leu Leu Thr Leu Val Tyr Ala Tyr Trp Thr
 85 90 95
 Met

30 <210> 9
 <211> 124
 <212> PRT
 <213> Homo sapiens

35 <400> 9

9/177

Met Ala Thr Ser Ser Met Ser Lys Gly Cys Phe Val Phe Lys Pro Asn
 1 5 10 15
 Ser Lys Lys Arg Lys Ile Ser Leu Pro Ile Glu Asp Tyr Phe Asn Lys
 20 25 30
 5 Gly Lys Asn Glu Pro Glu Asp Ser Lys Leu Arg Phe Glu Thr Tyr Gln
 35 40 45
 Leu Ile Trp Gln Gln Met Lys Ser Glu Asn Glu Arg Leu Gln Glu Glu
 50 55 60
 Leu Asn Lys Asn Leu Phe Asp Asn Leu Ile Glu Phe Leu Gln Lys Ser
 10 65 70 75 80
 His Ser Gly Phe Gln Lys Asn Ser Arg Asp Leu Gly Gly Gln Ile Lys
 85 90 95
 Leu Arg Glu Ile Pro Thr Ala Ala Leu Val Leu Gly Ile Tyr Ala Tyr
 100 105 110
 15 Val Cys Ser Cys Met His Leu Cys Val Phe Arg Phe
 115 120

<210> 10

<211> 327

20 <212> PRT

<213> Homo sapiens

<400> 10

Met Ala Glu Leu Pro Gly Pro Phe Leu Cys Gly Ala Leu Leu Gly Phe
 25 1 5 10 15
 Leu Cys Leu Ser Gly Leu Ala Val Glu Val Lys Val Pro Thr Glu Pro
 20 25 30
 Leu Ser Thr Pro Leu Gly Lys Thr Ala Glu Leu Thr Cys Thr Tyr Ser
 35 40 45
 30 Thr Ser Val Gly Asp Ser Phe Ala Leu Glu Trp Ser Phe Val Gln Pro
 50 55 60
 Gly Lys Pro Ile Ser Glu Ser His Pro Ile Leu Tyr Phe Thr Asn Gly
 65 70 75 80
 His Leu Tyr Pro Thr Gly Ser Lys Ser Lys Arg Val Ser Leu Leu Gln
 35 85 90 95

10/177

Asn Pro Pro Thr Val Gly Val Ala Thr Leu Lys Leu Thr Asp Val His
 100 105 110
 Pro Ser Asp Thr Gly Thr Tyr Leu Cys Gln Val Asn Asn Pro Pro Asp
 115 120 125
 5 Phe Tyr Thr Asn Gly Leu Gly Leu Ile Asn Leu Thr Val Leu Val Pro
 130 135 140
 Pro Ser Asn Pro Leu Cys Ser Gln Ser Gly Gln Thr Ser Val Gly Gly
 145 150 155 160
 Ser Thr Ala Leu Arg Cys Ser Ser Ser Glu Gly Ala Pro Lys Pro Val
 10 165 170 175
 Tyr Asn Trp Val Arg Leu Gly Thr Phe Pro Thr Pro Ser Pro Gly Ser
 180 185 190
 Met Val Gln Asp Glu Val Ser Gly Gln Leu Ile Leu Thr Asn Leu Ser
 195 200 205
 15 Leu Thr Ser Ser Gly Thr Tyr Arg Cys Val Ala Thr Asn Gln Met Gly
 210 215 220
 Ser Ala Ser Cys Glu Leu Thr Leu Ser Val Thr Glu Pro Ser Gln Gly
 225 230 235 240
 Arg Val Ala Gly Ala Leu Ile Gly Val Leu Leu Gly Val Leu Leu Leu
 20 245 250 255
 Ser Val Ala Ala Phe Cys Leu Val Arg Phe Gln Lys Glu Arg Gly Lys
 260 265 270
 Lys Pro Lys Glu Thr Tyr Gly Gly Ser Asp Leu Arg Glu Asp Ala Ile
 275 280 285
 25 Ala Pro Gly Ile Ser Glu His Thr Cys Met Arg Ala Asp Ser Ser Lys
 290 295 300
 Gly Phe Leu Glu Arg Pro Ser Ser Ala Ser Thr Val Thr Thr Thr Lys
 305 310 315 320
 Ser Lys Leu Pro Met Val Val
 30 325

<210> 11

<211> 375

<212> DNA

35 <213> Homo sapiens

11/177

	<400> 11	
	atggccaagt acctggccca gatcattgtg atgggcgtgc aggtggtggg cagggccttt	60
	gcacgggcct tgcggcagga gtttgcagcc agccgggccc cagctgatgc ccgaggacgc	120
5	gctggacacc ggtctgcagc cgcttccaac ctctccggcc tcagcctcca ggaggcacag	180
	cagattctca acgtgtccaa gctgagccct gaggaggtcc agaagaacta tgaacactta	240
	tttaaggatga atgataaatc cgtgggtggc tccttctacc tgcagtcaaa ggtgggtccgc	300
	gcaaaggagc gcctggatga ggaactcaaa atccaggccc aggaggacag agaaaaaggg	360
	cagatgcccc atacg	375
10		
	<210> 12	
	<211> 393	
	<212> DNA	
	<213> Homo sapiens	
15		
	<400> 12	
	atggcaggca tcaaagcttt gattagtttg tcctttggag gagcaatcgg actgatgttt	60
	ttgatgcttg gatgtgcctt tccaatatac aacaaatact ggccctcttt tgttctattt	120
	ttttacatcc ttccacctat tccatactgc atagcaagaa gattagtggg tgatacagat	180
20	gctatgagta acgcttgtaa ggaacttgcc atctttctta caacgggcat tgcctgtgca	240
	gcttttggac tcctatttgt atttgccaga gcacatctga ttgagtgggg agcttgtgca	300
	cttggtctca caggaaacac agtcatcttt gcaactatac taggcttttt cttggtcttt	360
	ggaagcaatg acgacttcag ctggcagcag tgg	393
25		
	<210> 13	
	<211> 726	
	<212> DNA	
	<213> Homo sapiens	
30		
	<400> 13	
	atggcgaagc acgagcagat cctggctctc gatccgcccc cagacctcaa attcaaaggc	60
	cccttcacag atgtagtcaac tacaaatctt aaattgcgaa atccatcgga tagaaaagtg	120
	tgtttcaaag tgaagactac agcacctcgc cggtagctgt tgaggcccaa cagtgggaatt	180
	attgaccag ggtcaactgt gactgtttca gtaatgctac agccctttga ctatgatccg	240
35	aatgaaaaga gtaaacacaa gtttatggta cagacaattt ttgctccacc aaacacttca	300

12/177

	gatatggaag ctgtgtggaa agaggcaaaa cctgatgaat taatggattc caaattgaga	360
	tgcgtatttg aaatgcccaa tgaaaatgat aaattgaatg atatggaacc tagcaaagct	420
	gttccactga atgcatctaa gcaagatgga cctatgccaa aaccacacag tgtttcactt	480
	aatgataccg aaacaaggaa actaatggaa gagtgtaaaa gacttcaggg agaaatgatg	540
5	aagctatcag aagaaaatcg gcacctgaga gatgaagggt taaggctcag aaaggtagca	600
	cattcgata aacctggatc aacctcaact gcaccttca gagataatgt caccagtcct	660
	cttccttcac ttcttgttgt aattgcagcc attttcattg gattctttct agggaaattc	720
	atcttg	726
10	<210> 14	
	<211> 792	
	<212> DNA	
	<213> Homo sapiens	
15	<400> 14	
	atgttcgttc cctgcgggga gtgcgcccc gaccttgccg gcttcaccct cctaagcca	60
	gcagtatctg ttggaatgt tggccagctt gcaatggatc tgattatttc tacactgaat	120
	atgtctaaga ttggttactt ctataccgat tgtcttgtgc caatggttgg aaacaatcca	180
	tatgcgacca cagaaggaaa ttcaacagaa cttagcataa atgetgaagt gtattcattg	240
20	ccttcaagaa agctggtggc tctacagtta agatccattt ttattaagta taaatcaaag	300
	ccattctgtg aaaaaactgt ttccctgggtg aaaagcagtg gctgtgccag agtcattgtt	360
	ctttcgagca gtcattcata tcagcgtaat gatctgcagc ttcgtagtac tcccttcagg	420
	tacctactta caccttccat gcaaaaaagt gttcaaaata aaataaagag ccttaactgg	480
	gaagaaatgg aaaaaagccg gtgcattcct gaaatagatg attccgagtt ttgtatccgc	540
25	attccgggag gaggtatcac aaaaacactc tatgatgaaa gctgttctaa agaaatccaa	600
	atggcagttc tgctgaaatt tgtttcagaa ggggacaaca tcccagatgc attaggtctt	660
	gttgagtatc ttaatgagtg gcttcagata ctcaaaccac ttagcgatga cccacagta	720
	tctgcctcac ggtggaaaat accaagttct tggagattac tctttggcag tggctctccc	780
	cctgcacttt tc	792
30	<210> 15	
	<211> 336	
	<212> DNA	
	<213> Homo sapiens	
35		

13/177

<400> 15	
atgggggtctc ggttggtccca gccttttgag tcctatatca ctgcgcctcc cgggtaccgcc	60
gccgcgcccgc ccaaacctgc gccccagct acaccggag cgcgcacctc cccagcagaa	120
caccgcctgt tgaagacctg ctggagctgt cgcgtgcttt ctgggttggg gctgatggg	180
5 gggggcgggt acgtgtactg ggtggcacgg aagcccatga agatgggata cccccgagt	240
ccatggacca ttacgcagat ggtcatcggc ctcagcattg ccacctggg tategttgc	300
atggcagacc ccaaaggga ggcctaccgc gttgtt	336
<210> 16	
10 <211> 438	
<212> DNA	
<213> Homo sapiens	
<400> 16	
15 atgcttgccg gtgcgggag gcctggcctc ccccagggcc gccacctctg ctggttgctc	60
tgtgttttca ccttaaaget ctgccaagca gaggtcccg tgcaggaaga gaagetgtca	120
gcaagcacct caaatttgcc atgctggctg gtggaagagt ttgtggtagc agaagagtgc	180
tctccatgct ctaatttcgc ggctaaaact acccctgagt gtgggtccac aggatatgta	240
gagaaaatca catgcagctc atctaagaga aatgagttca aaagctgccg ctcagctttg	300
20 atggaacaac gcttattttg gaagtccgaa ggggctgtcg tgtgtgtggc cctgatcttc	360
gcttgtcttg tcatcattcg tcagcgacaa ttggacagaa aggcctctgga aaaggtccgg	420
aagcaaatcg agtccata	438
<210> 17	
25 <211> 1032	
<212> DNA	
<213> Homo sapiens	
<400> 17	
30 atggactttc tggctctctt ctgtttctac ctggcttcgg tgetgatggg tcttgttctt	60
atctgcgtct gctcgaaaac ccatagcttg aaaggcctgg ccaggggagg agcacagata	120
ttttcctgta taattccaga atgtcttcag agagccgtgc atggattget tcattacctt	180
ttccatacga gaaaccacac cttcattgtc ctgcacctgg tcttgcaagg gatggtttat	240
actgagtaca cctgggaagt atttggttac tgtcaggagc tggagtgtgc cttgcattac	300
35 cttcttctgc cctatctget gctaggtgta aacctgtttt ttttcacctt gacttgtgga	360

14/177

	accaatcctg gcattataac aaaagcaaat gaattattat ttcttcatgt ttatgaattt	420
	gatgaagtga tgtttccaaa gaacgtgagg tgctctactt gtgatttaag gaaaccagct	480
	cgatccaagc actgcagtg gtgtaactgg tgtgtgcacc gtttcgacca tcaactgtgtt	540
	tgggtgaaca actgcacgg ggccctggaac atcaggtact tcctcatcta cgtcttgacc	600
5	ttgacggcct cggtgcac cgctgccatt gtgagcacca cttttctggt ccacttggtg	660
	gtgatgtcag atttatacca ggagacttac atcgatgacc ttggacacct ccattgtatg	720
	gacacggtct ttcttattca gtacctgttc ctgacttttc cacggattgt cttcatgctg	780
	ggctttgtcg tggttctgag ctctctctcg ggtggetacc tgttgtttgt cctgtatctg	840
	gcgccacca accagactac taacgagtgg tacagaggtg actgggcctg gtgccagcgt	900
10	tgtcccttg tggcctggcc tccgtcagca gagcccaag tccaccggaa cattcactcc	960
	catgggcttc ggagcaacct tcaagagatc tttctacctg cctttccatg tcatgagagg	1020
	aagaaacaag aa	1032
	<210> 18	
15	<211> 291	
	<212> DNA	
	<213> Homo sapiens	
	<400> 18	
20	atgactaaaa agaagcggga gaatctgggc gtcgctctag agatcgatgg gctagaggag	60
	aagctgtccc agtgtcggag agacctggag gccgtgaact ccagactcca cagccgggag	120
	ctgagccag agggccaggag gtccctggag aaggagaaaa acagcctaata gaacaaagcc	180
	tccaactacg agaaggaact gaagtttctt cggcaagaga accggaagaa catgctgctc	240
	tctgtggcca tctttatcct cctgacgctc gtctatgcct actggaccat g	291
25	<210> 19	
	<211> 372	
	<212> DNA	
	<213> Homo sapiens	
30	<400> 19	
	atggctacgt cctcgatgtc taagggttgc tttgttttta agccaaactc caaaaagaga	60
	aagatctctc tgccaataga ggactatttt aacaaaggga aaaatgagcc tgaggacagt	120
	aagcttcgat tcgaaactta tcagttgata tggcagcaga tgaaatctga aaatgagcga	180
35	ctacaagagg aattaaataa aaacttgttt gacaatctga ttgaatttct gcaaaaatca	240

15/177

	cattctggat tccagaagaa ttcaagagac ttgggcggtc aaataaaact cagagaaatt	300
	ccaactgctg ctcttgttct tggatatatat gcgtatgttt gttcatgcat gcctctctgt	360
	gtatttcggt tt	372
5	<210> 20	
	<211> 981	
	<212> DNA	
	<213> Homo sapiens	
10	<400> 20	
	atggccgagc tcccggggcc ctttctctgc ggggccctgc taggcttccct gtgcctgagt	60
	gggctggcgg tggaggtgaa ggtacccaca gaggcctga gcacgccctt ggggaagaca	120
	gccgagctga cctgcacctc cagcacgtcg gtgggagaca gcttcgccct ggagtggagc	180
	tttgtgcagc ctgggaaacc catctctgag tcccatccaa tcctgtactt caccaatggc	240
15	catctgtatc caactggttc taagtcaaag cgggtcagcc tgcttcagaa cccccccaca	300
	gtgggggtgg ccacactgaa actgactgac gtccaccct cagatactgg aacctacctc	360
	tgccaagtca acaaccacc agattttctac accaatgggt tggggctaata caaccttact	420
	gtgctggttc cccccagtaa tcccttatgc agtcagagtg gacaaacctc tgtgggaggc	480
	tctactgcac tgagatgcag ctcttccgag ggggtccta agccagtgtc caactgggtg	540
20	cgtcttggaa cttttctac accttctcct ggcagcatgg ttcaagatga ggtgtctggc	600
	cagctcattc tcaccaacct ctccctgacc tcctcgggca cctaccgctg tgtggccacc	660
	aaccagatgg gcagtgcac ctgtgagctg accctctctg tgaccgaacc ctcccaaggc	720
	cgagtggcgg gagctctgat tgggtgtctc ctgggcgtgc tgttctgtgc agttgtctgc	780
	ttctgcttgg tcaggttcca gaaagagagg gggagaagc ccaaggagac atatgggggt	840
25	agtgcacctc gggaggatgc catcgtctct gggatctctg agcacacttg tatgagggt	900
	gattctagca aggggttctt ggaaagacc tcgtctgcca gcaccgtgac gaccaccaag	960
	tccaagctcc ctatggtcgt g	981
	<210> 21	
30	<211> 510	
	<212> DNA	
	<213> Homo sapiens	
	<220>	
	<221> CDS	
35	<222> (66)...(443)	

16/177

<400> 21
 acgcttgatc cccggccgcg gggccaggaa gtcggagttt gagccccgga ggcagagcgg 60
 ctgcc atg gcc aag tac ctg gcc cag atc att gtg atg ggc gtg cag gtg 110
 5 Met Ala Lys Tyr Leu Ala Gln Ile Ile Val Met Gly Val Gln Val
 1 5 10 15
 gtg ggc agg gcc ttt gca cgg gcc ttg cgg cag gag ttt gca gcc agc 158
 Val Gly Arg Ala Phe Ala Arg Ala Leu Arg Gln Glu Phe Ala Ala Ser
 20 25 30
 10 cgg gcc gca gct gat gcc cga gga cgc gct gga cac cgg tct gca gcc 206
 Arg Ala Ala Ala Asp Ala Arg Gly Arg Ala Gly His Arg Ser Ala Ala
 35 40 45
 gct tcc aac ctc tcc ggc ctc agc ctc cag gag gca cag cag att ctc 254
 Ala Ser Asn Leu Ser Gly Leu Ser Leu Gln Glu Ala Gln Gln Ile Leu
 15 50 55 60
 aac gtg tcc aag ctg agc cct gag gag gtc cag aag aac tat gaa cac 302
 Asn Val Ser Lys Leu Ser Pro Glu Glu Val Gln Lys Asn Tyr Glu His
 65 70 75
 tta ttt aag gtg aat gat aaa tcc gtg ggt ggc tcc ttc tac ctg cag 350
 20 Leu Phe Lys Val Asn Asp Lys Ser Val Gly Gly Ser Phe Tyr Leu Gln
 80 85 90 95
 tca aag gtg gtc cgc gca aag gag cgc ctg gat gag gaa ctc aaa atc 398
 Ser Lys Val Val Arg Ala Lys Glu Arg Leu Asp Glu Glu Leu Lys Ile
 100 105 110
 25 cag gcc cag gag gac aga gaa aaa ggg cag atg ccc cat acg tgactgctc 450
 Gln Ala Gln Glu Asp Arg Glu Lys Gly Gln Met Pro His Thr
 115 120 125
 gctccccccg ccacccccgc cgcctctaatt ttatagcttg gtaataaatt tcttttctgc 510
 30 <210> 22
 <211> 697
 <212> DNA
 <213> Homo sapiens
 <220>
 35 <221> CDS

17/177

<222> (104)...(499)

<400> 22

	acttccgggt gttgtctggc cgccgtagcg cgtcttgggt ctcccggctg ccgetgctgc	60
5	cgccgcgcgc tcgggtcgtg gagccaggag cgacgtcacc gcc atg gca ggc atc	115
	Met Ala Gly Ile	
	1	
	aaa gct ttg att agt ttg tcc ttt gga gga gca atc gga ctg atg ttt	163
	Lys Ala Leu Ile Ser Leu Ser Phe Gly Gly Ala Ile Gly Leu Met Phe	
10	5 10 15 20	
	ttg atg ctt gga tgt gcc ctt cca ata tac aac aaa tac tgg ccc etc	211
	Leu Met Leu Gly Cys Ala Leu Pro Ile Tyr Asn Lys Tyr Trp Pro Leu	
	25 30 35	
	ttt gtt cta ttt ttt tac atc ctt tca cct att cca tac tgc ata gca	259
15	Phe Val Leu Phe Phe Tyr Ile Leu Ser Pro Ile Pro Tyr Cys Ile Ala	
	40 45 50	
	aga aga tta gtg gat gat aca gat gct atg agt aac gct tgt aag gaa	307
	Arg Arg Leu Val Asp Asp Thr Asp Ala Met Ser Asn Ala Cys Lys Glu	
	55 60 65	
20	ctt gcc atc ttt ctt aca acg ggc att gtc gtg tca gct ttt gga etc	355
	Leu Ala Ile Phe Leu Thr Thr Gly Ile Val Val Ser Ala Phe Gly Leu	
	70 75 80	
	cct att gta ttt gcc aga gca cat ctg att gag tgg gga gct tgt gca	403
	Pro Ile Val Phe Ala Arg Ala His Leu Ile Glu Trp Gly Ala Cys Ala	
25	85 90 95 100	
	ctt gtt ctc aca gga aac aca gtc atc ttt gca act ata cta ggc ttt	451
	Leu Val Leu Thr Gly Asn Thr Val Ile Phe Ala Thr Ile Leu Gly Phe	
	105 110 115	
	ttc ttg gtc ttt gga agc aat gac gac ttc agc tgg cag cag tgg tgaa	500
30	Phe Leu Val Phe Gly Ser Asn Asp Asp Phe Ser Trp Gln Gln Trp	
	120 125 130	
	aagaaattac tgaactattg tcaaattggac ttctgtcat ttgttggeca ttcacgcaca	560
	caggagatgg ggcagttaat gctgaatggt atagcaagcc tcttgggggt atttttaggtg	620
	ctcccttctc acttttattg taagcatact attttcacag agacttgctg aaggattaaa	680
35	aggattttct cttttgg	697

18/177

<210> 23
 <211> 1619
 <212> DNA
 5 <213> Homo sapiens
 <220>
 <221> CDS
 <222> (287)...(1015)

10 <400> 23
 gcagaggccg tcacgtgggt cgccgagget cgcaagtgcg cgtggccgtg gcggetggtg 60
 tgggggttgag tcagttgtgg gacccggagc tgctgaccca gcgggtggcc caccgaaccg 120
 gtgacacagc ggcaggcggt agggctcggg agccgcgagc ctggcctcgt cctagagctc 180
 ggccgagccg tcgcgcgcgt cgteccccgc ccccagtcag caaacccgcg ccgcgggccc 240
 15 gccccgcgc tcgctgtgtct ctccgatggc gtccgcctca ggggcc atg gcg aag 295
 Met Ala Lys
 1
 cac gag cag atc ctg gtc ctc gat ccg ccc aca gac ctc aaa ttc aaa 343
 His Glu Gln Ile Leu Val Leu Asp Pro Pro Thr Asp Leu Lys Phe Lys
 20 5 10 15
 ggc ccc ttc aca gat gta gtc act aca aat ctt aaa ttg cga aat cca 391
 Gly Pro Phe Thr Asp Val Val Thr Thr Asn Leu Lys Leu Arg Asn Pro
 20 25 30 35
 tcg gat aga aaa gtg tgt ttc aaa gtg aag act aca gca cct cgc cgg 439
 25 Ser Asp Arg Lys Val Cys Phe Lys Val Lys Thr Thr Ala Pro Arg Arg
 40 45 50
 tac tgt gtg agg ccc aac agt gga att att gac cca ggg tca act gtg 487
 Tyr Cys Val Arg Pro Asn Ser Gly Ile Ile Asp Pro Gly Ser Thr Val
 55 60 65
 30 act gtt tca gta atg cta cag ccc ttt gac tat gat ccg aat gaa aag 535
 Thr Val Ser Val Met Leu Gln Pro Phe Asp Tyr Asp Pro Asn Glu Lys
 70 75 80
 agt aaa cac aag ttt atg gta cag aca att ttt gct cca cca aac act 583
 Ser Lys His Lys Phe Met Val Gln Thr Ile Phe Ala Pro Pro Asn Thr
 35 85 90 95

19/177

	tca gat atg gaa gct gtg tgg aaa gag gca aaa cct gat gaa tta atg	631
	Ser Asp Met Glu Ala Val Trp Lys Glu Ala Lys Pro Asp Glu Leu Met	
	100 105 110 115	
	gat tcc aaa ttg aga tgc gta ttt gaa atg ccc aat gaa aat gat aaa	679
5	Asp Ser Lys Leu Arg Cys Val Phe Glu Met Pro Asn Glu Asn Asp Lys	
	120 125 130	
	ttg aat gat atg gaa cct agc aaa gct gtt cca ctg aat gca tct aag	727
	Leu Asn Asp Met Glu Pro Ser Lys Ala Val Pro Leu Asn Ala Ser Lys	
	135 140 145	
10	caa gat gga cct atg cca aaa cca cac agt gtt tca ctt aat gat acc	775
	Gln Asp Gly Pro Met Pro Lys Pro His Ser Val Ser Leu Asn Asp Thr	
	150 155 160	
	gaa aca agg aaa cta atg gaa gag tgt aaa aga ctt cag gga gaa atg	823
	Glu Thr Arg Lys Leu Met Glu Glu Cys Lys Arg Leu Gln Gly Glu Met	
15	165 170 175	
	atg aag cta tca gaa gaa aat cgg cac ctg aga gat gaa ggt tta agg	871
	Met Lys Leu Ser Glu Glu Asn Arg His Leu Arg Asp Glu Gly Leu Arg	
	180 185 190 195	
	ctc aga aag gta gca cat tcg gat aaa cct gga tca acc tca act gca	919
20	Leu Arg Lys Val Ala His Ser Asp Lys Pro Gly Ser Thr Ser Thr Ala	
	200 205 210	
	tcc ttc aga gat aat gtc acc agt cct ctt cct tca ctt ctt gtt gta	967
	Ser Phe Arg Asp Asn Val Thr Ser Pro Leu Pro Ser Leu Leu Val Val	
	215 220 225	
25	att gca gcc att ttc att gga ttc ttt cta ggg aaa ttc atc ttg	1012
	Ile Ala Ala Ile Phe Ile Gly Phe Phe Leu Gly Lys Phe Ile Leu	
	230 235 240	
	tagagtgaag catgcagagt gctgtttctt tttttttttt ttctcttgac cagaaaaa	1070
	gatttggtta cctaccattt cattggtagt atggcccacg gtgaccattt ttttgtgtgt	1130
30	acagcgtcat ataggetttg cctttaatga tctcttacgg ttagaaaaca caataaaaac	1190
	aaactgttcg gctactggac aggttgtata ttaccagatc atcactagca gatgtcagtt	1250
	gcacattgag tcctttatga aattcataaa taaagaattg ttctttcttt gtgggttttaa	1310
	taagagttca agaattgttc agagtcttgt aaatgttatt ttaataatcc ctttaaattt	1370
	tatctgttgc tgttacctct tgaaatatga tttatttaga ttgctaatec cactcattca	1430
35	ggaaatgcca agaggtattc cttggggaaa tgggtgcctct tacagtgtaa atttttcctc	1490

20/177

	ctttaccttt gctaatatca tggcagaatt tttcttatcc cttgtgaggc agttgttgac	1550
	tgagtttttc atccttacaa tcctgtccca tgggtatttaa cataaaaaaa aataaaactg	1610
	ttaacagat	1619
5	<210> 24	
	<211> 1066	
	<212> DNA	
	<213> Homo sapiens	
	<220>	
10	<221> CDS	
	<222> (65)...(859)	
	<400> 24	
	cttcttgctg ccctcggttct tgccggggcc gcggttagtc cctgctggcc accccaactgc	60
15	gacc atg ttc gtt ccc tgc ggg gag tgc gcc ccc gac ctt gcc ggc ttc	109
	Met Phe Val Pro Cys Gly Glu Ser Ala Pro Asp Leu Ala Gly Phe	
	1 5 10 15	
	acc ctc cta atg cca gca gta tct gtt gga aat gtt ggc cag ctt gca	157
	Thr Leu Leu Met Pro Ala Val Ser Val Gly Asn Val Gly Gln Leu Ala	
20	20 25 30	
	atg gat ctg att att tct aca ctg aat atg tct aag att ggt tac ttc	205
	Met Asp Leu Ile Ile Ser Thr Leu Asn Met Ser Lys Ile Gly Tyr Phe	
	35 40 45	
	tat acc gat tgt ctt gtg cca atg gtt gga aac aat cca tat gcg acc	253
25	Tyr Thr Asp Cys Leu Val Pro Met Val Gly Asn Asn Pro Tyr Ala Thr	
	50 55 60	
	aca gaa gga aat tca aca gaa ctt agc ata aat gct gaa gtg tat tca	301
	Thr Glu Gly Asn Ser Thr Glu Leu Ser Ile Asn Ala Glu Val Tyr Ser	
	65 70 75	
30	ttg cct tca aga aag ctg gtg gct cta cag tta aga tcc att ttt att	349
	Leu Pro Ser Arg Lys Leu Val Ala Leu Gln Leu Arg Ser Ile Phe Ile	
	80 85 90 95	
	aag tat aaa tca aag cca ttc tgt gaa aaa ctg ctt tcc tgg gtg aaa	397
	Lys Tyr Lys Ser Lys Pro Phe Cys Glu Lys Leu Leu Ser Trp Val Lys	
35	100 105 110	

21/177

	agc agt ggc tgt gcc aga gtc att gtt ctt tcg agc agt cat tca tat	445
	Ser Ser Gly Cys Ala Arg Val Ile Val Leu Ser Ser Ser His Ser Tyr	
	115 120 125	
	cag cgt aat gat ctg cag ctt cgt agt act ccc ttc cgg tac cta ctt	493
5	Gln Arg Asn Asp Leu Gln Leu Arg Ser Thr Pro Phe Arg Tyr Leu Leu	
	130 135 140	
	aca cct tcc atg caa aaa agt gtt caa aat aaa ata aag agc ctt aac	541
	Thr Pro Ser Met Gln Lys Ser Val Gln Asn Lys Ile Lys Ser Leu Asn	
	145 150 155	
10	tgg gaa gaa atg gaa aaa agc cgg tgc att cct gaa ata gat gat tcc	589
	Trp Glu Glu Met Glu Lys Ser Arg Cys Ile Pro Glu Ile Asp Asp Ser	
	160 165 170 175	
	gag ttt tgt atc cgc att ccg gga gga ggt atc aca aaa aca ctc tat	637
	Glu Phe Cys Ile Arg Ile Pro Gly Gly Gly Ile Thr Lys Thr Leu Tyr	
15	180 185 190	
	gat gaa agc tgt tct aaa gaa atc caa atg gca gtt ctg ctg aaa ttt	685
	Asp Glu Ser Cys Ser Lys Glu Ile Gln Met Ala Val Leu Leu Lys Phe	
	195 200 205	
	gtt tca gaa ggg gac aac atc cca gat gca tta ggt ctt gtt gag tat	733
20	Val Ser Glu Gly Asp Asn Ile Pro Asp Ala Leu Gly Leu Val Glu Tyr	
	210 215 220	
	ctt aat gag tgg ctt cag ata ctc aaa cca ctt agc gat gac ccc aca	781
	Leu Asn Glu Trp Leu Gln Ile Leu Lys Pro Leu Ser Asp Asp Pro Thr	
	225 230 235	
25	gta tct gcc tca cgg tgg aaa ata cca agt tct tgg aga tta ctc ttt	829
	Val Ser Ala Ser Arg Trp Lys Ile Pro Ser Ser Trp Arg Leu Leu Phe	
	240 245 250 255	
	ggc agt ggt ctt ccc cct gca ctt ttc tgatcetaatt tctgttttat acct	880
	Gly Ser Gly Leu Pro Pro Ala Leu Phe	
30	260	
	tatacccaaa acacttacta ccaacacagc tgttaaacad tctatacaaaa aaaattgtat	940
	gatctggtat taggaaatta ctttcacagt aaatatcaaaa gaaaaaagat taaggggtctc	1000
	tttgccatgc ttttcatcat atgcaccaaaa tgtaaatttt gtacaataaaa atttttatttc	1060
	ctaagt	1066
35		

22/177

<210> 25

<211> 618

<212> DNA

<213> Homo sapiens

5 <220>

<221> CDS

<222> (54)...(392)

<400> 25

10 gtttacgcca gtttgaacca aagacqccca aggttgaggc cgagttccag agc atg 56

Met

1

ggg tct cgg ttg tcc cag cct ttt gag tcc tat atc act gcg cct ccc 104

Gly Ser Arg Leu Ser Gln Pro Phe Glu Ser Tyr Ile Thr Ala Pro Pro

15 5 10 15

qgt acc gcc gcc gcg ccc gcc aaa cct gcg ccc cca gct aca ccc gga 152

Gly Thr Ala Ala Ala Pro Ala Lys Pro Ala Pro Pro Ala Thr Pro Gly

20 25 30

qcq ccq acc tcc cca qca qaa cac cgc ctg ttg aag acc tgc tgg agc 200

20 Ala Pro Thr Ser Pro Ala Glu His Arg Leu Leu Lys Thr Cys Trp Ser

35 40 45

tgt cgc gtg ctt tct qqq ttg qgg ctg atg ggg gcg ggc ggg tac gtg 248

Cys Arg Val Leu Ser Gly Leu Gly Leu Met Gly Ala Gly Gly Tyr Val

50 55 60 65

25 tac tgg gtg gca cgg aaq ccc atg aaq atg gga tac ccc ccg agt cca 296

Tyr Trp Val Ala Arg Lys Pro Met Lys Met Gly Tyr Pro Pro Ser Pro

70 75 80

tgg acc att acg caa atg gtc atc qgc ctc agc att gcc acc tgg ggt 344

Trp Thr Ile Thr Gln Met Val Ile Gly Leu Ser Ile Ala Thr Trp Gly

30 85 90 95

atc gtt gtc atg gca gac ccc aaa ggg aaq gcc tac cgc gtt gtt t 390

Ile Val Val Met Ala Asp Pro Lys Gly Lys Ala Tyr Arg Val Val

100

gaaagtacca ccagtgaatc tgtcttctgt ctctgtccct ttccccgtga cacacacagc 450

35 aggcattggaa tttaatgggt gttctggaca gacacttgta catggacaga catcactact 510

23/177

gtggatacta caagactgag aagaaaatcg tatgttgtca ttctctggct atggagtgtt 570
 tgtggccttc acagatttca caggaaccaa taaatccctc agagaagt 618

<210> 26
 5 <211> 1021
 <212> DNA
 <213> Homo sapiens
 <220>
 <221> CDS
 10 <222> (413)...(853)

<400> 26
 aagactataa gccccagcgg gcgacgaccg aacgcccccg ggaacaccgg gccccagact 60
 cggccccggc cccgaggatc ctccacgggg ctagatggct gcgtcggggg cgggagcggg 120
 15 ggtgagcggg cgctagggcc gcgagcccc gccggccctt cctccagcgc cctgcggacc 180
 ccgcagaagg cgctcgctc cctagccgcg aaaaacatat cgatttttct cgctgtggca 240
 acggggacgt cctgatatat cctctgctcc aataggcaac tccggccttc cctgccttga 300
 cctggaacct ctgggagggc tgcagagtaa gtgccgctc tgcgctccga cggaggcacg 360
 aggcctgtgg agtaggtccc tctgttccga caggtgcgac acttggeget cc atg ctt 418
 20 Met Leu
 1
 gcg ggt gcc ggg agg cct ggc ctc ccc cag ggc cgc cac ctc tgc tgg 466
 Ala Gly Ala Gly Arg Pro Gly Leu Pro Gln Gly Arg His Leu Cys Trp
 5 10 15
 25 ttg ctc tgt gct ttc acc tta aag ctc tgc caa gca gag gct ccc gtg 514
 Leu Leu Cys Ala Phe Thr Leu Lys Leu Cys Gln Ala Glu Ala Pro Val
 20 25 30
 cag gaa gag aag ctg tca gca agc acc tca aat ttg cca tgc tgg ctg 562
 Gln Glu Glu Lys Leu Ser Ala Ser Thr Ser Asn Leu Pro Cys Trp Leu
 30 35 40 45 50
 gtg gaa gag ttt gtg gta gca gaa gag tgc tct cca tgc tct aat ttc 610
 Val Glu Glu Phe Val Val Ala Glu Glu Cys Ser Pro Cys Ser Asn Phe
 55 60 65
 cgg gct aaa act acc cct gag tgt ggt ccc aca gga tat gta gag aaa 658
 35 Arg Ala Lys Thr Thr Pro Glu Cys Gly Pro Thr Gly Tyr Val Glu Lys

24/177

	70	75	80	
	atc aca tgc agc tca tct aag aga aat gag ttc aaa agc tgc cgc tca	706		
	Ile Thr Cys Ser Ser Ser Lys Arg Asn Glu Phe Lys Ser Cys Arg Ser			
	85	90	95	
5	gct ttg atg gaa caa cgc tta ttt tgg aag ttc gaa ggg gct gtc gtg	754		
	Ala Leu Met Glu Gln Arg Leu Phe Trp Lys Phe Glu Gly Ala Val Val			
	100	105	110	
	tgt gtg gcc ctg atc ttc gct tgt ctt gtc atc att cgt cag cga caa	802		
	Cys Val Ala Leu Ile Phe Ala Cys Leu Val Ile Ile Arg Gln Arg Gln			
10	115	120	125	130
	ttg gac aga aag gct ctg gaa aag gtc cgg aag caa atc gag tcc ata	850		
	Leu Asp Arg Lys Ala Leu Glu Lys Val Arg Lys Gln Ile Glu Ser Ile			
	135	140	145	
	tagctacatt ccaccettgt atcctgggtc ttagagaccc tatctcagac agtgaaagt	910		
15	aaatggactg atttgcactc ttggttcttt ggagccttgt ggtggaatcc ccttttcccc	970		
	atcttcttct ttcagatcat taatgagcag aataaaaaga gtaaaatggt t	1021		
	<210> 27			
	<211> 1432			
20	<212> DNA			
	<213> Homo sapiens			
	<220>			
	<221> CDS			
	<222> (331)...(1365)			
25	<400> 27			
	atcgcgcccg ggaggcgccg gagcccagcg gctggcgggc cgccgtccca cccccacctc	60		
	gcccagagtc gggcgggccc cgggtgtccc tccgagcctg ctgcaactca cgtcccccta	120		
	ccagggtctc agccccagc gaaatctccg accaggcccg cccaggagcc agatccaggc	180		
30	tcttgaaga accatgtccg gcagctactg gtcattgccg gcacacactg ctgcccgaaga	240		
	ggagctgctg tttgaattat ctgtgaatgt tgggaagagg aatgccagag ctgccggctg	300		
	aaaattaccc aaccaagaga aatctgcagg atg gac ttt ctg gtc ctc ttc ttg	354		
	Met Asp Phe Leu Val Leu Phe Leu			
	1	5		
35	ttc tac ctg gct tcg gtg ctg atg ggt ctt gtt ctt atc tgc gtc tgc	402		

25/177

	Phe Tyr Leu Ala Ser Val Leu Met Gly Leu Val Leu Ile Cys Val Cys	
	10 15 20	
	tcg aaa acc cat agc ttg aaa ggc ctg gcc agg gga gga gca cag ata	450
	Ser Lys Thr His Ser Leu Lys Gly Leu Ala Arg Gly Gly Ala Gln Ile	
5	25 30 35 40	
	ttt tcc tgt ata att cca gaa tgt ctt cag aga gcc gtg cat gga ttg	498
	Phe Ser Cys Ile Ile Pro Glu Cys Leu Gln Arg Ala Val His Gly Leu	
	45 50 55	
	ctt cat tac ctt ttc cat acg aga aac cac acc ttc att gtc ctg cac	546
10	Leu His Tyr Leu Phe His Thr Arg Asn His Thr Phe Ile Val Leu His	
	60 65 70	
	ctg gtc ttg caa ggg atg gtt tat act gag tac acc tgg gaa gta ttt	594
	Leu Val Leu Gln Gly Met Val Tyr Thr Glu Tyr Thr Trp Glu Val Phe	
	75 80 85	
15	ggc tac tgt cag gag ctg gag ttg tcc ttg cat tac ctt ctt ctg ccc	642
	Gly Tyr Cys Gln Glu Leu Glu Leu Ser Leu His Tyr Leu Leu Leu Pro	
	90 95 100	
	tat ctg ctg cta ggt gta aac ctg ttt ttt ttc acc ctg act tgt gga	690
	Tyr Leu Leu Leu Gly Val Asn Leu Phe Phe Phe Thr Leu Thr Cys Gly	
20	105 110 115 120	
	acc aat cct ggc att ata aca aaa gca aat gaa tta tta ttt ctt cat	738
	Thr Asn Pro Gly Ile Ile Thr Lys Ala Asn Glu Leu Leu Phe Leu His	
	125 130 135	
	gtt tat gaa ttt gat gaa gtg atg ttt cca aag aac gtg agg tgc tct	786
25	Val Tyr Glu Phe Asp Glu Val Met Phe Pro Lys Asn Val Arg Cys Ser	
	140 145 150	
	act tgt gat tta agg aaa cca gct cga tcc aag cac tgc agt gtg tgt	834
	Thr Cys Asp Leu Arg Lys Pro Ala Arg Ser Lys His Cys Ser Val Cys	
	155 160 165	
30	aac tgg tgt gtg cac cgt ttc gac cat cac tgt gtt tgg gtg aac aac	882
	Asn Trp Cys Val His Arg Phe Asp His His Cys Val Trp Val Asn Asn	
	170 175 180	
	tgc atc ggg gcc tgg aac atc agg tac ttc ctc atc tac gtc ttg acc	930
	Cys Ile Gly Ala Trp Asn Ile Arg Tyr Phe Leu Ile Tyr Val Leu Thr	
35	185 190 195 200	

26/177

	ttg acg gcc tcg gct gcc acc gtc gcc att gtg agc acc act ttt ctg	978
	Leu Thr Ala Ser Ala Ala Thr Val Ala Ile Val Ser Thr Thr Phe Leu	
	205 210 215	
	gtc cac ttg gtg atg tca gat tta tac cag gag act tac atc gat	1026
5	Val His Leu Val Val Met Ser Asp Leu Tyr Gln Glu Thr Tyr Ile Asp	
	220 225 230	
	gac ctt gga cac ctc cat gtt atg gac acg gtc ttt ctt att cag tac	1074
	Asp Leu Gly His Leu His Val Met Asp Thr Val Phe Leu Ile Gln Tyr	
	235 240 245	
10	ctg ttc ctg act ttt cca cgg att gtc ttc atg ctg ggc ttt gtc gtg	1122
	Leu Phe Leu Thr Phe Pro Arg Ile Val Phe Met Leu Gly Phe Val Val	
	250 255 260	
	GTT CTG AGC TTC CTC CTG GGT GGC TAC CTG TTG TTT GTC CTG TAT CTG	1170
	Val Leu Ser Phe Leu Leu Gly Gly Tyr Leu Leu Phe Val Leu Tyr Leu	
15	265 270 275 280	
	gcg gcc acc aac cag act act aac gag tgg tac aga ggt gac tgg gcc	1218
	Ala Ala Thr Asn Gln Thr Thr Asn Glu Trp Tyr Arg Gly Asp Trp Ala	
	285 290 295	
	tgg tgc cag cgt tgt ccc ctt gtg gcc tgg cct ccg tca gca gag ccc	1266
20	Trp Cys Gln Arg Cys Pro Leu Val Ala Trp Pro Pro Ser Ala Glu Pro	
	300 305 310	
	caa gtc cac cgg aac att cac tcc cat ggg ctt cgg agc aac ctt caa	1314
	Gln Val His Arg Asn Ile His Ser His Gly Leu Arg Ser Asn Leu Gln	
	315 320 325	
25	gag atc ttt cta cct gcc ttt cca tgt cat gag agg aag aaa caa gaa	1362
	Glu Ile Phe Leu Pro Ala Phe Pro Cys His Glu Arg Lys Lys Gln Glu	
	330 335 340	
	tgacaagtgt atgactgcct ttgagctgta gttcccgttt atttacacat gtggatcc	1420
	tcgttttcca ag	1432
30		
	<210> 28	
	<211> 601	
	<212> DNA	
	<213> Homo sapiens	
35	<220>	

27/177

<221> CDS

<222> (62)...(355)

<400> 28

5	atgcgcacat agcgacttgg tgggcgcgctc cagtgatgac tgggggatcc cggaagtaa	60
	c atg act aaa aag aag cgg gag aat ctg ggc gtc gct cta gag atc gat	109
	Met Thr Lys Lys Lys Arg Glu Asn Leu Gly Val Ala Leu Glu Ile Asp	
	1 - 5 10 15	
	ggg cta gag gag aag ctg tcc cag tgt cgg aga gac ctg gag gcc gtg	157
10	Gly Leu Glu Glu Lys Leu Ser Gln Cys Arg Arg Asp Leu Glu Ala Val	
	20 25 30	
	aac tcc aga ctc cac agc cgg gag ctg agc cca gag gcc agg agg tcc	205
	Asn Ser Arg Leu His Ser Arg Glu Leu Ser Pro Glu Ala Arg Arg Ser	
	35 40 45	
15	ctg gag aag gag aaa aac agc cta atg aac aaa gcc tcc aac tac gag	253
	Leu Glu Lys Glu Lys Asn Ser Leu Met Asn Lys Ala Ser Asn Tyr Glu	
	50 55 60	
	aag gaa ctg aag ttt ctt cgg caa gag aac cgg aag aac atg ctg ctc	301
	Lys Glu Leu Lys Phe Leu Arg Gln Glu Asn Arg Lys Asn Met Leu Leu	
20	65 70 75 80	
	tct gtg gcc atc ttt atc ctc ctg acg ctc gtc tat gcc tac tgg acc	349
	Ser Val Ala Ile Phe Ile Leu Leu Thr Leu Val Tyr Ala Tyr Trp Thr	
	85 90 95	
	atg tgagcctggc acttcccac aaccagcaca ggttccact tggcccct	400
25	Met	
	tgatcaggat caagcaggca cttcaagcct caataggacc aaggtgctgg ggtgttcccc	460
	tcccaaccta gtgttcaagc atggttccct ggcgcccag gccttgctc cctggcctgc	520
	tggggggttc cgggtctcca gaaggacatg gtgctggtcc ctcccttagc ccaagggaga	580
30	ggcaataaag acacaaagct g	601

<210> 29

<211> 585

<212> DNA

35 <213> Homo sapiens

28/177

<220>

<221> CDS

<222> (78)...(452)

5 <400> 29
 actaacctct gccctgcagc cgcgagggcg cgcgggaaat cccgagtgc tctggaatac 60
 gcagagtcag taagacc atg gct acg tcc tcg atg tct aag ggt tgc ttt 110
 Met Ala Thr Ser Ser Met Ser Lys Gly Cys Phe
 1 5 10

10 gtt ttt aag cca aac tcc aaa aag aga aag atc tct ctg cca ata gag 158
 Val Phe Lys Pro Asn Ser Lys Lys Arg Lys Ile Ser Leu Pro Ile Glu
 15 20 25
 gac tat ttt aac aaa ggg aaa aat gag cct gag gac agt aag ctt cga 206
 Asp Tyr Phe Asn Lys Gly Lys Asn Glu Pro Glu Asp Ser Lys Leu Arg
 15 30 35 40
 ttc gaa act tat cag ttg ata tgg cag cag atg aaa tct gaa aat gag 254
 Phe Glu Thr Tyr Gln Leu Ile Trp Gln Gln Met Lys Ser Glu Asn Glu
 45 50 55
 cga cta caa gag gaa tta aat aaa aac ttg ttt gac aat ctg att gaa 302
 20 Arg Leu Gln Glu Glu Leu Asn Lys Asn Leu Phe Asp Asn Leu Ile Glu
 60 65 70 75
 ttt ctg caa aaa tca cat tct gga ttc cag aag aat tca aga gac ttg 350
 Phe Leu Gln Lys Ser His Ser Gly Phe Gln Lys Asn Ser Arg Asp Leu
 80 85 90
 25 ggc ggt caa ata aaa ctc aga gaa att cca act gct gct ctt gtt ctt 398
 Gly Gly Gln Ile Lys Leu Arg Glu Ile Pro Thr Ala Ala Leu Val Leu
 95 100 105
 ggt ata tat gcg tat gtt tgt tca tgc atg cat ctc tgt gta ttt cgt 446
 Gly Ile Tyr Ala Tyr Val Cys Ser Cys Met His Leu Cys Val Phe Arg
 110 115 120
 30 ttt taaatttttt tttattgttg agaatagtgg aaggacctgt tttgatgagc c 500
 Phe
 tattttgtct ctcttatttg tacaattaaa ccaactatag tttatattac atattttcaa 560
 35 aaaccaataa aaattcctta tcttt 585

29/177

<210> 30
 <211> 1100
 <212> DNA
 5 <213> Homo sapiens
 <220>
 <221> CDS
 <222> (57)...(1040)

10 <400> 30
 agaccgacct tgaccgcca cctggcagga gcaggacagg acggccggac gcggcc atg 59
 Met
 1
 gcc gag ctc ccg ggg ccc ttt ctc tgc ggg gcc ctg cta ggc ttc ctg 107
 15 Ala Glu Leu Pro Gly Pro Phe Leu Cys Gly Ala Leu Leu Gly Phe Leu
 5 10 15
 tgc ctg agt ggg ctg gcc gtg gag gtg aag gta ccc aca gag ccg ctg 155
 Cys Leu Ser Gly Leu Ala Val Glu Val Lys Val Pro Thr Glu Pro Leu
 20 25 30
 20 agc acg ccc ctg ggg aag aca gcc gag ctg acc tgc acc tac agc acg 203
 Ser Thr Pro Leu Gly Lys Thr Ala Glu Leu Thr Cys Thr Tyr Ser Thr
 35 40 45
 tcg gtg gga gac agc ttc gcc ctg gag tgg agc ttt gtg cag cct ggg 251
 Ser Val Gly Asp Ser Phe Ala Leu Glu Trp Ser Phe Val Gln Pro Gly
 25 50 55 60 65
 aaa ccc atc tct gag tcc cat cca atc ctg tac ttc acc aat ggc cat 299
 Lys Pro Ile Ser Glu Ser His Pro Ile Leu Tyr Phe Thr Asn Gly His
 70 75 80
 ctg tat cca act ggt tct aag tca aag cgg gtc agc ctg ctt cag aac 347
 30 Leu Tyr Pro Thr Gly Ser Lys Ser Lys Arg Val Ser Leu Leu Gln Asn
 85 90 95
 ccc ccc aca gtg ggg gtg gcc aca ctg aaa ctg act gac gtc cac ccc 395
 Pro Pro Thr Val Gly Val Ala Thr Leu Lys Leu Thr Asp Val His Pro
 100 105 110
 35 tca gat act gga acc tac ctc tgc caa gtc aac aac cca cca gat ttc 443

30/177

	Ser Asp Thr Gly Thr Tyr Leu Cys Gln Val Asn Asn Pro Pro Asp Phe	
	115 120 125	
	tac acc aat ggg ttg ggg cta atc aac ctt act gtg ctg gtt ccc ccc	491
	Tyr Thr Asn Gly Leu Gly Leu Ile Asn Leu Thr Val Leu Val Pro Pro	
5	130 135 140 145	
	agt aat ccc tta tgc agt cag agt gga caa acc tct gtg gga ggc tct	539
	Ser Asn Pro Leu Cys Ser Gln Ser Gly Gln Thr Ser Val Gly Gly Ser	
	150 155 160	
	act gca ctg aga tgc agc tct tcc gag ggg gct cct aag cca gtg tac	587
10	Thr Ala Leu Arg Cys Ser Ser Ser Glu Gly Ala Pro Lys Pro Val Tyr	
	165 170 175	
	aac tgg gtg cgt ctt gga act ttt cct aca cct tct cct ggc agc atg	635
	Asn Trp Val Arg Leu Gly Thr Phe Pro Thr Pro Ser Pro Gly Ser Met	
	180 185 190	
15	gtt caa gat gag gtg tct ggc cag ctc att ctc acc aac ctc tcc ctg	683
	Val Gln Asp Glu Val Ser Gly Gln Leu Ile Leu Thr Asn Leu Ser Leu	
	195 200 205	
	acc tcc tcg ggc acc tac cgc tgt gtg gcc acc aac cag atg ggc agt	731
	Thr Ser Ser Gly Thr Tyr Arg Cys Val Ala Thr Asn Gln Met Gly Ser	
20	210 215 220 225	
	gca tcc tgt gag ctg acc ctc tct gtg acc gaa ccc tcc caa ggc cga	779
	Ala Ser Cys Glu Leu Thr Leu Ser Val Thr Glu Pro Ser Gln Gly Arg	
	230 235 240	
	gtg gcc gga gct ctg att ggg gtg ctc ctg ggc gtg ctg ttg ctg tca	827
25	Val Ala Gly Ala Leu Ile Gly Val Leu Leu Gly Val Leu Leu Leu Ser	
	245 250 255	
	gtt gct gcg ttc tgc ctg gtc agg ttc cag aaa gag agg ggg aag aag	875
	Val Ala Ala Phe Cys Leu Val Arg Phe Gln Lys Glu Arg Gly Lys Lys	
	260 265 270	
30	ccc aag gag aca tat ggg ggt agt gac ctt cgg gag gat gcc atc gct	923
	Pro Lys Glu Thr Tyr Gly Gly Ser Asp Leu Arg Glu Asp Ala Ile Ala	
	275 280 285	
	cct ggg atc tct gag cac act tgt atg agg gct gat tct agc aag ggg	971
	Pro Gly Ile Ser Glu His Thr Cys Met Arg Ala Asp Ser Ser Lys Gly	
35	290 295 300 305	

31/177

ttc ctg gaa aga ccc tct tct gcc agc acc gtg acg acc acc aag tcc 1019
 Phe Leu Glu Arg Pro Ser Ser Ala Ser Thr Val Thr Thr Thr Lys Ser
 310 315 320
 aag ctc cct atg gtc gtg tgactttctcc cgatccctga gggcgggtgag ggg 1070
 5 Lys Leu Pro Met Val Val
 325
 gaatatcaat aattaaagtc tgtgggtacc 1100

 <210> 31
 10 <211> 313
 <212> PRT
 <213> Homo sapiens

 <400> 31
 15 Met Asn Gln Leu Ser Phe Leu Leu Phe Leu Ile Ala Thr Thr Arg Gly
 1 5 10 15
 Trp Ser Thr Asp Glu Ala Asn Thr Tyr Phe Lys Glu Trp Thr Cys Ser
 20 25 30
 Ser Ser Pro Ser Leu Pro Arg Ser Cys Lys Glu Ile Lys Asp Glu Cys
 20 35 40 45
 Pro Ser Ala Phe Asp Gly Leu Tyr Phe Leu Arg Thr Glu Asn Gly Val
 50 55 60
 Ile Tyr Gln Thr Phe Cys Asp Met Thr Ser Gly Gly Gly Gly Trp Thr
 65 70 75 80
 25 Leu Val Ala Ser Val His Glu Asn Asp Met Arg Gly Lys Cys Thr Val
 85 90 95
 Gly Asp Arg Trp Ser Ser Gln Gln Gly Ser Lys Ala Asp Tyr Pro Glu
 100 105 110
 Gly Asp Gly Asn Trp Ala Asn Tyr Asn Thr Phe Gly Ser Ala Glu Ala
 30 115 120 125
 Ala Thr Ser Asp Asp Tyr Lys Asn Pro Gly Tyr Tyr Asp Ile Gln Ala
 130 135 140
 Lys Asp Leu Gly Ile Trp His Val Pro Asn Lys Ser Pro Met Gln His
 145 150 155 160
 35 Trp Arg Asn Ser Ser Leu Leu Arg Tyr Arg Thr Asp Thr Gly Phe Leu

32/177

165 170 175
 Gln Thr Leu Gly His Asn Leu Phe Gly Ile Tyr Gln Lys Tyr Pro Val
 180 185 190
 Lys Tyr Gly Glu Gly Lys Cys Trp Thr Asp Asn Gly Pro Val Ile Pro
 5 195 200 205
 Val Val Tyr Asp Phe Gly Asp Ala Gln Lys Thr Ala Ser Tyr Tyr Ser
 210 215 220
 Pro Tyr Gly Gln Arg Glu Phe Thr Ala Gly Phe Val Gln Phe Arg Val
 225 230 235 240
 10 Phe Asn Asn Glu Arg Ala Ala Asn Ala Leu Cys Ala Gly Met Arg Val
 245 250 255
 Thr Gly Cys Asn Thr Glu His His Cys Ile Gly Gly Gly Tyr Phe
 260 265 270
 Pro Glu Ala Ser Pro Gln Gln Cys Gly Asp Phe Ser Gly Phe Asp Trp
 15 275 280 285
 Ser Gly Tyr Gly Thr His Val Gly Tyr Ser Ser Ser Arg Glu Ile Thr
 290 295 300
 Glu Ala Ala Val Leu Leu Phe Tyr Arg
 305 310
 20
 <210> 32
 <211> 229
 <212> PRT
 <213> Homo sapiens
 25
 <400> 32
 Met Gly Asp Lys Ile Trp Leu Pro Phe Pro Val Leu Leu Leu Ala Ala
 1 5 10 15
 Leu Pro Pro Val Leu Leu Pro Gly Ala Ala Gly Phe Thr Pro Ser Leu
 30 20 25 30
 Asp Ser Asp Phe Thr Phe Thr Leu Pro Ala Gly Gln Lys Glu Cys Phe
 35 40 45
 Tyr Gln Pro Met Pro Leu Lys Ala Ser Leu Glu Ile Glu Tyr Gln Val
 50 55 60
 35 Leu Asp Gly Ala Gly Leu Asp Ile Asp Phe His Leu Ala Ser Pro Glu

33/177

65 70 75 80
 Gly Lys Thr Leu Val Phe Glu Gln Arg Lys Ser Asp Gly Val His Thr
 85 90 95
 Val Glu Thr Glu Val Gly Asp Tyr Met Phe Cys Phe Asp Asn Thr Phe
 5 100 105 110
 Ser Thr Ile Ser Glu Lys Val Ile Phe Phe Glu Leu Ile Leu Asp Asn
 115 120 125
 Met Gly Glu Gln Ala Gln Glu Gln Glu Asp Trp Lys Lys Tyr Ile Thr
 130 135 140
 10 Gly Thr Asp Ile Leu Asp Met Lys Leu Glu Asp Ile Leu Glu Ser Ile
 145 150 155 160
 Asn Ser Ile Lys Ser Arg Leu Ser Lys Ser Gly His Ile Gln Ile Leu
 165 170 175
 Leu Arg Ala Phe Glu Ala Arg Asp Arg Asn Ile Gln Glu Ser Asn Phe
 15 180 185 190
 Asp Arg Val Asn Phe Trp Ser Met Val Asn Leu Val Val Met Val Val
 195 200 205
 Val Ser Ala Ile Gln Val Tyr Met Leu Lys Ser Leu Phe Glu Asp Lys
 210 215 220
 20 Arg Lys Ser Arg Thr
 225

 <210> 33
 <211> 467
 25 <212> PRT
 <213> Homo sapiens

 <400> 33
 Met Arg Pro Gln Glu Leu Pro Arg Leu Ala Phe Pro Leu Leu Leu Leu
 30 1 5 10 15
 Leu Leu Leu Leu Leu Pro Pro Pro Pro Cys Pro Ala His Ser Ala Thr
 20 25 30
 Arg Phe Asp Pro Thr Trp Glu Ser Leu Asp Ala Arg Gln Leu Pro Ala
 35 40 45
 35 Trp Phe Asp Gln Ala Lys Phe Gly Ile Phe Ile His Trp Gly Val Phe

34/177

	50	55	60
	Ser Val Pro Ser Phe Gly	Ser Glu Trp Phe Trp Trp Tyr Trp Gln Lys	
	65	70	75 80
	Glu Lys Ile Pro Lys Tyr Val Glu Phe Met Lys Asp Asn Tyr Pro Pro		
5	85	90	95
	Ser Phe Lys Tyr Glu Asp Phe Gly Pro Leu Phe Thr Ala Lys Phe Phe		
	100	105	110
	Asn Ala Asn Gln Trp Ala Asp Ile Phe Gln Ala Ser Gly Ala Lys Tyr		
	115	120	125
10	Ile Val Leu Thr Ser Lys His His Glu Gly Phe Thr Leu Trp Gly Ser		
	130	135	140
	Glu Tyr Ser Trp Asn Trp Asn Ala Ile Asp Glu Gly Pro Lys Arg Asp		
	145	150	155 160
	Ile Val Lys Glu Leu Glu Val Ala Ile Arg Asn Arg Thr Asp Leu Arg		
15	165	170	175
	Phe Gly Leu Tyr Tyr Ser Leu Phe Glu Trp Phe His Pro Leu Phe Leu		
	180	185	190
	Glu Asp Glu Ser Ser Ser Phe His Lys Arg Gln Phe Pro Val Ser Lys		
	195	200	205
20	Thr Leu Pro Glu Leu Tyr Glu Leu Val Asn Asn Tyr Gln Pro Glu Val		
	210	215	220
	Leu Trp Ser Asp Gly Asp Gly Gly Ala Pro Asp Gln Tyr Trp Asn Ser		
	225	230	235 240
	Thr Gly Phe Leu Ala Trp Leu Tyr Asn Glu Ser Pro Val Arg Gly Thr		
25	245	250	255
	Val Val Thr Asn Asp Arg Trp Gly Ala Gly Ser Ile Cys Lys His Gly		
	260	265	270
	Gly Phe Tyr Thr Cys Ser Asp Arg Tyr Asn Pro Gly His Leu Leu Pro		
	275	280	285
30	His Lys Trp Glu Asn Cys Met Thr Ile Asp Lys Leu Ser Trp Gly Tyr		
	290	295	300
	Arg Arg Glu Ala Gly Ile Ser Asp Tyr Leu Thr Ile Glu Glu Leu Val		
	305	310	315 320
	Lys Gln Leu Val Glu Thr Val Ser Cys Gly Gly Asn Leu Leu Met Asn		
35	325	330	335

35/177

	Ile Gly Pro Thr Leu Asp Gly Thr Ile Ser Val Val Phe Glu Glu Arg	
	340	345 350
	Leu Arg Gln Met Gly Ser Trp Leu Lys Val Asn Gly Glu Ala Ile Tyr	
	355	360 365
5	Glu Thr His Thr Trp Arg Ser Gln Asn Asp Thr Val Thr Pro Asp Val	
	370	375 380
	Trp Tyr Thr Ser Lys Pro Lys Glu Lys Leu Val Tyr Ala Ile Phe Leu	
	385	390 395 400
	Lys Trp Pro Thr Ser Gly Gln Leu Phe Leu Gly His Pro Lys Ala Ile	
10	405	410 415
	Leu Gly Ala Thr Glu Val Lys Leu Leu Gly His Gly Gln Pro Leu Asn	
	420	425 430
	Trp Ile Ser Leu Glu Gln Asn Gly Ile Met Val Glu Leu Pro Gln Leu	
	435	440 445
15	Thr Ile His Gln Met Pro Cys Lys Trp Gly Trp Ala Leu Ala Leu Thr	
	450	455 460
	Asn Val Ile	
	465	
20	<210> 34	
	<211> 99	
	<212> PRT	
	<213> Homo sapiens	
25	<400> 34	
	Met Asp Asn Val Gln Pro Lys Ile Lys His Arg Pro Phe Cys Phe Ser	
	1 5 10 15	
	Val Lys Gly His Val Lys Met Leu Arg Leu Asp Ile Ile Asn Ser Leu	
	20 25 30	
30	Val Thr Thr Val Phe Met Leu Ile Val Ser Val Leu Ala Leu Ile Pro	
	35 40 45	
	Glu Thr Thr Thr Leu Thr Val Gly Gly Gly Val Phe Ala Leu Val Thr	
	50 55 60	
	Ala Val Cys Cys Leu Ala Asp Gly Ala Leu Ile Tyr Arg Lys Leu Leu	
35	65 70 75 80	

36/177

Phe Asn Pro Ser Gly Pro Tyr Gln Gln Lys Pro Val His Glu Lys Lys

85

90

95

Glu Val Leu

5

<210> 35

<211> 189

<212> PRT

<213> Homo sapiens

10

<400> 35

Met Glu Glu Gly Gly Asn Leu Gly Gly Leu Ile Lys Met Val His Leu

1

5

10

15

Leu Val Leu Ser Gly Ala Trp Gly Met Gln Met Trp Val Thr Phe Val

20

25

30

15

Ser Gly Phe Leu Leu Phe Arg Ser Leu Pro Arg His Thr Phe Gly Leu

35

40

45

Val Gln Ser Lys Leu Phe Pro Phe Tyr Phe His Ile Ser Met Gly Cys

50

55

60

Ala Phe Ile Asn Leu Cys Ile Leu Ala Ser Gln His Ala Trp Ala Gln

20

65

70

75

80

Leu Thr Phe Trp Glu Ala Ser Gln Leu Tyr Leu Leu Phe Leu Ser Leu

85

90

95

Thr Leu Ala Thr Val Asn Ala Arg Trp Leu Glu Pro Arg Thr Thr Ala

100

105

110

25

Ala Met Trp Ala Leu Gln Thr Val Glu Lys Glu Arg Gly Leu Gly Gly

115

120

125

Glu Val Pro Gly Ser His Gln Gly Pro Asp Pro Tyr Arg Gln Leu Arg

130

135

140

Glu Lys Asp Pro Lys Tyr Ser Ala Leu Arg Gln Asn Phe Phe Arg Tyr

30

145

150

155

160

His Gly Leu Ser Ser Leu Cys Asn Leu Gly Cys Val Leu Ser Asn Gly

165

170

175

Leu Cys Leu Ala Gly Leu Ala Leu Glu Ile Arg Ser Leu

180

185

35

37/177

<210> 36

<211> 363

<212> PRT

<213> Homo sapiens

5

<400> 36

Met Val Asp Ser Leu Leu Ala Val Thr Leu Ala Gly Asn Leu Gly Leu
 1 5 10 15
 Thr Phe Leu Arg Gly Ser Gln Thr Gln Ser His Pro Asp Leu Gly Thr
 10 20 25 30
 Glu Gly Cys Trp Asp Gln Leu Ser Ala Pro Arg Thr Phe Thr Leu Leu
 35 40 45
 Asp Pro Lys Ala Ser Leu Leu Thr Lys Ala Phe Leu Asn Gly Ala Leu
 50 55 60
 15 Asp Gly Val Ile Leu Gly Asp Tyr Leu Ser Arg Thr Pro Glu Pro Arg
 65 70 75 80
 Pro Ser Leu Ser His Leu Leu Ser Gln Tyr Tyr Gly Ala Gly Val Ala
 85 90 95
 Arg Asp Pro Gly Phe Arg Ser Asn Phe Arg Arg Gln Asn Gly Ala Ala
 100 105 110
 20 Leu Thr Ser Ala Ser Ile Leu Ala Gln Gln Val Trp Gly Thr Leu Val
 115 120 125
 Leu Leu Gln Arg Leu Glu Pro Val His Leu Gln Leu Gln Cys Met Ser
 130 135 140
 25 Gln Glu Gln Leu Ala Gln Val Ala Ala Asn Ala Thr Lys Glu Phe Thr
 145 150 155 160
 Glu Ala Phe Leu Gly Cys Pro Ala Ile His Pro Arg Cys Arg Trp Gly
 165 170 175
 Ala Ala Pro Tyr Arg Gly Arg Pro Lys Leu Leu Gln Leu Pro Leu Gly
 180 185 190
 30 Phe Leu Tyr Val His His Thr Tyr Val Pro Ala Pro Pro Cys Thr Asp
 195 200 205
 Phe Thr Arg Cys Ala Ala Asn Met Arg Ser Met Gln Arg Tyr His Gln
 210 215 220
 35 Asp Thr Gln Gly Trp Gly Asp Ile Gly Tyr Ser Phe Val Val Gly Ser

38/177

225 230 235 240
 Asp Gly Tyr Val Tyr Glu Gly Arg Gly Trp His Trp Val Gly Ala His
 245 250 255
 Thr Leu Gly His Asn Ser Arg Gly Phe Gly Val Ala Ile Val Gly Asn
 5 260 265 270
 Tyr Thr Ala Ala Leu Pro Thr Glu Ala Ala Leu Arg Thr Val Arg Asp
 275 280 285
 Thr Leu Pro Ser Cys Ala Val Arg Ala Gly Leu Leu Arg Pro Asp Tyr
 290 295 300
 10 Ala Leu Leu Gly His Arg Gln Leu Val Arg Thr Asp Cys Pro Gly Asp
 305 310 315 320
 Ala Leu Phe Asp Leu Leu Arg Thr Trp Pro His Phe Thr Ala Thr Val
 325 330 335
 Lys Pro Arg Pro Ala Arg Ser Val Ser Lys Arg Ser Arg Arg Glu Pro
 15 340 345 350
 Pro Pro Arg Thr Leu Pro Ala Thr Asp Leu Gln
 355 360

 <210> 37
 20 <211> 249
 <212> PRT
 <213> Homo sapiens

 <400> 37
 25 Met Gly Gly Pro Arg Gly Ala Gly Trp Val Ala Ala Gly Leu Leu Leu
 1 5 10 15
 Gly Ala Gly Ala Cys Tyr Cys Ile Tyr Arg Leu Thr Arg Gly Arg Arg
 20 25 30
 Arg Gly Asp Arg Glu Leu Gly Ile Arg Ser Ser Lys Ser Ala Glu Asp
 30 35 40 45
 Leu Thr Asp Gly Ser Tyr Asp Asp Val Leu Asn Ala Glu Gln Leu Gln
 50 55 60
 Lys Leu Leu Tyr Leu Leu Glu Ser Thr Glu Asp Pro Val Ile Ile Glu
 65 70 75 80
 35 Arg Ala Leu Ile Thr Leu Gly Asn Asn Ala Ala Phe Ser Val Asn Gln

39/177

	85	90	95
	Ala Ile Ile Arg Glu Leu Gly Gly Ile Pro Ile Val Ala Asn Lys Ile		
	100	105	110
5	Asn His Ser Asn Gln Ser Ile Lys Glu Lys Ala Leu Asn Ala Leu Asn		
	115	120	125
	Asn Leu Ser Val Asn Val Glu Asn Gln Ile Lys Ile Lys Val Gln Val		
	130	135	140
	Leu Lys Leu Leu Leu Asn Leu Ser Glu Asn Pro Ala Met Thr Glu Gly		
	145	150	155
10	Leu Leu Arg Ala Gln Val Asp Ser Ser Phe Leu Ser Leu Tyr Asp Ser		
	165	170	175
	His Val Ala Lys Glu Ile Leu Leu Arg Val Leu Thr Leu Phe Gln Asn		
	180	185	190
	Ile Lys Asn Cys Leu Lys Ile Glu Gly His Leu Ala Val Gln Pro Thr		
15	195	200	205
	Phe Thr Glu Gly Ser Leu Phe Phe Leu Leu His Gly Glu Glu Cys Ala		
	210	215	220
	Gln Lys Ile Arg Ala Leu Val Asp His His Asp Ala Glu Val Lys Glu		
	225	230	235
20	Lys Val Val Thr Ile Ile Pro Lys Ile		
	245		
	<210> 38		
	<211> 98		
25	<212> PRT		
	<213> Homo sapiens		
	<400> 38		
	Met Ala Ser Leu Leu Cys Cys Gly Pro Lys Leu Ala Ala Cys Gly Ile		
30	1	5	10
	Val Leu Ser Ala Trp Gly Val Ile Met Leu Ile Met Leu Gly Ile Phe		
	20	25	30
	Phe Asn Val His Ser Ala Val Leu Ile Glu Asp Val Pro Phe Thr Glu		
	35	40	45
35	Lys Asp Phe Glu Asn Gly Pro Gln Asn Ile Tyr Asn Leu Tyr Glu Gln		

40/177

50 55 60
 Val Ser Tyr Asn Cys Phe Ile Ala Ala Gly Leu Tyr Leu Leu Gly
 65 70 75 80
 Gly Phe Ser Phe Cys Gln Val Arg Leu Asn Lys Arg Lys Glu Tyr Met
 5 85 90 95
 Val Arg

 <210> 39
 <211> 172
 10 <212> PRT
 <213> Homo sapiens

 <400> 39
 Met Val Gly Pro Ala Pro Arg Arg Arg Leu Arg Pro Leu Ala Ala Leu
 15 1 5 10 15
 Ala Leu Val Leu Ala Leu Ala Pro Gly Leu Pro Thr Ala Arg Ala Gly
 20 20 25 30
 Gln Thr Pro Arg Pro Ala Glu Arg Gly Pro Pro Val Arg Leu Phe Thr
 35 40 45
 20 Glu Glu Glu Leu Ala Arg Tyr Gly Gly Glu Glu Glu Asp Gln Pro Ile
 50 55 60
 Tyr Leu Ala Val Lys Gly Val Val Phe Asp Val Thr Ser Gly Lys Glu
 65 70 75 80
 Phe Tyr Gly Arg Gly Ala Pro Tyr Asn Ala Leu Thr Gly Lys Asp Ser
 25 85 90 95
 Thr Arg Gly Val Ala Lys Met Ser Leu Asp Pro Ala Asp Leu Thr His
 100 105 110
 Asp Thr Thr Gly Leu Thr Ala Lys Glu Leu Glu Ala Leu Asp Glu Val
 115 120 125
 30 Phe Thr Lys Val Tyr Lys Ala Lys Tyr Pro Ile Val Gly Tyr Thr Ala
 130 135 140
 Arg Arg Ile Leu Asn Glu Asp Gly Ser Pro Asn Leu Asp Phe Lys Pro
 145 150 155 160
 Glu Asp Gln Pro His Phe Asp Ile Lys Asp Glu Phe
 35 165 170

41/177

<210> 40

<211> 120

<212> PRT

5 <213> Homo sapiens

<400> 40

Met Met Pro Ser Arg Thr Asn Leu Ala Thr Gly Ile Pro Ser Ser Lys
 1 5 10 15
 10 Val Lys Tyr Ser Arg Leu Ser Ser Thr Asp Asp Gly Tyr Ile Asp Leu
 20 25 30
 Gln Phe Lys Lys Thr Pro Pro Lys Ile Pro Tyr Lys Ala Ile Ala Leu
 35 40 45
 Ala Thr Val Leu Phe Leu Ile Gly Ala Phe Leu Ile Ile Ile Gly Ser
 15 50 55 60
 Leu Leu Leu Ser Gly Tyr Ile Ser Lys Gly Gly Ala Asp Arg Ala Val
 65 70 75 80
 Pro Val Leu Ile Ile Gly Ile Leu Val Phe Leu Pro Gly Phe Tyr His
 85 90 95
 20 Leu Arg Ile Ala Tyr Tyr Ala Ser Lys Gly Tyr Arg Gly Tyr Ser Tyr
 100 105 110
 Asp Asp Ile Pro Asp Phe Asp Asp
 115 120

25 <210> 41

<211> 939

<212> DNA

<213> Homo sapiens

30 <400> 41

atgaaccaac tcagcttctc gctgtttctc atagcgacca ccagaggatg gagtacagat 60
 gaggetaata cttacttcaa ggaatggacc tggtcttcgt ctccatctct gcccagaagc 120
 tgcaaggaaa tcaaagacga atgtcttagt gcatttgatg gctgtatatt tctccgcact 180
 gagaatggtg ttatctacca gaccttctgt gacatgacct ctgggggtgg cggtggacc 240
 35 ctggtggcca gcgtgcatga gaatgacatg cgtgggaagt gcacgggtgg cgatcgctgg 300

42/177

tccagtcagc agggcagcaa agcagactac ccagaggggg acggcaactg ggccaactac 360
 aacacctttg gatctgcaga ggcggccacg agcgatgact acaagaaccc tggctactac 420
 gacatccagg ccaaggacct gggcatctgg cacgtgccca ataagtcacc catgcagcac 480
 tggagaaaca gctccctgct gaggtaccgc acggacactg gcttccctca gacactggga 540
 5 cataatctgt ttggcatcta ccagaaatat ccagtgaat atggagaagg aaagtgttgg 600
 actgacaacg gcccggtgat ccctgtggtc tatgattttg gcgacgccca gaaaacagca 660
 tcttattact caccctatgg ccagcgggaa ttcactgcgg gatttgttca gttcagggta 720
 ttttaataacg agagagcagc caacgccttg tgtgctggaa tgagggtcac cggatgtaac 780
 actgagcacc actgcattgg tggaggagga tactttccag aggccagtcc ccagcagtgt 840
 10 ggagatTTTT ctggttttga ttggagtggg tatggaactc atgttgggta cagcagcagc 900
 cgtgagataa ctgaggcagc tgtgcttcta ttctatcgt 939

<210> 42

<211> 687

15 <212> DNA

<213> Homo sapiens

<400> 42

atgggcgaca agatctgget gcccttcccc gtgctccttc tggcgcgtct gcctccggtg 60
 20 ctgctgcctg gggcgcccggt cttcacacct tccctcgata gcgacttcac ctttaccctt 120
 cccgcgggcc agaaggagtg cttctaccag cccatgcccc tgaaggcctc gctggagatc 180
 gagtaccaag ttttagatgg agcaggatta gatattgatt tccatcttgc ctctccagaa 240
 ggcaaacct tagtttttga acaagaaaa tcagatggag ttcacactgt agagactgaa 300
 gttggtgatt acatgttctg ctttgacaat acattcagca ccatttctga gaagggtgatt 360
 25 ttctttgaat taatcctgga taatatggga gaacaggcac aagaacaaga agattggaag 420
 aaatatatta ctggcacaga tatattggat atgaaactgg aagacatcct ggaatccatc 480
 aacagcatca agtcagact aagcaaaagt gggcacatac aaattctgct tagagcattt 540
 gaagctcgtg atcgaaacat acaagaaagc aactttgata gagtcaattt ctggtctatg 600
 gttaatttag tggtcattgt ggtggtgtca gccattcaag tttatatgct gaagagtctg 660
 30 tttgaagata agaggaaaag tagaact 687

<210> 43

<211> 1401

<212> DNA

35 <213> Homo sapiens

43/177

<400> 43

	atgcggcccc	aggagctccc	caggctcgcg	ttcccgttgc	tgtgtgtgct	gttgtgtgctg	60
	ctgccgcgcg	cgccgtgccc	tgccacacgc	gccacgcgct	tcgaccccac	ctgggagtcc	120
5	ctggacgccc	gccagctgcc	cgcgtggttt	gaccaggcca	agttcggcct	cttcatccac	180
	tggggagtgt	tttccgtgcc	cagcttcggt	agcgagtggg	tctggtggtg	ttggcaaaag	240
	gaaaagatac	cgaagtatgt	ggaatttatg	aaagataatt	accctcctag	tttcaaatat	300
	gaagattttg	gaccactatt	tacagcaaaa	ttttttaatg	ccaaccagtg	ggcagatatt	360
	tttcaggcct	ctggtgccaa	atacattgtc	ttaacttcca	aacatcatga	aggctttacc	420
10	ttgtgggggt	cagaatatcc	gtggaactgg	aatgccatag	atgagggggc	caagagggac	480
	attgtcaagg	aacttgaggt	agccattagg	aacagaactg	acctgcgttt	tggactgtac	540
	tattcccttt	ttgaatggtt	tcatecgctc	ttccttgagg	atgaatccag	ttcattccat	600
	aagcggcaat	ttccagtttc	taagacattg	ccagagctct	atgagttagt	gaacaactat	660
	cagcctgagg	ttctgtggtc	ggatggtgac	ggaggagcac	cggatcaata	ctggaacagc	720
15	acaggcttct	tggcctgggt	atataatgaa	agcccagttc	ggggcacagt	agtcaccaat	780
	gatcggtggg	gagctggtag	catctgtaag	catggtggct	tctatacctg	cagtgatcgt	840
	tataaccctg	gacatctttt	gccacataaa	tgggaaaact	gcatacaaat	agacaaaactg	900
	tcctggggct	ataggaggga	agctggaatc	tctgactatc	ttacaattga	agaattgggtg	960
	aagcaacttg	tagagacagt	ttcatgtgga	ggaaatcttt	tgatgaatat	tggggcccaca	1020
20	ctagatggca	ccattttctgt	agtttttgag	gagcgactga	ggcaaatggg	gtcctgggcta	1080
	aaagtcaatg	gagaagctat	ttatgaaacc	catacctggc	gatcccagaa	tgacactgtc	1140
	accccagatg	tgtggtacac	atccaagcct	aaagaaaaat	tagtctatgc	cattttttctt	1200
	aaatggccca	catcaggaca	gctgttcctt	ggccatccca	aagctattct	gggggcaaca	1260
	gaggtgaaac	tactgggcca	tggacagcca	cttaactgga	tttctttgga	gcaaaatggc	1320
25	attatggtag	aactgccaca	gctaaccatt	catcagatgc	cgtgtaaagt	gggctgggct	1380
	ctagccctga	ctaattgtgat	c				1401

<210> 44

<211> 297

30 <212> DNA

<213> Homo sapiens

<400> 44

	atggataacg	tgcagccgaa	aataaaacat	cgcccttct	gcttcagtgt	gaaaggccac	60
35	gtgaagatgc	tgcggctgga	tattatcaac	tcactggtaa	caacagtatt	catgctcatc	120

44/177

	gtatctgtgt tggcactgat accagaaacc acaacattga cagttggtgg aggggtgttt	180
	gcacttgtga cagcagtatg ctgtcttgcc gacggggccc ttatttaccg gaagcttctg	240
	ttcaatccca gcggctccta ccagcaaaag cctgtgcatg aaaaaaaga agttttg	297
5	<210> 45	
	<211> 567	
	<212> DNA	
	<213> Homo sapiens	
10	<400> 45	
	atggaggaag gcgggaacct aggaggcctg attaagatgg tccatctact ggtcttgtca	60
	ggtgcctggg gcatgcaaat gtgggtgacc ttcgtctcag gcttcctgct ttccgaagc	120
	cttccccgac ataccttcgg actagtgcag agcaaaactct tccccctcta cttccacatc	180
	tccatgggct gtgccttcat caacctctgc atcttggtt cacagcatgc ttgggctcag	240
15	ctcacattct gggaggccag ccagctttac ctgctgttcc tgagccttac gctggccact	300
	gtcaacgccc gctggctgga accccgcacc acagctgcca tgtgggccct gcaaaccgtg	360
	gagaaggagc gaggcctggg tggggaggta ccaggcagcc accagggtcc cgatccctac	420
	cgccagctgc gagagaagga cccaagtac agtgctctcc gccagaattt cttccgctac	480
	catgggctgt cctctctttg caatctgggc tgcgtcctga gcaatgggct ctgtctcgt	540
20	ggccttgccc tggaaataag ggcctc	567
	<210> 46	
	<211> 1089	
	<212> DNA	
25	<213> Homo sapiens	
	<400> 46	
	atggtggaca gcctcctggc agtcacctg gctggaaacc tgggcctgac ctctctccga	60
	ggttcccaga cccagagcca tccagacctg ggaactgagg gctgctggga ccagctctct	120
30	gccccctgga cctttacgt tttggacccc aaggcatctc tgtaaccaa ggcttctctc	180
	aatggcgccc tggatggggc catccttgga gactacctga gccggactcc tgagccccgg	240
	ccatccctca gccacttgct gagccagtac tatggggctg gggtggccag agaccaggg	300
	ttccgcagca acttccgacg gcagaacggg gctgctctga cttcagctc catcctggcc	360
	cagcaggtgt ggggaacctc tgccttcta cagaggctgg agccagtaca cctccagctt	420
35	cagtgcata gccaaagaca gctggcccag gtggctgcca atgctaccaa ggaattcact	480

45/177

gaggccttcc tgggatgccc ggccatccac ccccgtgcc gctggggagc ggcgcttat 540
 cggggccgcc cgaagctgct gcagctgccg ctgggattct tgtacgtgca tcacacctac 600
 gtgcctgcac caccctgcac ggacttcacg cgctgcgcag ccaacatgcg ctccatgcag 660
 cgctaccacc aggacacgca aggctgggga gacatcggt acagtttcgt ggtgggctcg 720
 5 gacggctacg tgtacgaggg acgcggtgg cactgggtgg ggcgccacac gtcggccac 780
 aactcccggg gcttcggcgt ggccatagtg ggcaactaca ccgcggcgt gccaccgag 840
 gccgctctgc gcacgggtgc cgacacgctc ccgagttgtg cgggtgcgcg cggcctcctg 900
 cggccagact acgcgtgctt gggccaccgc cagctgggtg gcaccgactg ccccgggcac 960
 gcgctcttcg acctgctgcg cactggccg cacttcaccg cgactgttaa gccaaagacct 1020
 10 gccaggagtg tctctaagag atccaggagg gagccacccc caaggacct gccagccaca 1080
 gacctccaa 1089

<210> 47

<211> 747

15 <212> DNA

<213> Homo sapiens

<400> 47

atgggtggcc cccggggcgc gggctgggtg gcggcgggcc tgctgctcgg cgcgggcgcc 60
 20 tgctactgca ttacaggtt gaccgggggt cggcgggcgg gcgaccgga gctcgggata 120
 cgctcttcga agtcgcaga agacttaact gatggttcat atgatgatgt tctaaatgct 180
 gaacaacttc agaaactcct ttacctgctg gagtcaacgg aggatcctgt aattattgaa 240
 agagctttga ttactttggg taacaatgca gccttttcag ttaaccaagc tattattcgt 300
 gaattgggtg gtattccaat tgttgcaaac aaaatcaacc attccaacca gagtattaaa 360
 25 gagaaagctt taaatgcact aaataacctg agtgtgaatg ttgaaaatca aatcaagata 420
 aaggtgcaag ttttgaaact gcttttgaat ttgtctgaaa atccagccat gacagaagga 480
 cttctccgtg cccaagtgga ttcacattc ctttcccttt atgacagcca cgtagcaaag 540
 gagattcttc ttcgagtact tacgtatatt cagaatataa agaactgcct caaaatagaa 600
 ggccatttag ctgtgcagcc tactttcact gaaggttcat tgttttcct gttacatgga 660
 30 gaagaatgtg ccagaaaaat aagagcttta gttgatcacc atgatgcaga ggtgaaggaa 720
 aaggttgtaa caataatacc caaaatc 747

<210> 48

<211> 294

35 <212> DNA

46/177

<213> Homo sapiens

<400> 48

5 atggcgctgc tctgtgctg tgggccgaag ctggccgcct gggcatcgt cctcagcgcc 60
 tggggagtga tcatgttgat aatgctcgga atatttttca atgtccatc cgctgtgttg 120
 attgaggacg ttcccttcac ggagaaagat ttgagaatg gccccagaa catatacaac 180
 ctttacgagc aagtcageta caactgtttc atcgtgcag gcctttacct cctcctcgga 240
 ggcttctctt tctgccaagt tcggctcaat aagcgcaagg aatacatggt gcgc 294

10 <210> 49

<211> 516

<212> DNA

<213> Homo sapiens

15 <400> 49

atggtgggcc ccgcgcgcg gggcggtg cgcccgctgg cagcgctggc cctggtcctg 60
 gcgctggccc cggggtgcc cacagcccgg gccgggcaga caccgcgccc tgccgagcgg 120
 gggcccccag tgcgctttt caccgaggag gagctggccc gctatggcgg ggaggaggaa 180
 gatcagccca tctacttggc agtgaaggga gtggtgtttg atgtcacctc cggaaaggag 240
 20 ttttatggac gaggagcccc ctacaatgcc ttgacgggga aggactccac tagaggggta 300
 gccaatgtgt ccttggtacc tgcagacctc acccatgaca ctacgggtct cacggccaag 360
 gaactggagg ccctggatga ggtcttcacc aaagtgtaca aagccaaata ccccatcgtc 420
 ggctacactg ccgggagaat tctcaatgag gatggcagcc ctaacctgga cttcaagcct 480
 gaagaccagc cccattttga catcaaggat gagttc 516

25

<210> 50

<211> 360

<212> DNA

<213> Homo sapiens

30

<400> 50

atgatgccgt cccgtaccaa cctggctact ggaatcccca gtagtaaagt gaaatattca 60
 aggtctctca gcacagacga tggctacatt gaccttcagt ttaagaaaac ccctcctaag 120
 atccettata aggcacatgc acttgccact gtgctgtttt tgattggcgc ctttctcatt 180
 35 attataggct cctcctgct gtcaggctac atcagcaaag ggggggcaga ccgggcggtt 240

47/177

ccagtgtga tcattggcat tctggtgttc ctaccggat tttaccacct gcgcacgct 300
tactatgcat ccaaaggcta ccgtgggttac tcctatgatg acattccaga ctttgatgac 360

<210> 51

5 <211> 1065

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

10 <222> (2)...(943)

<400> 51

a atg aac caa ctc agc ttc ctg ctg ttt ctc ata gcg acc acc aga gga 49
Met Asn Gln Leu Ser Phe Leu Leu Phe Leu Ile Ala Thr Thr Arg Gly
15 1 5 10 15
tgg agt aca gat gag gct aat act tac ttc aag gaa tgg acc tgt tct 97
Trp Ser Thr Asp Glu Ala Asn Thr Tyr Phe Lys Glu Trp Thr Cys Ser
20 20 25 30
tcg tct cca tct ctg ccc aga agc tgc aag gaa atc aaa gac gaa tgt 145
Ser Ser Pro Ser Leu Pro Arg Ser Cys Lys Glu Ile Lys Asp Glu Cys
35 40 45
cct agt gca ttt gat ggc ctg tat ttt ctc cgc act gag aat ggt gtt 193
Pro Ser Ala Phe Asp Gly Leu Tyr Phe Leu Arg Thr Glu Asn Gly Val
50 55 60
25 atc tac cag acc ttc tgt gac atg acc tct ggg ggt ggc ggc tgg acc 241
Ile Tyr Gln Thr Phe Cys Asp Met Thr Ser Gly Gly Gly Gly Trp Thr
65 70 75 80
ctg gtg gcc agc gtg cat gag aat gac atg cgt ggg aag tgc acg gtg 289
Leu Val Ala Ser Val His Glu Asn Asp Met Arg Gly Lys Cys Thr Val
30 85 90 95
ggc gat cgc tgg tcc agt cag cag ggc agc aaa gca gac tac cca gag 337
Gly Asp Arg Trp Ser Ser Gln Gln Gly Ser Lys Ala Asp Tyr Pro Glu
100 105 110
ggg gac ggc aac tgg gcc aac tac aac acc ttt gga tct gca gag gcg 385
35 Gly Asp Gly Asn Trp Ala Asn Tyr Asn Thr Phe Gly Ser Ala Glu Ala

48/177

	115	120	125	
	gcc acg agc gat gac tac aag aac cct ggc tac tac gac atc cag gcc	433		
	Ala Thr Ser Asp Asp Tyr Lys Asn Pro Gly Tyr Tyr Asp Ile Gln Ala			
	130	135	140	
5	aag gac ctg ggc atc tgg cac gtg ccc aat aag tcc ccc atg cag cac	481		
	Lys Asp Leu Gly Ile Trp His Val Pro Asn Lys Ser Pro Met Gln His			
	145	150	155	160
	tgg aga aac agc tcc ctg ctg agg tac cgc acg gac act ggc ttc ctc	529		
	Trp Arg Asn Ser Ser Leu Leu Arg Tyr Arg Thr Asp Thr Gly Phe Leu			
10	165	170	175	
	cag aca ctg gga cat aat ctg ttt ggc atc tac cag aaa tat cca gtg	577		
	Gln Thr Leu Gly His Asn Leu Phe Gly Ile Tyr Gln Lys Tyr Pro Val			
	180	185	190	
	aaa tat gga gaa gga aag tgt tgg act gac aac ggc ccg gtg atc cct	625		
15	Lys Tyr Gly Glu Gly Lys Cys Trp Thr Asp Asn Gly Pro Val Ile Pro			
	195	200	205	
	gtg gtc tat gat ttt ggc gac gcc cag aaa aca gca tct tat tac tca	673		
	Val Val Tyr Asp Phe Gly Asp Ala Gln Lys Thr Ala Ser Tyr Tyr Ser			
	210	215	220	
20	ccc tat ggc cag cgg gaa ttc act gcg gga ttt gtt cag ttc agg gta	721		
	Pro Tyr Gly Gln Arg Glu Phe Thr Ala Gly Phe Val Gln Phe Arg Val			
	225	230	235	240
	ttt aat aac gag aga gca gcc aac gcc ttg tgt gct gga atg agg gtc	769		
	Phe Asn Asn Glu Arg Ala Ala Asn Ala Leu Cys Ala Gly Met Arg Val			
25	245	250	255	
	acc gga tgt aac act gag cac cac tgc att ggt gga gga gga tac ttt	817		
	Thr Gly Cys Asn Thr Glu His His Cys Ile Gly Gly Gly Gly Tyr Phe			
	260	265	270	
	cca gag gcc agt ccc cag cag tgt gga gat ttt tct ggt ttt gat tgg	865		
30	Pro Glu Ala Ser Pro Gln Gln Cys Gly Asp Phe Ser Gly Phe Asp Trp			
	275	280	285	
	agt gga tat gga act cat gtt ggt tac agc agc agc cgt gag ata act	913		
	Ser Gly Tyr Gly Thr His Val Gly Tyr Ser Ser Ser Arg Glu Ile Thr			
	290	295	300	
35	gag gca gct gtg ctt cta ttc tat cgt tgagagtttt gtgggagggga	960		

49/177

Glu Ala Ala Val Leu Leu Phe Tyr Arg

305

310

accagacct ctctcccaa ccatgagatc ccaaggatgg agaacaactt acccagtagc 1020

tagaatgtta atggcagaag agaaaacaat aaatcatatt gactc 1065

5

<210> 52

<211> 937

<212> DNA

<213> Homo sapiens

10

<220>

<221> CDS

<222> (177)...(866)

<400> 52

15 cttttggaga actgcgttc tctttcggag ggagtgttcg ccgccgccgc ggccgccacc 60

tggagtttct tcagactcca gatttccttg tcaaccacga ggagtccaga gaggaaacgc 120

ggagcggaga caacagtacc tgacgcctct ttcagcccg gacgcgccca gcaggg 176

atg ggc gac aag atc tgg ctg ccc ttc ccc gtg etc ctt ctg gcc gct 224

Met Gly Asp Lys Ile Trp Leu Pro Phe Pro Val Leu Leu Leu Ala Ala

20

1

5

10

15

ctg cct ccg gtg ctg ctg cct ggg gcg gcc gcc ttc aca cct tcc etc 272

Leu Pro Pro Val Leu Leu Pro Gly Ala Ala Gly Phe Thr Pro Ser Leu

20

25

30

gat agc gac ttc acc ttt acc ctt ccc gcc gcc cag aag gag tgc ttc 320

25

Asp Ser Asp Phe Thr Phe Thr Leu Pro Ala Gly Gln Lys Glu Cys Phe

35

40

45

tac cag ccc atg ccc ctg aag gcc tcg ctg gag atc gag tac caa gtt 368

Tyr Gln Pro Met Pro Leu Lys Ala Ser Leu Glu Ile Glu Tyr Gln Val

50

55

60

30

tta gat gga gca gga tta gat att gat ttc cat ctt gcc tct cca gaa 416

Leu Asp Gly Ala Gly Leu Asp Ile Asp Phe His Leu Ala Ser Pro Glu

65

70

75

80

ggc aaa acc tta gtt ttt gaa caa aga aaa tca gat gga gtt cac act 464

Gly Lys Thr Leu Val Phe Glu Gln Arg Lys Ser Asp Gly Val His Thr

35

85

90

95

50/177

	gta gag act gaa gtt ggt gat tac atg ttc tgc ttt gac aat aca ttc	512
	Val Glu Thr Glu Val Gly Asp Tyr Met Phe Cys Phe Asp Asn Thr Phe	
	100 105 110	
	agc acc att tct gag aag gtg att ttc ttt gaa tta atc ctg gat aat	560
5	Ser Thr Ile Ser Glu Lys Val Ile Phe Phe Glu Leu Ile Leu Asp Asn	
	115 120 125	
	atg gga gaa cag gca caa gaa caa gaa gat tgg aag aaa tat att act	608
	Met Gly Glu Gln Ala Gln Glu Gln Glu Asp Trp Lys Lys Tyr Ile Thr	
	130 135 140	
10	ggc aca gat ata ttg gat atg aaa ctg gaa gac atc ctg gaa tcc atc	656
	Gly Thr Asp Ile Leu Asp Met Lys Leu Glu Asp Ile Leu Glu Ser Ile	
	145 150 155 160	
	aac agc atc aag tcc aga cta agc aaa agt ggg cac ata caa att ctg	704
	Asn Ser Ile Lys Ser Arg Leu Ser Lys Ser Gly His Ile Gln Ile Leu	
15	165 170 175	
	ctt aga gca ttt gaa gct cgt gat cga aac ata caa gaa agc aac ttt	752
	Leu Arg Ala Phe Glu Ala Arg Asp Arg Asn Ile Gln Glu Ser Asn Phe	
	180 185 190	
	gat aga gtc aat ttc tgg tct atg gtt aat tta gtg gtc atg gtg gtg	800
20	Asp Arg Val Asn Phe Trp Ser Met Val Asn Leu Val Val Met Val Val	
	195 200 205	
	gtg tca gcc att caa gtt tat atg ctg aag agt ctg ttt gaa gat aag	848
	Val Ser Ala Ile Gln Val Tyr Met Leu Lys Ser Leu Phe Glu Asp Lys	
	210 215 220	
25	agg aaa agt aga act taaaactcca aactagagta cgtaacattg aaaaatg	900
	Arg Lys Ser Arg Thr	
	225	
	aggcataaaa atgcaataaaa ctgttacagt caagacc	937
30	<210> 53	
	<211> 1678	
	<212> DNA	
	<213> Homo sapiens	
	<220>	
35	<221> CDS	

51/177

<222> (56)...(1459)

<400> 53

	agcgcctcccg aggccgcggg agcctgcaga gaggacagcc ggcctgcgcc gggac	55
5	atg cgg ccc cag gag ctc ccc agg ctc gcg ttc ccg ttg ctg ctg ttg	103
	Met Arg Pro Gln Glu Leu Pro Arg Leu Ala Phe Pro Leu Leu Leu Leu	
	1 5 10 15	
	ctg ttg ctg ctg ctg ccg ccg ccg ccg tgc cct gcc cac agc gcc acg	151
	Leu Leu Leu Leu Leu Pro Pro Pro Pro Cys Pro Ala His Ser Ala Thr	
10	20 25 30	
	cgc ttc gac ccc acc tgg gag tcc ctg gac gcc cgc cag ctg ccc gcg	199
	Arg Phe Asp Pro Thr Trp Glu Ser Leu Asp Ala Arg Gln Leu Pro Ala	
	35 40 45	
	tgg ttt gac cag gcc aag ttc ggc atc ttc atc cac tgg gga gtg ttt	247
15	Trp Phe Asp Gln Ala Lys Phe Gly Ile Phe Ile His Trp Gly Val Phe	
	50 55 60	
	tcc gtg ccc agc ttc ggt agc gag tgg ttc tgg tgg tat tgg caa aag	295
	Ser Val Pro Ser Phe Gly Ser Glu Trp Phe Trp Trp Tyr Trp Gln Lys	
	65 70 75 80	
20	gaa aag ata ccg aag tat gtg gaa ttt atg aaa gat aat tac cct cct	343
	Glu Lys Ile Pro Lys Tyr Val Glu Phe Met Lys Asp Asn Tyr Pro Pro	
	85 90 95	
	agt ttc aaa tat gaa gat ttt gga cca cta ttt aca gca aaa ttt ttt	391
	Ser Phe Lys Tyr Glu Asp Phe Gly Pro Leu Phe Thr Ala Lys Phe Phe	
25	100 105 110	
	aat gcc aac cag tgg gca gat att ttt cag gcc tct ggt gcc aaa tac	439
	Asn Ala Asn Gln Trp Ala Asp Ile Phe Gln Ala Ser Gly Ala Lys Tyr	
	115 120 125	
	att gtc tta act tcc aaa cat cat gaa ggc ttt acc ttg tgg ggg tca	487
30	Ile Val Leu Thr Ser Lys His His Glu Gly Phe Thr Leu Trp Gly Ser	
	130 135 140	
	gaa tat tcg tgg aac tgg aat gcc ata gat gag ggg ccc aag agg gac	535
	Glu Tyr Ser Trp Asn Trp Asn Ala Ile Asp Glu Gly Pro Lys Arg Asp	
	145 150 155 160	
35	att gtc aag gaa ctt gag gta gcc att agg aac aga act gac ctg cgt	583

52/177

	Ile Val Lys Glu Leu Glu Val Ala Ile Arg Asn Arg Thr Asp Leu Arg	
	165 170 175	
	ttt gga ctg tac tat tcc ctt ttt gaa tgg ttt cat ccg ctc ttc ctt	631
	Phe Gly Leu Tyr Tyr Ser Leu Phe Glu Trp Phe His Pro Leu Phe Leu	
5	180 185 190	
	gag gat gaa tcc agt tca ttc cat aag cgg caa ttt cca gtt tct aag	679
	Glu Asp Glu Ser Ser Ser Phe His Lys Arg Gln Phe Pro Val Ser Lys	
	195 200 205	
	aca ttg cca gag ctc tat gag tta gtg aac aac tat cag cct gag gtt	727
10	Thr Leu Pro Glu Leu Tyr Glu Leu Val Asn Asn Tyr Gln Pro Glu Val	
	210 215 220	
	ctg tgg tcg gat ggt gac gga gga gca ccg gat caa tac tgg aac agc	775
	Leu Trp Ser Asp Gly Asp Gly Gly Ala Pro Asp Gln Tyr Trp Asn Ser	
	225 230 235 240	
15	aca ggc ttc ttg gcc tgg tta tat aat gaa agc cca gtt cgg ggc aca	823
	Thr Gly Phe Leu Ala Trp Leu Tyr Asn Glu Ser Pro Val Arg Gly Thr	
	245 250 255	
	gta gtc acc aat gat cgt tgg gga gct ggt agc atc tgt aag cat ggt	871
	Val Val Thr Asn Asp Arg Trp Gly Ala Gly Ser Ile Cys Lys His Gly	
20	260 265 270	
	ggc ttc tat acc tgc agt gat cgt tat aac cca gga cat ctt ttg cca	919
	Gly Phe Tyr Thr Cys Ser Asp Arg Tyr Asn Pro Gly His Leu Leu Pro	
	275 280 285	
	cat aaa tgg gaa aac tgc atg aca ata gac aaa ctg tcc tgg ggc tat	967
25	His Lys Trp Glu Asn Cys Met Thr Ile Asp Lys Leu Ser Trp Gly Tyr	
	290 295 300	
	agg agg gaa gct gga atc tct gac tat ctt aca att gaa gaa ttg gtg	1015
	Arg Arg Glu Ala Gly Ile Ser Asp Tyr Leu Thr Ile Glu Glu Leu Val	
	305 310 315 320	
30	aag caa ctt gta gag aca gtt tca tgt gga gga aat ctt ttg atg aat	1063
	Lys Gln Leu Val Glu Thr Val Ser Cys Gly Gly Asn Leu Leu Met Asn	
	325 330 335	
	att ggg ccc aca cta gat ggc acc att tct gta gtt ttt gag gag cga	1111
	Ile Gly Pro Thr Leu Asp Gly Thr Ile Ser Val Val Phe Glu Glu Arg	
35	340 345 350	

53/177

	ctg agg caa atg ggg tcc tgg cta aaa gtc aat gga gaa gct att tat	1159
	Leu Arg Gln Met Gly Ser Trp Leu Lys Val Asn Gly Glu Ala Ile Tyr	
	355 360 365	
	gaa acc cat acc tgg cga tcc cag aat gac act gtc acc cca gat gtg	1207
5	Glu Thr His Thr Trp Arg Ser Gln Asn Asp Thr Val Thr Pro Asp Val	
	370 375 380	
	tgg tac aca tcc aag cct aaa gaa aaa tta gtc tat gcc att ttt ctt	1255
	Trp Tyr Thr Ser Lys Pro Lys Glu Lys Leu Val Tyr Ala Ile Phe Leu	
	385 390 395 400	
10	aaa tgg ccc aca tca gga cag ctg ttc ctt ggc cat ccc aaa gct att	1303
	Lys Trp Pro Thr Ser Gly Gln Leu Phe Leu Gly His Pro Lys Ala Ile	
	405 410 415	
	ctg ggg gca aca gag gtg aaa cta ctg ggc cat gga cag cca ctt aac	1351
	Leu Gly Ala Thr Glu Val Lys Leu Leu Gly His Gly Gln Pro Leu Asn	
15	420 425 430	
	tgg att tct ttg gag caa aat ggc att atg gta gaa ctg cca cag cta	1399
	Trp Ile Ser Leu Glu Gln Asn Gly Ile Met Val Glu Leu Pro Gln Leu	
	435 440 445	
	acc att cat cag atg ccg tgt aaa tgg ggc tgg gct cta gcc ctg act	1447
20	Thr Ile His Gln Met Pro Cys Lys Trp Gly Trp Ala Leu Ala Leu Thr	
	450 455 460	
	aat gtg atc taaagtgcag cagagtggct gatgctgcaa gttatgtcta aggc	1500
	Asn Val Ile	
	465	
25	taggaactat caggtgtcta taattgtagc acatggagaa agcaaagtga aaactggata	1560
	agaaaattat ttgtgcagtt cagcccttcc cctttttccc actaaatttt ttcttaaatt	1620
	acccatgtaa ccattttaac tctccagtgc actttgcat taaagtctct tcacattg	1678
	<210> 54	
30	<211> 467	
	<212> DNA	
	<213> Homo sapiens	
	<220>	
	<221> CDS	
35	<222> (114)...(413)	

54/177

<400> 54

aggggagggc ggtgctccgc cgcgggtggcg gttgctatcg ctctgcagaa cctactcagg 60

cagccagctg agaagagttg agggaaagtg ctgctgctgg gtctgcagac gcg atg 116

5 Met

1

gat aac gtg cag ccg aaa ata aaa cat cgc ccc ttc tgc ttc agt gtg 164

Asp Asn Val Gln Pro Lys Ile Lys His Arg Pro Phe Cys Phe Ser Val

5 10 15

10 aaa ggc cac gtg aag atg ctg cgg ctg gat att atc aac tca ctg gta 212

Lys Gly His Val Lys Met Leu Arg Leu Asp Ile Ile Asn Ser Leu Val

20 25 30

aca aca gta ttc atg ctc atc gta tct gtg ttg gca ctg ata cca gaa 260

Thr Thr Val Phe Met Leu Ile Val Ser Val Leu Ala Leu Ile Pro Glu

15 35 40 45

acc aca aca ttg aca gtt ggt gga ggg gtg ttt gca ctt gtg aca gca 308

Thr Thr Thr Leu Thr Val Gly Gly Gly Val Phe Ala Leu Val Thr Ala

50 55 60 65

gta tgc tgt ctt gcc gac ggg gcc ctt att tac cgg aag ctt ctg ttc 356

20 Val Cys Cys Leu Ala Asp Gly Ala Leu Ile Tyr Arg Lys Leu Leu Phe

70 75 80

aat ccc agc ggt cct tac cag caa aag cct gtg cat gaa aaa aaa gaa 404

Asn Pro Ser Gly Pro Tyr Gln Gln Lys Pro Val His Glu Lys Lys Glu

85 90 95

25 gtt ttg taattttata ttacttttta gtttgatact aagtattaaa 450

Val Leu

catatttctg tattctt 467

30 <210> 55

<211> 875

<212> DNA

<213> Homo sapiens

<220>

35 <221> CDS

55/177

<222> (272)...(841)

<400> 55

	attggttggg ggaaccac gaggggacgc ggccgaggag ggctcgtgtc caccggggg	60
5	cgtgggagtg aggtaccaga ttcagcccat ttggcccgga cgcctctgtt ctcggaatcc	120
	gggtgctgcg gattgaggtc ccggttccta acgaatctct gctggattgg ccgtaaccct	180
	gtccccgagc gggctcacag ggtctgaagg ccacgcatga ggcaaaggta aagttctgag	240
	ccaccgggtg cctccttccc aggactgcaa g atg gag gaa ggc ggg aac cta	292
	Met Glu Glu Gly Gly Asn Leu	
10	1 5	
	gga ggc ctg att aag atg gtc cat cta ctg gtc ttg tca ggt gcc tgg	340
	Gly Gly Leu Ile Lys Met Val His Leu Leu Val Leu Ser Gly Ala Trp	
	10 15 20	
	ggc atg caa atg tgg gtg acc ttc gtc tca ggc ttc ctg ctt ttc cga	388
15	Gly Met Gln Met Trp Val Thr Phe Val Ser Gly Phe Leu Leu Phe Arg	
	25 30 35	
	agc ctt ccc cga cat acc ttc gga cta gtg cag agc aaa ctc ttc ccc	436
	Ser Leu Pro Arg His Thr Phe Gly Leu Val Gln Ser Lys Leu Phe Pro	
	40 45 50 55	
20	ttc tac ttc cac atc tcc atg ggc tgt gcc ttc atc aac ctc tgc atc	484
	Phe Tyr Phe His Ile Ser Met Gly Cys Ala Phe Ile Asn Leu Cys Ile	
	60 65 70	
	ttg gct tca cag cat gct tgg gct cag ctc aca ttc tgg gag gcc agc	532
	Leu Ala Ser Gln His Ala Trp Ala Gln Leu Thr Phe Trp Glu Ala Ser	
25	75 80 85	
	cag ctt tac ctg ctg ttc ctg agc ctt acg ctg gcc act gtc aac gcc	580
	Gln Leu Tyr Leu Leu Phe Leu Ser Leu Thr Leu Ala Thr Val Asn Ala	
	90 95 100	
	cgc tgg ctg gaa ccc cgc acc aca gct gcc atg tgg gcc ctg caa acc	628
30	Arg Trp Leu Glu Pro Arg Thr Thr Ala Ala Met Trp Ala Leu Gln Thr	
	105 110 115	
	gtg gag aag gag cga ggc ctg ggt ggg gag gta cca ggc agc cac cag	676
	Val Glu Lys Glu Arg Gly Leu Gly Gly Glu Val Pro Gly Ser His Gln	
	120 125 130 135	
35	ggt ccc gat ccc tac cgc cag ctg cga gag aag gac ccc aag tac agt	724

56/177

Gly Pro Asp Pro Tyr Arg Gln Leu Arg Glu Lys Asp Pro Lys Tyr Ser
 140 145 150
 gct ctc cgc cag aat ttc ttc cgc tac cat ggg ctg tcc tct ctt tgc 772
 Ala Leu Arg Gln Asn Phe Phe Arg Tyr His Gly Leu Ser Ser Leu Cys
 5 155 160 165
 aat ctg ggc tgc gtc ctg agc aat ggg ctc tgt ctc gct ggc ctt gcc 820
 Asn Leu Gly Cys Val Leu Ser Asn Gly Leu Cys Leu Ala Gly Leu Ala
 170 175 180
 ctg gaa ata agg agc ctc tagcatgggc cctgcatgct aataaatgct tcttcag 875
 10 Leu Glu Ile Arg Ser Leu
 185

 <210> 56
 <211> 1256
 15 <212> DNA
 <213> Homo sapiens
 <220>
 <221> CDS
 <222> (150)...(1241)
 20
 <400> 56
 atgtaagagc cacctcctcc ccaggactca gggatggctc tccagatgtc accactgcag 60
 atattggagc caacactcca gatgctacaa aaggetgtcc agatgtccaa gcttccttgc 120
 cagatgccaa agccaagtcc ccaccgacc atg gtg gac agc ctc ctg gca gtc 173
 25 Met Val Asp Ser Leu Leu Ala Val
 1 5
 acc ctg gct gga aac ctg ggc ctg acc ttc ctc cga ggt tcc cag acc 221
 Thr Leu Ala Gly Asn Leu Gly Leu Thr Phe Leu Arg Gly Ser Gln Thr
 10 15 20
 30 cag agc cat cca gac ctg gga act gag ggc tgc tgg gac cag ctc tct 269
 Gln Ser His Pro Asp Leu Gly Thr Glu Gly Cys Trp Asp Gln Leu Ser
 25 30 35 40
 gcc cct cgg acc ttt acg ctt ttg gac ccc aag gca tct ctg tta acc 317
 Ala Pro Arg Thr Phe Thr Leu Leu Asp Pro Lys Ala Ser Leu Leu Thr
 35 45 50 55

57/177

	aag gcc ttc ctc aat ggc gcc ctg gat ggg gtc atc ctt gga gac tac	365
	Lys Ala Phe Leu Asn Gly Ala Leu Asp Gly Val Ile Leu Gly Asp Tyr	
	60 65 70	
	ctg agc cgg act cct gag ccc cgg cca tcc ctc agc cac ttg ctg agc	413
5	Leu Ser Arg Thr Pro Glu Pro Arg Pro Ser Leu Ser His Leu Leu Ser	
	75 80 85	
	cag tac tat ggg gct ggg gtg gcc aga gac cca ggg ttc cgc agc aac	461
	Gln Tyr Tyr Gly Ala Gly Val Ala Arg Asp Pro Gly Phe Arg Ser Asn	
	90 95 100	
10	ttc cga cgg cag aac ggt gct gct ctg act tca gcc tcc atc ctg gcc	509
	Phe Arg Arg Gln Asn Gly Ala Ala Leu Thr Ser Ala Ser Ile Leu Ala	
	105 110 115 120	
	cag cag gtg tgg gga acc ctt gtc ctt cta cag agg ctg gag cca gta	557
	Gln Gln Val Trp Gly Thr Leu Val Leu Leu Gln Arg Leu Glu Pro Val	
15	125 130 135	
	cac ctc cag ctt cag tgc atg agc caa gaa cag ctg gcc cag gtg gct	605
	His Leu Gln Leu Gln Cys Met Ser Gln Glu Gln Leu Ala Gln Val Ala	
	140 145 150	
	gcc aat gct acc aag gaa ttc act gag gcc ttc ctg gga tgc ccg gcc	653
20	Ala Asn Ala Thr Lys Glu Phe Thr Glu Ala Phe Leu Gly Cys Pro Ala	
	155 160 165	
	atc cac ccc cgc tgc cgc tgg gga gcg gcg cct tat cgg ggc cgc ccg	701
	Ile His Pro Arg Cys Arg Trp Gly Ala Ala Pro Tyr Arg Gly Arg Pro	
	170 175 180	
25	aag ctg ctg cag ctg ccg ctg gga ttc ttg tac gtg cat cac acc tac	749
	Lys Leu Leu Gln Leu Pro Leu Gly Phe Leu Tyr Val His His Thr Tyr	
	185 190 195 200	
	gtg cct gca cca ccc tgc acg gac ttc acg cgc tgc gca gcc aac atg	797
	Val Pro Ala Pro Pro Cys Thr Asp Phe Thr Arg Cys Ala Ala Asn Met	
30	205 210 215	
	cgc tcc atg cag cgc tac cac cag gac acg caa ggc tgg gga gac atc	845
	Arg Ser Met Gln Arg Tyr His Gln Asp Thr Gln Gly Trp Gly Asp Ile	
	220 225 230	
	ggc tac agt ttc gtg gtg ggc tcg gac ggc tac gtg tac gag gga cgc	893
35	Gly Tyr Ser Phe Val Val Gly Ser Asp Gly Tyr Val Tyr Glu Gly Arg	

58/177

	235	240	245	
	ggc tgg cac tgg gtg ggc gcc cac acg ctc ggc cac aac tcc cgg ggc	941		
	Gly Trp His Trp Val Gly Ala His Thr Leu Gly His Asn Ser Arg Gly			
	250	255	260	
5	ttc ggc gtg gcc ata gtg ggc aac tac acc gcg gcg ctg ccc acc gag	989		
	Phe Gly Val Ala Ile Val Gly Asn Tyr Thr Ala Ala Leu Pro Thr Glu			
	265	270	275	280
	gcc gct ctg cgc acg gtg cgc gac acg ctc ccg agt tgt gcg gtg cgc	1037		
	Ala Ala Leu Arg Thr Val Arg Asp Thr Leu Pro Ser Cys Ala Val Arg			
10	285	290	295	
	gcc ggc ctc ctg cgg cca gac tac gcg ctg ctg ggc cac cgc cag ctg	1085		
	Ala Gly Leu Leu Arg Pro Asp Tyr Ala Leu Leu Gly His Arg Gln Leu			
	300	305	310	
	gtg cgc acc gac tgc ccc ggc gac gcg ctc ttc gac ctg ctg cgc acc	1133		
15	Val Arg Thr Asp Cys Pro Gly Asp Ala Leu Phe Asp Leu Leu Arg Thr			
	315	320	325	
	tgg ccg cac ttc acc gcg act gtt aag cca aga cct gcc agg agt gtc	1181		
	Trp Pro His Phe Thr Ala Thr Val Lys Pro Arg Pro Ala Arg Ser Val			
	330	335	340	
20	tct aag aga tcc agg agg gag cca ccc cca agg acc ctg cca gcc aca	1229		
	Ser Lys Arg Ser Arg Arg Glu Pro Pro Pro Arg Thr Leu Pro Ala Thr			
	345	350	355	360
	gac ctc caa taaagacagc atggaaac	1256		
	Asp Leu Gln			
25				
	<210> 57			
	<211> 884			
	<212> DNA			
	<213> Homo sapiens			
30	<220>			
	<221> CDS			
	<222> (135)...(884)			
	<400> 57			
35	catttccttt ctccacatcc aggtcaggtg gcgtttgctg tggcggctag gcccgctgc	60		

59/177

	gctggagacc tccgcgctgg ccccccgcgag cctcctgccc tggcccggcg ctgcggtct	120
	gccgcggcgg cagc atg ggt ggc ccc cgg ggc gcg ggc tgg gtg gcg gcg	170
	Met Gly Gly Pro Arg Gly Ala Gly Trp Val Ala Ala	
	1 5 10	
5	ggc ctg ctg ctc ggc gcg ggc gcc tgc tac tgc att tac agg ctg acc	218
	Gly Leu Leu Leu Gly Ala Gly Ala Cys Tyr Cys Ile Tyr Arg Leu Thr	
	15 20 25	
	cgg ggt cgg cgg cgg ggc gac cgc gag ctc ggg ata cgc tct tcg aag	266
	Arg Gly Arg Arg Arg Gly Asp Arg Glu Leu Gly Ile Arg Ser Ser Lys	
10	30 35 40	
	tcc gca gaa gac tta act gat ggt tca tat gat gat gtt cta aat gct	314
	Ser Ala Glu Asp Leu Thr Asp Gly Ser Tyr Asp Asp Val Leu Asn Ala	
	45 50 55 60	
	gaa caa ctt cag aaa ctc ctt tac ctg ctg gag tca acg gag gat cct	362
15	Glu Gln Leu Gln Lys Leu Leu Tyr Leu Leu Glu Ser Thr Glu Asp Pro	
	65 70 75	
	gta att att gaa aga gct ttg att act ttg ggt aac aat gca gcc ttt	410
	Val Ile Ile Glu Arg Ala Leu Ile Thr Leu Gly Asn Asn Ala Ala Phe	
	80 85 90	
20	tca gtt aac caa gct att att cgt gaa ttg ggt ggt att cca att gtt	458
	Ser Val Asn Gln Ala Ile Ile Arg Glu Leu Gly Gly Ile Pro Ile Val	
	95 100 105	
	gca aac aaa atc aac cat tcc aac cag agt att aaa gag aaa gct tta	506
	Ala Asn Lys Ile Asn His Ser Asn Gln Ser Ile Lys Glu Lys Ala Leu	
25	110 115 120	
	aat gca cta aat aac ctg agt gtg aat gtt gaa aat caa atc aag ata	554
	Asn Ala Leu Asn Asn Leu Ser Val Asn Val Glu Asn Gln Ile Lys Ile	
	125 130 135 140	
	aag gtg caa gtt ttg aaa ctg ctt ttg aat ttg tct gaa aat cca gcc	602
30	Lys Val Gln Val Leu Lys Leu Leu Leu Asn Leu Ser Glu Asn Pro Ala	
	145 150 155	
	atg aca gaa gga ctt ctc cgt gcc caa gtg gat tca tca ttc ctt tcc	650
	Met Thr Glu Gly Leu Leu Arg Ala Gln Val Asp Ser Ser Phe Leu Ser	
	160 165 170	
35	ctt tat gac agc cac gta gca aag gag att ctt ctt cga gta ctt acg	698

60/177

Leu Tyr Asp Ser His Val Ala Lys Glu Ile Leu Leu Arg Val Leu Thr
 175 180 185
 cta ttt cag aat ata aag aac tgc ctc aaa ata gaa ggc cat tta gct 746
 Leu Phe Gln Asn Ile Lys Asn Cys Leu Lys Ile Glu Gly His Leu Ala
 5 190 195 200
 gtg cag cct act ttc act gaa ggt tca ttg ttt ttc ctg tta cat gga 794
 Val Gln Pro Thr Phe Thr Glu Gly Ser Leu Phe Phe Leu Leu His Gly
 205 210 215 220
 gaa gaa tgt gcc cag aaa ata aga gct tta gtt gat cac cat gat gca 842
 10 Glu Glu Cys Ala Gln Lys Ile Arg Ala Leu Val Asp His His Asp Ala
 225 230 235
 gag gtg aag gaa aag gtt gta aca ata ata ccc aaa atc tga 884
 Glu Val Lys Glu Lys Val Val Thr Ile Ile Pro Lys Ile
 240 245
 15
 <210> 58
 <211> 589
 <212> DNA
 <213> Homo sapiens
 20 <220>
 <221> CDS
 <222> (48)...(344)
 <400> 58
 25 getttccgag cccgcttgca cctcgccgat ccccgactcc cttcttt atg gcg tgc 56
 Met Ala Ser
 1
 ctc ctg tgc tgt ggg ccg aag ctg gcc gcc tgc ggc atc gtc ctc agc 104
 Leu Leu Cys Cys Gly Pro Lys Leu Ala Ala Cys Gly Ile Val Leu Ser
 30 5 10 15
 gcc tgg gga gtg atc atg ttg ata atg ctc gga ata ttt ttc aat gtc 152
 Ala Trp Gly Val Ile Met Leu Ile Met Leu Gly Ile Phe Phe Asn Val
 20 25 30 35
 cat tcc gct gtg ttg att gag gac gtt ccc ttc acg gag aaa gat ttt 200
 35 His Ser Ala Val Leu Ile Glu Asp Val Pro Phe Thr Glu Lys Asp Phe

61/177

	40	45	50	
	gag aat ggc ccc cag aac ata tac aac ctt tac gag caa gtc agc tac			248
	Glu Asn Gly Pro Gln Asn Ile Tyr Asn Leu Tyr Glu Gln Val Ser Tyr			
	55	60	65	
5	aac tgt ttc atc gct gca ggc ctt tac ctc ctc ctc gga ggc ttc tct			296
	Asn Cys Phe Ile Ala Ala Gly Leu Tyr Leu Leu Leu Gly Gly Phe Ser			
	70	75	80	
	ttc tgc caa gtt cgg ctc aat aag cgc aag gaa tac atg gtg cgc			341
	Phe Cys Gln Val Arg Leu Asn Lys Arg Lys Glu Tyr Met Val Arg			
10	85	90	95	
	tagggcccc ggcgcgtttc cccgctccag cccctcctct atttaaagac tccctgcacc			400
	gtgtcacecca ggctgcgtcc cacccttgcc ggcgcctct gtgggactgg gtttcccg			460
	cgagagactg aatcccttct cccatctctg gcatccggcc cccgtggaga gggtgaggc			520
	tggggggctg ttccgtctct ccacccttcg ctgtgtcccg tatctcaata aagagaatct			580
15	gctctcttc			589
	<210> 59			
	<211> 673			
	<212> DNA			
20	<213> Homo sapiens			
	<220>			
	<221> CDS			
	<222> (25)...(543)			
25	<400> 59			
	cttgccctgc gctgcgcgt cacc atg gtg ggc ccc gcg ccg cgg cgg cgg			51
	Met Val Gly Pro Ala Pro Arg Arg Arg			
	1	5		
	ctg cgg ccg ctg gca gcg ctg gcc ctg gtc ctg gcg ctg gcc ccg ggg			99
30	Leu Arg Pro Leu Ala Ala Leu Ala Leu Val Leu Ala Leu Ala Pro Gly			
	10	15	20	25
	ctg ccc aca gcc cgg gcc ggg cag aca ccg cgc cct gcc gag cgg ggg			147
	Leu Pro Thr Ala Arg Ala Gly Gln Thr Pro Arg Pro Ala Glu Arg Gly			
	30	35	40	
35	ccc cca gtg cgg ctt ttc acc gag gag gag ctg gcc cgc tat ggc ggg			195

62/177

Pro Pro Val Arg Leu Phe Thr Glu Glu Glu Leu Ala Arg Tyr Gly Gly
 45 50 55
 gag gag gaa gat cag ccc atc tac ttg gca gtg aag gga gtg gtg ttt 243
 Glu Glu Glu Asp Gln Pro Ile Tyr Leu Ala Val Lys Gly Val Val Phe
 5 60 65 70
 gat gtc acc tcc gga aag gag ttt tat gga cga gga gcc ccc tac aat 291
 Asp Val Thr Ser Gly Lys Glu Phe Tyr Gly Arg Gly Ala Pro Tyr Asn
 75 80 85
 gcc ttg acg ggg aag gac tcc act aga ggg gta gcc aag atg tcc ttg 339
 10 Ala Leu Thr Gly Lys Asp Ser Thr Arg Gly Val Ala Lys Met Ser Leu
 90 95 100 105
 gat cct gca gac ctc acc cat gac act acg ggt ctc acg gcc aag gaa 387
 Asp Pro Ala Asp Leu Thr His Asp Thr Thr Gly Leu Thr Ala Lys Glu
 110 115 120
 15 ctg gag gcc ctg gat gag gtc ttc acc aaa gtg tac aaa gcc aaa tac 435
 Leu Glu Ala Leu Asp Glu Val Phe Thr Lys Val Tyr Lys Ala Lys Tyr
 125 130 135
 ccc atc gtc ggc tac act gcc cgg aga att ctc aat gag gat ggc agc 483
 Pro Ile Val Gly Tyr Thr Ala Arg Arg Ile Leu Asn Glu Asp Gly Ser
 20 140 145 150
 cct aac ctg gac ttc aag cct gaa gac cag ccc cat ttt gac atc aag 531
 Pro Asn Leu Asp Phe Lys Pro Glu Asp Gln Pro His Phe Asp Ile Lys
 155 160 165
 gat gag ttc tgatgttccc cctgcaggag caggttcttg ggagcgtgag 580
 25 Asp Glu Phe
 170
 gcaggaagac actaggtgct gaatctctg caaaactggc tgccctggagg ccctgagcca 640
 ccagatctg aataaaacag atgcttacct tgg 673

 30 <210> 60
 <211> 1425
 <212> DNA
 <213> Homo sapiens
 <220>
 35 <221> CDS

63/177

<222> (127)...(489)

<400> 60

	tccccgctgg ggcgggctga gtggcactta agcggggccat gccatgcaac cttgggcgct	60
5	gccaaaccgtg ggcgagctct ggggtgtgagg gcgggcctggc ggggcgctcc gctgtgtcag	120
	cgtgtt atg atg ccg tcc cgt acc aac ctg gct act gga atc ccc agt	168
	Met Met Pro Ser Arg Thr Asn Leu Ala Thr Gly Ile Pro Ser	
	1 5 10	
	agt aaa gtg aaa tat tca agg ctc tcc agc aca gac gat ggc tac att	216
10	Ser Lys Val Lys Tyr Ser Arg Leu Ser Ser Thr Asp Asp Gly Tyr Ile	
	15 20 25 30	
	gac ctt cag ttt aag aaa acc cct cct aag atc cct tat aag gcc atc	264
	Asp Leu Gln Phe Lys Lys Thr Pro Pro Lys Ile Pro Tyr Lys Ala Ile	
	35 40 45	
15	gca ctt gcc act gtg ctg ttt ttg att ggc gcc ttt ctc att att ata	312
	Ala Leu Ala Thr Val Leu Phe Leu Ile Gly Ala Phe Leu Ile Ile Ile	
	50 55 60	
	ggc tcc ctc ctg ctg tca ggc tac atc agc aaa ggg ggg gca gac cgg	360
	Gly Ser Leu Leu Leu Ser Gly Tyr Ile Ser Lys Gly Gly Ala Asp Arg	
20	65 70 75	
	gcc gtt cca gtg ctg atc att ggc att ctg gtg ttc cta ccc gga ttt	408
	Ala Val Pro Val Leu Ile Ile Gly Ile Leu Val Phe Leu Pro Gly Phe	
	80 85 90	
	tac cac ctg cgc atc gct tac tat gca tcc aaa ggc tac cgt ggt tac	456
25	Tyr His Leu Arg Ile Ala Tyr Tyr Ala Ser Lys Gly Tyr Arg Gly Tyr	
	95 100 105 110	
	tcc tat gat gac att cca gac ttt gat gac tagcaccac ccca	500
	Ser Tyr Asp Asp Ile Pro Asp Phe Asp Asp	
	115 120	
30	tagctgagga ggagtcacag tggaactgtc ccagctttaa gatattctagc agaaactata	560
	gctgaggact aaggaattct gcagcttgca gatgtttaag aaaataatgg ccagattttt	620
	tgggtccttc ccaaagatgt taagtgaacc tacagtttagc taattaggac aagctctatt	680
	tttcatccct gggccctgac aagtttttcc acaggaatat gtatcatgga agaatagagg	740
	ttattctgta atggaaaagt gttgcctgcc accaccctct gtagagctga gcatttcttt	800
35	taaatagtct tcattgccaa tttgttcttg tagcaaatgg aacaatgtgg tatggcta	860

64/177

ttcttattat taagtagttt attttaaaaa tatctgagta tattatcctg tacacttate 920
 cctacettca tgttccagtga gaagacctta gtaaaatcaa agatcagtga gttcatctgt 980
 aatatttttt ttacttgctt tcttactgac agcaaccagg aattttttta tctgcagag 1040
 caagttttca aaatgtaaat acttcctctg tttacagtc cttggaccat tctgatccag 1100
 5 ttcaccagta ggttggacag catataattt gcacattttt gtcccttgta aatcaagatg 1160
 ttctgcagat tattccttta acggccggac ttttggtgtt ttcctaatga aacatgtagt 1220
 ggttattatt tagagtttat agccgtattg ctageacctt gtagtatgtc atcattctgc 1280
 tcatgattcc aaggatcagc ctggatgcct agaggactag atcaccttag tttgattcta 1340
 ttttttagct tgcaaaaagt gacttatatt ccaaagaaat taaaatgttg aaatccaaat 1400
 10 cctagaaata aaatgagtta acttc 1425

<210> 61

<211> 307

<212> PRT

15 <213> Homo sapiens

<400> 61

Met Ser Met Ile Leu Ser Ala Ser Val Ile Arg Val Arg Asp Gly Leu
 1 5 10 15
 20 Pro Leu Ser Ala Ser Thr Asp Tyr Glu Gln Ser Thr Gly Met Gln Glu
 20 25 30
 Cys Arg Lys Tyr Phe Lys Met Leu Ser Arg Lys Leu Ala Gln Leu Pro
 35 40 45
 Asp Arg Cys Thr Leu Lys Thr Gly His Tyr Asn Ile Asn Phe Ile Ser
 25 50 55 60
 Ser Leu Gly Val Ser Tyr Met Met Leu Cys Thr Glu Asn Tyr Pro Asn
 65 70 75 80
 Val Leu Ala Phe Ser Phe Leu Asp Glu Leu Gln Lys Glu Phe Ile Thr
 85 90 95
 30 Thr Tyr Asn Met Met Lys Thr Asn Thr Ala Val Arg Pro Tyr Cys Phe
 100 105 110
 Ile Glu Phe Asp Asn Phe Ile Gln Arg Thr Lys Gln Arg Tyr Asn Asn
 115 120 125
 Pro Arg Ser Leu Ser Thr Lys Ile Asn Leu Ser Asp Met Gln Thr Glu
 35 130 135 140

65/177

Ile Lys Leu Arg Pro Pro Tyr Gln Ile Ser Met Cys Glu Leu Gly Ser
 145 150 155 160
 Ala Asn Gly Val Thr Ser Ala Phe Ser Val Asp Cys Lys Gly Ala Gly
 165 170 175
 5 Lys Ile Ser Ser Ala His Gln Arg Leu Glu Pro Ala Thr Leu Ser Gly
 180 185 190
 Ile Val Gly Phe Ile Leu Ser Leu Leu Cys Gly Ala Leu Asn Leu Ile
 195 200 205
 Arg Gly Phe His Ala Ile Glu Ser Leu Leu Gln Ser Asp Gly Asp Asp
 10 210 215 220
 Phe Asn Tyr Ile Ile Ala Phe Phe Leu Gly Thr Ala Ala Cys Leu Tyr
 225 230 235 240
 Gln Cys Tyr Leu Leu Val Tyr Tyr Thr Gly Trp Arg Asn Val Lys Ser
 245 250 255
 15 Phe Leu Thr Phe Gly Leu Ile Cys Leu Cys Asn Met Tyr Leu Tyr Glu
 260 265 270
 Leu Arg Asn Leu Trp Gln Leu Phe Phe His Val Thr Val Gly Ala Phe
 275 280 285
 Val Thr Leu Gln Ile Trp Leu Arg Gln Ala Gln Gly Lys Ala Pro Asp
 20 290 295 300
 Tyr Asp Val
 305

 <210> 62
 25 <211> 183
 <212> PRT
 <213> Homo sapiens

 <400> 62
 30 Met Thr Ala Gln Gly Gly Leu Val Ala Asn Arg Gly Arg Arg Phe Lys
 1 5 10 15
 Trp Ala Ile Glu Leu Ser Gly Pro Gly Gly Gly Ser Arg Gly Arg Ser
 20 25 30
 Asp Arg Gly Ser Gly Gln Gly Asp Ser Leu Tyr Pro Val Gly Tyr Leu
 35 35 40 45

	Asp	Lys	Gln	Val	Pro	Asp	Thr	Ser	Val	Gln	Glu	Thr	Asp	Arg	Ile	Leu	
	50							55									60
	Val	Glu	Lys	Arg	Cys	Trp	Asp	Ile	Ala	Leu	Gly	Pro	Leu	Lys	Gln	Ile	
	65							70									80
5	Pro	Met	Asn	Leu	Phe	Ile	Met	Tyr	Met	Ala	Gly	Asn	Thr	Ile	Ser	Ile	
					85						90					95	
	Phe	Pro	Thr	Met	Met	Val	Cys	Met	Met	Ala	Trp	Arg	Pro	Ile	Gln	Ala	
					100					105						110	
	Leu	Met	Ala	Ile	Ser	Ala	Thr	Phe	Lys	Met	Leu	Glu	Ser	Ser	Ser	Gln	
10					115					120						125	
	Lys	Phe	Leu	Gln	Gly	Leu	Val	Tyr	Leu	Ile	Gly	Asn	Leu	Met	Gly	Leu	
					130					135						140	
	Ala	Leu	Ala	Val	Tyr	Lys	Cys	Gln	Ser	Met	Gly	Leu	Leu	Pro	Thr	His	
	145						150					155				160	
15	Ala	Ser	Asp	Trp	Leu	Ala	Phe	Ile	Glu	Pro	Pro	Glu	Arg	Met	Glu	Phe	
					165						170					175	
	Ser	Gly	Gly	Gly	Leu	Leu	Leu										
					180												
20	<210>	63															
	<211>	327															
	<212>	PRT															
	<213>	Homo sapiens															
25	<400>	63															
	Met	Arg	Ala	Leu	Pro	Gly	Leu	Leu	Glu	Ala	Arg	Ala	Arg	Thr	Pro	Arg	
	1					5					10					15	
	Leu	Leu	Leu	Leu	Gln	Cys	Leu	Leu	Ala	Ala	Ala	Arg	Pro	Ser	Ser	Ala	
					20					25					30		
30	Asp	Gly	Ser	Ala	Pro	Asp	Ser	Pro	Phe	Thr	Ser	Pro	Pro	Leu	Arg	Glu	
					35				40					45			
	Glu	Ile	Met	Ala	Asn	Asn	Phe	Ser	Leu	Glu	Ser	His	Asn	Ile	Ser	Leu	
					50				55					60			
	Thr	Glu	His	Ser	Ser	Met	Pro	Val	Glu	Lys	Asn	Ile	Thr	Leu	Glu	Arg	
35					65				70					75			80

67/177

Pro Ser Asn Val Asn Leu Thr Cys Gln Phe Thr Thr Ser Gly Asp Leu
 85 90 95
 Asn Ala Val Asn Val Thr Trp Lys Lys Asp Gly Glu Gln Leu Glu Asn
 100 105 110
 5 Asn Tyr Leu Val Ser Ala Thr Gly Ser Thr Leu Tyr Thr Gln Tyr Arg
 115 120 125
 Phe Thr Ile Ile Asn Ser Lys Gln Met Gly Ser Tyr Ser Cys Phe Phe
 130 135 140
 Arg Glu Glu Lys Glu Gln Arg Gly Thr Phe Asn Phe Lys Val Pro Glu
 10 145 150 155 160
 Leu His Gly Lys Asn Lys Pro Leu Ile Ser Tyr Val Gly Asp Ser Thr
 165 170 175
 Val Leu Thr Cys Lys Cys Gln Asn Cys Phe Pro Leu Asn Trp Thr Trp
 180 185 190
 15 Tyr Ser Ser Asn Gly Ser Val Lys Val Pro Val Gly Val Gln Met Asn
 195 200 205
 Lys Tyr Val Ile Asn Gly Thr Tyr Ala Asn Glu Thr Lys Leu Lys Ile
 210 215 220
 Thr Gln Leu Leu Glu Glu Asp Gly Glu Ser Tyr Trp Cys Arg Ala Leu
 20 225 230 235 240
 Phe Gln Leu Gly Glu Ser Glu Glu His Ile Glu Leu Val Val Leu Ser
 245 250 255
 Tyr Leu Val Pro Leu Lys Pro Phe Leu Val Ile Val Ala Glu Val Ile
 260 265 270
 25 Leu Leu Val Ala Thr Ile Leu Leu Cys Glu Lys Tyr Thr Gln Lys Lys
 275 280 285
 Lys Lys His Ser Asp Glu Gly Lys Glu Phe Glu Gln Ile Glu Gln Leu
 290 295 300
 Lys Ser Asp Asp Ser Asn Gly Ile Glu Asn Asn Val Pro Arg His Arg
 30 305 310 315 320
 Lys Asn Glu Ser Leu Gly Gln
 325

<210> 64

35 <211> 223

68/177

<212> PRT

<213> Homo sapiens

<400> 64

5 Met Lys Phe Val Pro Cys Leu Leu Leu Val Thr Leu Ser Cys Leu Gly
 1 5 10 15
 Thr Leu Gly Gln Ala Pro Arg Gln Lys Gln Gly Ser Thr Gly Glu Glu
 20 25 30
 Phe His Phe Gln Thr Gly Gly Arg Asp Ser Cys Thr Met Arg Pro Ser
 10 35 40 45
 Ser Leu Gly Gln Gly Ala Gly Glu Val Trp Leu Arg Val Asp Cys Arg
 50 55 60
 Asn Thr Asp Gln Thr Tyr Trp Cys Glu Tyr Arg Gly Gln Pro Ser Met
 65 70 75 80
 15 Cys Gln Ala Phe Ala Ala Asp Pro Lys Ser Tyr Trp Asn Gln Ala Leu
 85 90 95
 Gln Glu Leu Arg Arg Leu His His Ala Cys Gln Gly Ala Pro Val Leu
 100 105 110
 Arg Pro Ser Val Cys Arg Glu Ala Gly Pro Gln Ala His Met Gln Gln
 20 115 120 125
 Val Thr Ser Ser Leu Lys Gly Ser Pro Glu Pro Asn Gln Gln Pro Glu
 130 135 140
 Ala Gly Thr Pro Ser Leu Arg Pro Lys Ala Thr Val Lys Leu Thr Glu
 145 150 155 160
 25 Ala Thr Gln Leu Gly Lys Asp Ser Met Glu Glu Leu Gly Lys Ala Lys
 165 170 175
 Pro Thr Thr Arg Pro Thr Ala Lys Pro Thr Gln Pro Gly Pro Arg Pro
 180 185 190
 Gly Gly Asn Glu Glu Ala Lys Lys Lys Ala Trp Glu His Cys Trp Lys
 30 195 200 205
 Pro Phe Gln Ala Leu Cys Ala Phe Leu Ile Ser Phe Phe Arg Gly
 210 215 220

<210> 65

35 <211> 48

69/177

<212> PRT

<213> Homo sapiens

<400> 65

5 Met Arg Leu Leu Leu Leu Leu Val Ala Ala Ser Ala Met Val Arg
 1 5 10 15
 Ser Glu Ala Ser Ala Asn Leu Gly Gly Val Pro Ser Lys Arg Leu Lys
 20 25 30
 Met Gln Tyr Ala Thr Gly Pro Leu Leu Lys Phe Gln Ile Cys Val Ser
 10 35 40 45

<210> 66

<211> 371

<212> PRT

15 <213> Homo sapiens

<400> 66

Met Ala Trp Thr Lys Tyr Gln Leu Phe Leu Ala Gly Leu Met Leu Val
 1 5 10 15
 20 Thr Gly Ser Ile Asn Thr Leu Ser Ala Lys Trp Ala Asp Asn Phe Met
 20 25 30
 Ala Glu Gly Cys Gly Gly Ser Lys Glu His Ser Phe Gln His Pro Phe
 35 40 45
 Leu Gln Ala Val Gly Met Phe Leu Gly Glu Phe Ser Cys Leu Ala Ala
 25 50 55 60
 Phe Tyr Leu Leu Arg Cys Arg Ala Ala Gly Gln Ser Asp Ser Ser Val
 65 70 75 80
 Asp Pro Gln Gln Pro Phe Asn Pro Leu Leu Phe Leu Pro Pro Ala Leu
 85 90 95
 30 Cys Asp Met Thr Gly Thr Ser Leu Met Tyr Val Ala Leu Asn Met Thr
 100 105 110
 Ser Ala Ser Ser Phe Gln Met Leu Arg Gly Ala Val Ile Ile Phe Thr
 115 120 125
 Gly Leu Phe Ser Val Ala Phe Leu Gly Arg Arg Leu Val Leu Ser Gln
 35 130 135 140

70/177

Trp Leu Gly Ile Leu Ala Thr Ile Ala Gly Leu Val Val Val Gly Leu
 145 150 155 160
 Ala Asp Leu Leu Ser Lys His Asp Ser Gln His Lys Leu Ser Glu Val
 165 170 175
 5 Ile Thr Gly Asp Leu Leu Ile Ile Met Ala Gln Ile Ile Val Ala Ile
 180 185 190
 Gln Met Val Leu Glu Glu Lys Phe Val Tyr Lys His Asn Val His Pro
 195 200 205
 Leu Arg Ala Val Gly Thr Glu Gly Leu Phe Gly Phe Val Ile Leu Ser
 10 210 215 220
 Leu Leu Leu Val Pro Met Tyr Tyr Ile Pro Ala Gly Ser Phe Ser Gly
 225 230 235 240
 Asn Pro Arg Gly Thr Leu Glu Asp Ala Leu Asp Ala Phe Cys Gln Val
 245 250 255
 15 Gly Gln Gln Pro Leu Ile Ala Val Ala Leu Leu Gly Asn Ile Ser Ser
 260 265 270
 Ile Ala Phe Phe Asn Phe Ala Gly Ile Ser Val Thr Lys Glu Leu Ser
 275 280 285
 Ala Thr Thr Arg Met Val Leu Asp Ser Leu Arg Thr Val Val Ile Trp
 20 290 295 300
 Ala Leu Ser Leu Ala Leu Gly Trp Glu Ala Phe His Ala Leu Gln Ile
 305 310 315 320
 Leu Gly Phe Leu Ile Leu Leu Ile Gly Thr Ala Leu Tyr Asn Gly Leu
 325 330 335
 25 His Arg Pro Leu Leu Gly Arg Leu Ser Arg Gly Arg Pro Leu Ala Glu
 340 345 350
 Glu Ser Glu Gln Glu Arg Leu Leu Gly Gly Thr Arg Thr Pro Ile Asn
 355 360 365
 Asp Ala Ser
 30 370

 <210> 67
 <211> 90
 <212> PRT
 35 <213> Homo sapiens

71/177

<400> 67

Met Phe His Gln Ile Trp Ala Ala Leu Leu Tyr Phe Tyr Gly Ile Ile
 1 5 10 15
 5 Leu Asn Ser Ile Tyr Gln Cys Pro Glu His Ser Gln Leu Thr Thr Leu
 20 25 30
 Gly Val Asp Gly Lys Glu Phe Pro Glu Val His Leu Gly Gln Trp Tyr
 35 40 45
 Phe Ile Ala Gly Ala Ala Pro Thr Lys Glu Glu Leu Ala Thr Phe Asp
 10 50 55 60
 Pro Val Asp Asn Ile Val Phe Asn Met Ala Ala Gly Ser Ala Pro Met
 65 70 75 80
 Gln Leu His Leu Arg Ala Thr Ile Arg Met
 85 90

15

<210> 68

<211> 499

<212> PRT

<213> Homo sapiens

20

<400> 68

Met Val Asp Arg Gly Pro Leu Leu Thr Ser Ala Ile Ile Phe Tyr Leu
 1 5 10 15
 Ala Ile Gly Ala Ala Ile Phe Glu Val Leu Glu Glu Pro His Trp Lys
 25 20 25 30
 Glu Ala Lys Lys Asn Tyr Tyr Thr Gln Lys Leu His Leu Leu Lys Glu
 35 40 45
 Phe Pro Cys Leu Gly Gln Glu Gly Leu Asp Lys Ile Leu Glu Val Val
 50 55 60
 30 Ser Asp Ala Ala Gly Gln Gly Val Ala Ile Thr Gly Asn Gln Thr Phe
 65 70 75 80
 Asn Asn Trp Asn Trp Pro Asn Ala Met Ile Phe Ala Ala Thr Val Ile
 85 90 95
 Thr Thr Ile Gly Tyr Gly Asn Val Ala Pro Lys Thr Pro Ala Gly Arg
 35 100 105 110

72/177

Leu Phe Cys Val Phe Tyr Gly Leu Phe Gly Val Pro Leu Cys Leu Thr
 115 120 125
 Trp Ile Ser Ala Leu Gly Lys Phe Phe Gly Gly Arg Ala Lys Arg Leu
 130 135 140
 5 Gly Gln Phe Leu Thr Lys Arg Gly Val Ser Leu Arg Lys Ala Gln Ile
 145 150 155 160
 Thr Cys Thr Val Ile Phe Ile Val Trp Gly Val Leu Val His Leu Val
 165 170 175
 Ile Pro Pro Phe Val Phe Met Val Thr Glu Gly Trp Asn Tyr Ile Glu
 10 180 185 190
 Gly Leu Tyr Tyr Ser Phe Ile Thr Ile Ser Thr Ile Gly Phe Gly Asp
 195 200 205
 Phe Val Ala Gly Val Asn Pro Ser Ala Asn Tyr His Ala Leu Tyr Arg
 210 215 220
 15 Tyr Phe Val Glu Leu Trp Ile Tyr Leu Gly Leu Ala Trp Leu Ser Leu
 225 230 235 240
 Phe Val Asn Trp Lys Val Ser Met Phe Val Glu Val His Lys Ala Ile
 245 250 255
 Lys Lys Arg Arg Arg Arg Arg Lys Glu Ser Phe Glu Ser Ser Pro His
 20 260 265 270
 Ser Arg Lys Ala Leu Gln Val Lys Gly Ser Thr Ala Ser Lys Asp Val
 275 280 285
 Asn Ile Phe Ser Phe Leu Ser Lys Lys Glu Glu Thr Tyr Asn Asp Leu
 290 295 300
 25 Ile Lys Gln Ile Gly Lys Lys Ala Met Lys Thr Ser Gly Gly Gly Glu
 305 310 315 320
 Thr Gly Pro Gly Pro Gly Leu Gly Pro Gln Gly Gly Gly Leu Pro Ala
 325 330 335
 Leu Pro Pro Ser Leu Val Pro Leu Val Val Tyr Ser Lys Asn Arg Val
 30 340 345 350
 Pro Thr Leu Glu Glu Val Ser Gln Thr Leu Arg Ser Lys Gly His Val
 355 360 365
 Ser Arg Ser Pro Asp Glu Glu Ala Val Ala Arg Ala Pro Glu Asp Ser
 370 375 380
 35 Ser Pro Ala Pro Glu Val Phe Met Asn Gln Leu Asp Arg Ile Ser Glu

73/177

385 390 395 400
 Glu Cys Glu Pro Trp Asp Ala Gln Asp Tyr His Pro Leu Ile Phe Gln
 405 410 415
 Asp Ala Ser Ile Thr Phe Val Asn Thr Glu Ala Gly Leu Ser Asp Glu
 5 420 425 430
 Glu Thr Ser Lys Ser Ser Leu Glu Asp Asn Leu Ala Gly Glu Glu Ser
 435 440 445
 Pro Gln Gln Gly Ala Glu Ala Lys Ala Pro Leu Asn Met Gly Glu Phe
 450 455 460
 10 Pro Ser Ser Ser Glu Ser Thr Phe Thr Ser Thr Glu Ser Glu Leu Ser
 465 470 475 480
 Val Pro Tyr Glu Gln Leu Met Asn Glu Tyr Asn Lys Ala Asn Ser Pro
 485 490 495
 Lys Gly Thr
 15

 <210> 69
 <211> 106
 <212> PRT
 20 <213> Homo sapiens

 <400> 69
 Met Ala Ser Ser Gly Ala Gly Asp Pro Leu Asp Ser Lys Arg Gly Glu
 1 5 10 15
 25 Ala Pro Phe Ala Gln Arg Ile Asp Pro Thr Arg Glu Lys Leu Thr Pro
 20 25 30
 Glu Gln Leu His Ser Met Arg Gln Ala Glu Leu Ala Gln Trp Gln Lys
 35 40 45
 Val Leu Pro Arg Arg Arg Thr Arg Asn Ile Val Thr Gly Leu Gly Ile
 30 50 55 60
 Gly Ala Leu Val Leu Ala Ile Tyr Gly Tyr Thr Phe Tyr Ser Ile Ser
 65 70 75 80
 Gln Glu Arg Phe Leu Asp Glu Leu Glu Asp Glu Ala Lys Ala Ala Arg
 85 90 95
 35 Ala Arg Ala Leu Ala Arg Ala Ser Gly Ser

74/177

100

105

<210> 70
 <211> 152
 5 <212> PRT
 <213> Homo sapiens

<400> 70
 Met Asp Tyr Val Cys Cys Ala Tyr Asn Asn Ile Thr Gly Arg Gln Asp
 10 1 5 10 15
 Glu Thr His Phe Thr Val Ile Ile Thr Ser Val Gly Leu Glu Lys Leu
 20 25 30
 Ala Gln Lys Gly Lys Ser Leu Ser Pro Leu Ala Ser Ile Thr Gly Ile
 35 40 45
 15 Ser Leu Phe Leu Ile Ile Ser Met Cys Leu Leu Phe Leu Trp Lys Lys
 50 55 60
 Tyr Gln Pro Tyr Lys Val Ile Lys Gln Lys Leu Glu Gly Arg Pro Glu
 65 70 75 80
 Thr Glu Tyr Arg Lys Ala Gln Thr Phe Ser Gly His Glu Asp Ala Leu
 20 85 90 95
 Asp Asp Phe Gly Ile Tyr Glu Phe Val Ala Phe Pro Asp Val Ser Gly
 100 105 110
 Val Ser Arg Ile Pro Ser Arg Ser Val Pro Ala Ser Asp Cys Val Ser
 115 120 125
 25 Gly Gln Asp Leu His Ser Thr Val Tyr Glu Val Ile Gln His Ile Pro
 130 135 140
 Ala Gln Gln Gln Asp His Pro Glu
 145 150

30 <210> 71
 <211> 921
 <212> DNA
 <213> Homo sapiens

35 <400> 71

75/177

atgtctatga ttttatctgc ctcaagtcatt cgtgtcagag atggactgcc actttctgct 60
 tctactgatt atgaacaaag cacaggaatg caggagtgc gaaagtattt taaaatgctt 120
 togaggaac ttgtcaact tctgataga tgtacactga aaactggaca ttataacatt 180
 aattttatta gctctctggg agtgagctac atgatgttg gcactgaaa ttacccaaat 240
 5 gttctcgct tctcttctct ggatgagctt cagaaggagt tcattactac ttataacatg 300
 atgaagacaa atactgctgt cagaccatac tgtttcattg aatttgataa cttcattcag 360
 aggaccaagc agcgatataa taatcccagg tctctttcaa caaagataaa tctttctgac 420
 atgcagacgg aaatcaagct gaggcctcct tatcaaattt ccatgtgcga actgggggtca 480
 gccaatggag tcacatcagc attttctggt gactgtaaag gtgctggtaa gatttcttct 540
 10 gctcaccagc gactggaacc agcaactctg tcagggattg taggatttat ccttagtctt 600
 ttatgtggag ctctgaattt aattcgaggc ttcatgcta tagaaagtct cctgcagagt 660
 gatggtgatg attttaatta catcattgca ttttctcttg gaacagcagc ctgcctttac 720
 cagtgttatt tacttgtcta ctacaccggc tggcggaatg tcaaactctt tttgactttt 780
 ggcttaactct gtctatgcaa catgtatctc tatgaactgc gcaacctctg gcagcttttc 840
 15 tttcatgtga ctgtgggagc atttggtaca ctacagatct ggctaaggca agcccagggc 900
 aaggtcccg attatgatgt c 921

<210> 72

<211> 549

20 <212> DNA

<213> Homo sapiens

<400> 72

atgacggccc aggggggct ggtggctaac cgaggccggc gcttcaagtg ggccattgag 60
 25 ctaagcgggc ctggaggagg cagcaggggt cgaagtgacc ggggcagtgg ccaggagagc 120
 togtctaac cagtcggtta cttggacaag caagtgcctg ataccagcgt gcaagagaca 180
 gaccggatcc tggaggagaa gcgctgctgg gacatgcct tgggtccct caaacagatt 240
 cccatgaate tcttcatcat gtacatggca ggcaatacta tctccatctt ccctactatg 300
 atggtgtgta tgatggcctg gcgaccatt caggcaacta tggccatttc agccactttc 360
 30 aagatgtag aaagttcaag ccagaagttt cttcaggggt tgggtctatct cattgggaac 420
 ctgatgggtt tggcattggc tgtttacaag tgccagteca tgggactgtt acctacacat 480
 gcatcggtt ggtagcctt cattgagccc cctgagagaa tggagttag tggaggagga 540
 ctgcttttg 549

35 <210> 73

76/177

<211> 981

<212> DNA

<213> Homo sapiens

5 <400> 73

	atgcgcgccc	tccccggcct	gctggaggcc	agggcgcgta	cgccccggct	gctcctcctc	60
	cagtgccttc	tcgctgccgc	gcgcccgaagc	tcggcggacg	gcagtgcccc	agattogcct	120
	tttacaagtc	cacctctcag	agaagaaata	atggcaaata	acttttcctt	ggagagtcac	180
	aacatatcac	tgactgaaca	ttctagtatg	ccagtagaaa	aaaatatcac	tttagaaagg	240
10	ccttctaata	gtaaattctac	atgccagttc	acaacatctg	gggatttgaa	tgacagtaaat	300
	gtgacttgga	aaaaagatgg	tgaacaactt	gagaataatt	atcttgtcag	tgcaacagga	360
	agcaccttgt	ataccaata	cagggttcacc	atcattaata	gcaaacaaat	gggaagttat	420
	tcttgtttct	ttcgagagga	aaaggaacaa	aggggaacat	ttaatttcaa	agtccttgaa	480
	cttcatggga	aaaacaagcc	attgatctct	tacgtagggg	attctactgt	cttgacatgt	540
15	aaatgtcaaa	attgttttcc	tttaaattgg	acctggtaca	gtagtaattg	gagtgtaaag	600
	gttcctgttg	gtgttcaaat	gaataaatat	gtgatcaatg	gaacatatgc	taacgaaaca	660
	aagctgaaga	taacacaact	tttggaggaa	gatggggaat	cttactgggtg	ccgtgcaacta	720
	ttccaattag	gcgagagtga	agaacacatt	gagcttggtg	tgctgagcta	tttggtgccc	780
	ctcaaaccat	ttcttgtaat	agtggctgag	gtgattcttt	tagtggccac	cattctgctt	840
20	tgtgaaaagt	acacacaaaa	gaaaagaag	cactcagatg	aggggaaaga	atttgagcag	900
	attgaacagc	tgaaatcaga	tgatagcaat	ggtatagaaa	ataatgtccc	caggcataga	960
	aaaaatgagt	ctctgggcca	g				981

<210> 74

25 <211> 669

<212> DNA

<213> Homo sapiens

<400> 74

30	atgaagttcg	tccccctgct	cctgctggtg	accttgctct	gcctggggac	tttgggtcag	60
	gccccgaggc	aaaagcaagg	aagcactggg	gaggaattcc	atttcagac	tggagggaga	120
	gattcctgca	ctatgcgtcc	cagcagcttg	gggcaagggtg	ctggagaagt	ctggcttcgc	180
	gtcgactgcc	gcaacacaga	ccagacctac	tgggtgtgagt	acagggggca	gccagcatg	240
	tgccaggctt	tcgctgctga	ccccaaatct	tactggaate	aagccctgca	ggagctgagg	300
35	cgccttcacc	atgcgtgcca	ggggggccccg	gtgcttaggc	catccgtgtg	cagggaggct	360

77/177

	ggaccccagg cccatatgca gcaggtgact tccagcctca agggcagccc agagcccaac	420
	cagcagcctg aggctgggac gccatctctg aggcccaagg ccacagtga actcacagaa	480
	gcaacacagc tgggaaagga ctcgatggaa gagctgggaa aagccaaacc caccaccga	540
	cccacagcca aacctaccca gcctggaccc agggccggag ggaatgagga agcaaagaag	600
5	aaggcctggg aacattgttg gaaacccttc caggccctgt gcgcctttct catcagcttc	660
	ttccgaggg	669
	<210> 75	
	<211> 144	
10	<212> DNA	
	<213> Homo sapiens	
	<400> 75	
	atgaggcttc tgctgcttct cctagtggcg gcgtctgcga tggtcggag cgaggcctcg	60
15	gccaatctgg gcggcgtgcc cagcaagaga ttaaagatgc agtacgccac ggggccgctg	120
	ctcaagttcc agatttgtgt ttcc	144
	<210> 76	
	<211> 1113	
20	<212> DNA	
	<213> Homo sapiens	
	<400> 76	
	atggcctgga ccaagtacca gctgttctcg gccgggctca tgettgttac cggctccatc	60
25	aacacgctct cggcaaatg ggcggaacaat ttcattggcg agggctgtgg agggagcaag	120
	gagcacagct tccagcatcc ctctctccag gcagtgggca tgttctggg agaattctcc	180
	tgcctggctg cttctacct cctccgatgc agagctgcag ggcaatcaga ctccagcgta	240
	gacccccagc agcccttcaa cctcttctt ttctgcccc cagcgtctg tgacatgaca	300
	gggaccagcc tcatgtatgt ggctctgaac atgaccagtg cctccagctt ccagatgctg	360
30	cgggggtgcag tgatcatatt cactggcctg ttctcgggtg ccttctggg ccggaggctg	420
	gtgctgagcc agtggctggg catctagcc accatcgcg ggctgggtgt cgtgggcctg	480
	gctgacctcc tgagcaagca cgacagtcag cacaagctca gcgaagtgat cacaggggac	540
	ctgttgatca tcatggccca gatcatcggt gccatccaga tggtgctaga ggagaagttc	600
	gtctacaaac acaatgtgca ccaactgcgg gcagttggca ctgagggcct ctttggtttt	660
35	gtgatectct cctgctgct ggtgcccatt tactacatcc ccgccggctc cttcagcgga	720

78/177

	aaccctcgtg ggacactgga ggatgcattg gacgccttct gccaggtggg ccagcagccg	780
	ctcattgccg tggcactgct gggcaacatc agcagcattg ccttcttcaa cttegcaggc	840
	atcagcgtca ccaaggaaact gacgcgccacc acccgcatgg tgttggacag cttgcgcacc	900
	gttgtcatct gggcactgag cctggcactg ggctgggagg ccttccatgc actgcagatc	960
5	cttggtcttc tcatactcct tataggcact gccctctaca atgggctaca ccgtccgctg	1020
	ctgggccgcc tgtccagggg ccggccccctg gcagaggaga gcgagcagga gagactgctg	1080
	ggtggcaccg gcactcccat caatgatgcc agc	1113
	<210> 77	
10	<211> 270	
	<212> DNA	
	<213> Homo sapiens	
	<400> 77	
15	atgttcaccc aaatttgggc agctctgtct tacttttatg gtattatcct taactccatc	60
	taccagtgcc ctgagcacag tcaactgaca actctgggag tggatgggaa ggagttccca	120
	gaggtccact tgggccagtg gtactttatc gcaggggcag ctcccaccaa ggaggagtgtg	180
	gcaacttttg acctgtgga caacattgtc ttcaatatgg ctgtgggtc tgccccgatg	240
	cagctccacc ttcgtgtac catccgatg	270
20	<210> 78	
	<211> 1497	
	<212> DNA	
	<213> Homo sapiens	
25	<400> 78	
	atggtggacc ggggccctct gctcacctcg gccatcatct ttacactggc catcggggcg	60
	gcgatcttcg aagtgtgga ggagccacac tggagggagg ccaagaaaaa ctactacaca	120
	cagaagctgc atctgtcaa ggagtcccg tgctgggtc aggagggcct ggacaagatc	180
30	ctagaggtgg tatctgatgc tgcaggacag ggtgtggcca tcacagggaa ccagaccttc	240
	aacaactgga actggcccaa tgcaatgatt ttgcagcga ccgtcattac caccattgga	300
	tatggcaatg tggtcccaa gacccccgcc ggctgcctct tctgtgtttt ctatggtctc	360
	ttcgggtgct cgctctgct gacgtggatc agtgccctgg gcaagttctt cgggggacgt	420
	gccaagagac tagggcagtt ccttaccag agaggtgtga gtctgcggaa ggcgcagatc	480
35	acgtgcacag tcattctcat cgtgtggggc gtcctagtcc acctggtgat cccacccttc	540

79/177

gtattcatgg tgactgaggg gtggaactac atcgagggcc tctactactc cttcatcacc 600
 atctccacca teggcttcgg tgactttgtg gccggtgtga accccagcgc caactaccac 660
 gccctgtacc gctacttcgt ggagctctgg atctacttgg ggctggcctg gctgtccctt 720
 tttgtcaact ggaaggtgag catgtttgtg gaagtccaca aagccattaa gaagcggcgg 780
 5 cggcgacgga aggagtcctt tgagagctcc ccacactccc ggaaggccct gcaggtgaag 840
 gggagcacag cctccaagga cgtcaacatc ttcagcttcc tttccaagaa ggaagagacc 900
 tacaacgacc tcatcaagca gatcgggaag aaggccatga agacaagcgg gggtggggag 960
 acgggcccgg gccagggct ggggcctcaa ggcggtgggc tcccagcact gcccccttcc 1020
 ctggtgcccc tggtagteta ctccaagaac cgggtgcca cettggaaga ggtgtcacag 1080
 10 aactgagga gcaaaggcca cgtatcaagg tcccagatg aggaggctgt ggcacgggcc 1140
 cctgaagaca gctcccctgc cccgaggtg ttcataaacc agctggaccg catcagcgag 1200
 gaatgcgagc catgggacgc ccaggactac caccactca tcttccagga cgcagcacc 1260
 accttcgtga acacggaggc tggcctctca gacgaggaga cctccaagtc ctcgctagag 1320
 gacaacttgg caggggagga gagccccag cagggggctg aagccaaggc gccctgaac 1380
 15 atgggcgagt tcccctctc ctcagagtc accttcacca gactgagtc tgagctctct 1440
 gtgccttacg aacagctgat gaatgagtag aacaaggcta acagcccaa gggcaca 1497

<210> 79

<211> 318

20 <212> DNA

<213> Homo sapiens

<400> 79

atggcgctctt cgggagctgg tgaccctctg gattctaagc gtggagaggg cccgttcgct 60
 25 cagcgtatcg acccgactcg ggagaagctg acacccgagc aactgcattc catgcggcag 120
 gcggagcttg cccagtggca gaaggtccta ccacggcggc gaacccggaa catcgtgacc 180
 ggcttaggca tgggggccct ggtgttggt atttatggtt acaccttcta ctcgatttcc 240
 caggagcgtt tctagatga gctagaagac gaggccaaag ctgcccagac ccgagctctg 300
 gcaagggcgt cagggctcc 318

30

<210> 80

<211> 456

<212> DNA

<213> Homo sapiens

35

80/177

<400> 80

atggactatg tgtgctgtgc ttacaacaac ataaccggca ggcaagatga aactcatttc 60

acagttatca tcaattccgt aggactggag aagcttgac agaaaggaaa atcattgtca 120

ccttttagcaa gtataactgg aatatcacta tttttgatta tatccatgtg tcttctcttc 180

5 ctatggaaaa aatatcaacc ctacaaagtt ataaaacaga aactagaagg caggccagaa 240

acagaatata ggaaagetca aacattttca ggccatgaag atgctctgga tgacttcgga 300

atatatgaat ttgttgettt tccagatgtt tctggtgttt ccaggatccc aagcaggctc 360

gttccagcct ctgattgtgt atcggggcaa gatttgaca gtacagtga tgaagttatt 420

cagcacatcc ctgcccagca gcaagaccat ccagag 456

10

<210> 81

<211> 1436

<212> DNA

<213> Homo sapiens

15 <220>

<221> CDS

<222> (66)...(989)

<400> 81

20 gcacttcggg gcgcgtcact cggagcggcg ggtcccgctc cgacaggctc tctctgttg 60

ttgaa atg tct atg att tta tct gcc tca gtc att cgt gtc aga gat 107

Met Ser Met Ile Leu Ser Ala Ser Val Ile Arg Val Arg Asp

1 5 10

gga ctg cca ctt tct gct tct act gat tat gaa caa agc aca gga atg 155

25 Gly Leu Pro Leu Ser Ala Ser Thr Asp Tyr Glu Gln Ser Thr Gly Met

15 20 25 30

cag gag tgc aga aag tat ttt aaa atg ctt tcg agg aaa ctt gct caa 203

Gln Glu Cys Arg Lys Tyr Phe Lys Met Leu Ser Arg Lys Leu Ala Gln

35 40 45

30 ctt cct gat aga tgt aca ctg aaa act gga cat tat aac att aat ttt 251

Leu Pro Asp Arg Cys Thr Leu Lys Thr Gly His Tyr Asn Ile Asn Phe

50 55 60

att agc tct ctg gga gtg agc tac atg atg ttg tgc act gaa aat tac 299

Ile Ser Ser Leu Gly Val Ser Tyr Met Met Leu Cys Thr Glu Asn Tyr

35 65 70 75

81/177

	cca aat gtt ctc gcc ttc tct ttc ctg gat gag ctt cag aag gag ttc	347
	Pro Asn Val Leu Ala Phe Ser Phe Leu Asp Glu Leu Gln Lys Glu Phe	
	80 85 90	
	att act act tat aac atg atg aag aca aat act gct gtc aga cca tac	395
5	Ile Thr Thr Tyr Asn Met Met Lys Thr Asn Thr Ala Val Arg Pro Tyr	
	95 100 105 110	
	tgt ttc att gaa ttt gat aac ttc att cag agg acc aag cag cga tat	443
	Cys Phe Ile Glu Phe Asp Asn Phe Ile Gln Arg Thr Lys Gln Arg Tyr	
	115 120 125	
10	aat aat ccc agg tct ctt tca aca aag ata aat ctt tct gac atg cag	491
	Asn Asn Pro Arg Ser Leu Ser Thr Lys Ile Asn Leu Ser Asp Met Gln	
	130 135 140	
	acg gaa atc aag ctg agg cct cct tat caa att tcc atg tgc gaa ctg	539
	Thr Glu Ile Lys Leu Arg Pro Pro Tyr Gln Ile Ser Met Cys Glu Leu	
15	145 150 155	
	ggg tca gcc aat gga gtc aca tca gca ttt tct gtt gac tgt aaa ggt	587
	Gly Ser Ala Asn Gly Val Thr Ser Ala Phe Ser Val Asp Cys Lys Gly	
	160 165 170	
	gct ggt aag att tct tct gct cac cag cga ctg gaa cca gca act ctg	635
20	Ala Gly Lys Ile Ser Ser Ala His Gln Arg Leu Glu Pro Ala Thr Leu	
	175 180 185 190	
	tca ggg att gta gga ttt atc ctt agt ctt tta tgt gga gct ctg aat	683
	Ser Gly Ile Val Gly Phe Ile Leu Ser Leu Leu Cys Gly Ala Leu Asn	
	195 200 205	
25	tta att cga ggc ttt cat gct ata gaa agt ctc ctg cag agt gat ggt	731
	Leu Ile Arg Gly Phe His Ala Ile Glu Ser Leu Leu Gln Ser Asp Gly	
	210 215 220	
	gat gat ttt aat tac atc att gca ttt ttc ctt gga aca gca gcc tgc	779
	Asp Asp Phe Asn Tyr Ile Ile Ala Phe Phe Leu Gly Thr Ala Ala Cys	
30	225 230 235	
	ctt tac cag tgt tat tta ctt gtc tac tac acc ggc tgg cgg aat gtc	827
	Leu Tyr Gln Cys Tyr Leu Leu Val Tyr Tyr Thr Gly Trp Arg Asn Val	
	240 245 250	
	aaa tct ttt ttg act ttt ggc tta atc tgt cta tgc aac atg tat ctc	875
35	Lys Ser Phe Leu Thr Phe Gly Leu Ile Cys Leu Cys Asn Met Tyr Leu	

82/177

	255	260	265	270	
	tat gaa ctg cgc aac ctc tgg cag ctt ttc ttt cat gtg act gtg gga				923
	Tyr Glu Leu Arg Asn Leu Trp Gln Leu Phe Phe His Val Thr Val Gly				
		275	280	285	
5	gca ttt gtt aca cta cag atc tgg cta agg caa gcc cag ggc aag gct				971
	Ala Phe Val Thr Leu Gln Ile Trp Leu Arg Gln Ala Gln Gly Lys Ala				
		290	295	300	
	ccc gat tat gat gtc tgacaccatc cttcagatct attgccttgg cttc				1020
	Pro Asp Tyr Asp Val				
10		305			
	agggggataa ggaggggaaca taccataaact gcactgtgat gaagaagctg tccccacag				1080
	aggagaagct ctgctttctt tctctccaac tttccttttt taaaatcagc atgatgtgcc				1140
	tgtgagcatg gaagagtcct ctcagaagaa tgttggccat gagactatca ttcagaggag				1200
	gaggggattt ctctcttcaa ggccataaca gtggaagaac agtcatatgc cattggaagt				1260
15	cttggccagc agtcctgaat ccttcctgaa gagttcagaa aatagatgtg gtattgctct				1320
	gaggaccagg caggaggaac tctacaacct gagtttgcc tttgtaggca ttagtataga				1380
	ccaaataaaa agctgcagaa attggaaagt ttatgtttta aataaatgac tgtgat				1436
	<210> 82				
20	<211> 997				
	<212> DNA				
	<213> Homo sapiens				
	<220>				
	<221> CDS				
25	<222> (87)...(638)				
	<400> 82				
	gagacaaagc ggagaacgct ggtgggcctg ttgtggagta cgctttggac tgagaagcat				60
	cgaggctata ggacgcagct gttgcc atg acg gcc cag ggg ggc ctg gtg				110
30		Met Thr Ala Gln Gly Gly Leu Val			
		1	5		
	gct aac cga ggc cgg cgc ttc aag tgg gcc att gag cta agc ggg cct				158
	Ala Asn Arg Gly Arg Arg Phe Lys Trp Ala Ile Glu Leu Ser Gly Pro				
		10	15	20	
35	gga gga ggc agc agg ggt cga agt gac cgg ggc agt ggc cag gga gac				206

83/177

	Gly Gly Gly Ser Arg Gly Arg Ser Asp Arg Gly Ser Gly Gln Gly Asp	
	25 30 35 40	
	tcg ctc tac cca gtc ggt tac ttg gac aag caa gtg cct gat acc agc	254
	Ser Leu Tyr Pro Val Gly Tyr Leu Asp Lys Gln Val Pro Asp Thr Ser	
5	45 50 55	
	gtg caa gag aca gac cgg atc ctg gtg gag aag cgc tgc tgg gac atc	302
	Val Gln Glu Thr Asp Arg Ile Leu Val Glu Lys Arg Cys Trp Asp Ile	
	60 65 70	
	gcc ttg ggt ccc ctc aaa cag att ccc atg aat ctc ttc atc atg tac	350
10	Ala Leu Gly Pro Leu Lys Gln Ile Pro Met Asn Leu Phe Ile Met Tyr	
	75 80 85	
	atg gca ggc aat act atc tcc atc ttc cct act atg atg gtg tgt atg	398
	Met Ala Gly Asn Thr Ile Ser Ile Phe Pro Thr Met Met Val Cys Met	
	90 95 100	
15	atg gcc tgg cga ccc att cag gca ctt atg gcc att tca gcc act ttc	446
	Met Ala Trp Arg Pro Ile Gln Ala Leu Met Ala Ile Ser Ala Thr Phe	
	105 110 115 120	
	aag atg tta gaa agt tca agc cag aag ttt ctt cag ggt ttg gtc tat	494
	Lys Met Leu Glu Ser Ser Ser Gln Lys Phe Leu Gln Gly Leu Val Tyr	
20	125 130 135	
	ctc att ggg aac ctg atg ggt ttg gca ttg gct gtt tac aag tgc cag	542
	Leu Ile Gly Asn Leu Met Gly Leu Ala Leu Ala Val Tyr Lys Cys Gln	
	140 145 150	
	tcc atg gga ctg tta cct aca cat gca tcg gat tgg tta gcc ttc att	590
25	Ser Met Gly Leu Leu Pro Thr His Ala Ser Asp Trp Leu Ala Phe Ile	
	155 160 165	
	gag ccc cct gag aga atg gag ttc agt ggt gga gga ctg ctt ttg tgaac	640
	Glu Pro Pro Glu Arg Met Glu Phe Ser Gly Gly Gly Leu Leu Leu	
	170 175 180	
30	atgagaaagc agcgctggt ccctatgtat ttgggtctta ttacatcct tctttaagcc	700
	cagtggctcc tcagcatact cttaactaa tcacttatgt taaaagaac caaaagactc	760
	ttttctccat ggtggggtga caggctctag aaggacaatg tgcattattac gacaaacaca	820
	aagaaactat accataaccc aaggctgaaa ataattgtaga aaactttatt tttgtttcca	880
	gtacagagca aaacaacaac aaaaaaacat aactatgtaa acaagagaat aactgctgct	940
35	aatcaagaa ctgttcgagc atctcctttc aataaattaa atggttgaga acaatgc	997

84/177

<210> 83
 <211> 1753
 <212> DNA
 5 <213> Homo sapiens
 <220>
 <221> CDS
 <222> (134)...(1117)

10 <400> 83
 ttttcagcgt cctacccgcg gcaactggctg cgagcgccgg gccacctgcg agtgtgcgca 60
 gggactcttg acacccgcgg cggcgagctg agggagcagt ctccacgagg acccaggcgg 120
 accctctggc gcc atg cgc gcc ctc ccc ggc ctg ctg gag gcc agg gcg 169
 Met Arg Ala Leu Pro Gly Leu Leu Glu Ala Arg Ala
 15 1 5 10
 cgt acg ccc cgg ctg ctc ctc ctc cag tgc ctt ctc gct gcc gcg cgc 217
 Arg Thr Pro Arg Leu Leu Leu Leu Gln Cys Leu Leu Ala Ala Ala Arg
 15 20 25
 cca agc tcg gcg gac ggc agt gcc cca gat tcg cct ttt aca agt cca 265
 20 Pro Ser Ser Ala Asp Gly Ser Ala Pro Asp Ser Pro Phe Thr Ser Pro
 30 35 40
 cct ctc aga gaa gaa ata atg gca aat aac ttt tcc ttg gag agt cat 313
 Pro Leu Arg Glu Glu Ile Met Ala Asn Asn Phe Ser Leu Glu Ser His
 45 50 55 60
 25 aac ata tca ctg act gaa cat tct agt atg cca gta gaa aaa aat atc 361
 Asn Ile Ser Leu Thr Glu His Ser Ser Met Pro Val Glu Lys Asn Ile
 65 70 75
 act tta gaa agg cct tct aat gta aat ctc aca tgc cag ttc aca aca 409
 Thr Leu Glu Arg Pro Ser Asn Val Asn Leu Thr Cys Gln Phe Thr Thr
 30 80 85 90
 tct ggg gat ttg aat gca gta aat gtg act tgg aaa aaa gat ggt gaa 457
 Ser Gly Asp Leu Asn Ala Val Asn Val Thr Trp Lys Lys Asp Gly Glu
 95 100 105
 caa ctt gag aat aat tat ctt gtc agt gca aca gga agc acc ttg tat 505
 35 Gln Leu Glu Asn Asn Tyr Leu Val Ser Ala Thr Gly Ser Thr Leu Tyr

85/177

	110	115	120	
	acc caa tac agg ttc acc atc att aat agc aaa caa atg gga agt tat			553
	Thr Gln Tyr Arg Phe Thr Ile Ile Asn Ser Lys Gln Met Gly Ser Tyr			
	125	130	135	140
5	tct tgt ttc ttt cga gag gaa aag gaa caa agg gga aca ttt aat ttc			601
	Ser Cys Phe Phe Arg Glu Glu Lys Glu Gln Arg Gly Thr Phe Asn Phe			
	145	150	155	
	aaa gtc cct gaa ctt cat ggg aaa aac aag cca ttg atc tct tac gta			649
	Lys Val Pro Glu Leu His Gly Lys Asn Lys Pro Leu Ile Ser Tyr Val			
10	160	165	170	
	ggg gat tct act gtc ttg aca tgt aaa tgt caa aat tgt ttt cct tta			697
	Gly Asp Ser Thr Val Leu Thr Cys Lys Cys Gln Asn Cys Phe Pro Leu			
	175	180	185	
	aat tgg acc tgg tac agt agt aat ggg agt gta aag gtt cct gtt ggt			745
15	Asn Trp Thr Trp Tyr Ser Ser Asn Gly Ser Val Lys Val Pro Val Gly			
	190	195	200	
	gtt caa atg aat aaa tat gtg atc aat gga aca tat gct aac gaa aca			793
	Val Gln Met Asn Lys Tyr Val Ile Asn Gly Thr Tyr Ala Asn Glu Thr			
	205	210	215	220
20	aag ctg aag ata aca caa ctt ttg gag gaa gat ggg gaa tct tac tgg			841
	Lys Leu Lys Ile Thr Gln Leu Leu Glu Glu Asp Gly Glu Ser Tyr Trp			
	225	230	235	
	tgc cgt gca cta ttc caa tta ggc gag agt gaa gaa cac att gag ctt			889
	Cys Arg Ala Leu Phe Gln Leu Gly Glu Ser Glu Glu His Ile Glu Leu			
25	240	245	250	
	gtg gtg ctg agc tat ttg gtg ccc ctc aaa cca ttt ctt gta ata gtg			937
	Val Val Leu Ser Tyr Leu Val Pro Leu Lys Pro Phe Leu Val Ile Val			
	255	260	265	
	gct gag gtg att ctt tta gtg gcc acc att ctg ctt tgt gaa aag tac			985
30	Ala Glu Val Ile Leu Leu Val Ala Thr Ile Leu Leu Cys Glu Lys Tyr			
	270	275	280	
	aca caa aag aaa aag aag cac tca gat gag ggg aaa gaa ttt gag cag			1033
	Thr Gln Lys Lys Lys Lys His Ser Asp Glu Gly Lys Glu Phe Glu Gln			
	285	290	295	300
35	att gaa cag ctg aaa tca gat gat agc aat ggt ata gaa aat aat gtc			1081

86/177

Ile Glu Gln Leu Lys Ser Asp Asp Ser Asn Gly Ile Glu Asn Asn Val
 305 310 315
 ccc agg cat aga aaa aat gag tct ctg ggc cag tgaatacaaa acatca 1130
 Pro Arg His Arg Lys Asn Glu Ser Leu Gly Gln
 5 320 325
 tgtcgagaat cattggaaga tatacagagt tcgtatttca gctttattta tccttctgt 1190
 taagagcctc tgagttttta gttttaaaag gatgaaaagc ttatgcaaca tgctcagcag 1250
 gagcttcac c aacgatatat gtcagatcta aaggtatatt ttcattctgt aattatgtta 1310
 cataaaaagca atgtaaatca gaataaatat gttagaccag aataaaatta attatattct 1370
 10 ggtcttcaaa ggacacacag aacagatata agcagaatca cttataactt catagaacaa 1430
 aaatcactca aaacctgttt ataaccaaag aattcatgaa aaagaaagcc tttgccattt 1490
 gtcttagaaa gttatttttt taaaaaaaaat cataacttact attagtattct atggaagtat 1550
 atgtaacaat ttttatgtaa aggtcatctt tctgtgatag tgaaaaata tgtctttact 1610
 aagttgaaat gaatactttc tgcctttgct catgatagtt attctacaat ctccacaaga 1670
 15 aaaatatacc ttttatccgg aaatattggt ttaaggcaaa taaataaaac tgtgcttget 1730
 ctaaagctct gcactacaaa agc 1753

<210> 84
 <211> 1117
 20 <212> DNA
 <213> Homo sapiens
 <220>
 <221> CDS
 <222> (62)...(733)

25 <400> 84
 cgtcccactt gtgttctctc tectggtgca gagttgcaag caagtttata ggagtategc 60
 c atg aag ttc gtc ccc tgc ctc ctg ctg gtg acc ttg tcc tgc ctg 106
 Met Lys Phe Val Pro Cys Leu Leu Leu Val Thr Leu Ser Cys Leu
 30 1 5 10 15
 ggg act ttg ggt cag gcc ccg agg caa aag caa gga agc act ggg gag 154
 Gly Thr Leu Gly Gln Ala Pro Arg Gln Lys Gln Gly Ser Thr Gly Glu
 20 25 30
 gaa ttc cat ttc cag act gga ggg aga gat tcc tgc act atg cgt ccc 202
 35 Glu Phe His Phe Gln Thr Gly Gly Arg Asp Ser Cys Thr Met Arg Pro

87/177

	35	40	45	
	agc agc ttg ggg caa ggt gct gga gaa gtc tgg ctt cgc gtc gac tgc	250		
	Ser Ser Leu Gly Gln Gly Ala Gly Glu Val Trp Leu Arg Val Asp Cys			
	50	55	60	
5	cgc aac aca gac cag acc tac tgg tgt gag tac agg ggg cag ccc agc	298		
	Arg Asn Thr Asp Gln Thr Tyr Trp Cys Glu Tyr Arg Gly Gln Pro Ser			
	65	70	75	
	atg tgc cag gct ttc gct gct gac ccc aaa tct tac tgg aat caa gcc	346		
	Met Cys Gln Ala Phe Ala Ala Asp Pro Lys Ser Tyr Trp Asn Gln Ala			
10	80	85	90	95
	ctg cag gag ctg agg cgc ctt cac cat gcg tgc cag ggg gcc ccg gtg	394		
	Leu Gln Glu Leu Arg Arg Leu His His Ala Cys Gln Gly Ala Pro Val			
	100	105	110	
	ctt agg cca tcc gtg tgc agg gag gct gga ccc cag gcc cat atg cag	442		
15	Leu Arg Pro Ser Val Cys Arg Glu Ala Gly Pro Gln Ala His Met Gln			
	115	120	125	
	cag gtg act tcc agc ctc aag ggc agc cca gag ccc aac cag cag cct	490		
	Gln Val Thr Ser Ser Leu Lys Gly Ser Pro Glu Pro Asn Gln Gln Pro			
	130	135	140	
20	gag gct ggg acg cca tct ctg agg ccc aag gcc aca gtg aaa ctc aca	538		
	Glu Ala Gly Thr Pro Ser Leu Arg Pro Lys Ala Thr Val Lys Leu Thr			
	145	150	155	
	gaa gca aca cag ctg gga aag gac tcg atg gaa gag ctg gga aaa gcc	586		
	Glu Ala Thr Gln Leu Gly Lys Asp Ser Met Glu Glu Leu Gly Lys Ala			
25	160	165	170	175
	aaa ccc acc acc cga ccc aca gcc aaa cct acc cag cct gga ccc agg	634		
	Lys Pro Thr Thr Arg Pro Thr Ala Lys Pro Thr Gln Pro Gly Pro Arg			
	180	185	190	
	ccc gga ggg aat gag gaa gca aag aag aag gcc tgg gaa cat tgt tgg	682		
30	Pro Gly Gly Asn Glu Glu Ala Lys Lys Lys Ala Trp Glu His Cys Trp			
	195	200	205	
	aaa ccc ttc cag gcc ctg tgc gcc ttt ctc atc agc ttc ttc cga ggg	730		
	Lys Pro Phe Gln Ala Leu Cys Ala Phe Leu Ile Ser Phe Phe Arg Gly			
	210	215	220	
35	tgacaggtga aagacccta cagatctgac ctctcctga cagacaacca tctcttttta	790		

88/177

	tattatgccg ctttcaatcc aacgttctca cactggaaga agagagtttc taatcagatg	850
	caacggccca aattcttgat ctgcagcttc tctgaagttt ggaaaagaaa ccttcctttc	910
	tggagtttgc agagttcagc aatatgatag ggaacaggtg ctgatgggcc caagagtgc	970
	aagcatacac aactacttat tatctgtaga agttttgctt tgttgatctg agccttctat	1030
5	gaaagttaa atatgtaacg cattcatgaa tttccagtgt tcagtaaata gcagctatgt	1090
	gtgtgcaaaa taaaagaatg atttcag	1117
	<210> 85	
	<211> 1380	
10	<212> DNA	
	<213> Homo sapiens	
	<220>	
	<221> CDS	
	<222> (43)...(189)	
15	<400> 85	
	gcagctctgtc tgagggcggc cgaagtggct ggctcattta ag atg agg ctt ctg	54
	Met Arg Leu Leu	
	1	
20	ctg ctt ctc cta gtg gcg gcg tct gcg atg gtc egg agc gag gcc tcg	102
	Leu Leu Leu Leu Val Ala Ala Ser Ala Met Val Arg Ser Glu Ala Ser	
	5 10 15 20	
	gcc aat ctg ggc ggc gtg ccc agc aag aga tta aag atg cag tac gcc	150
	Ala Asn Leu Gly Gly Val Pro Ser Lys Arg Leu Lys Met Gln Tyr Ala	
25	25 30 35	
	acg ggg ccg ctg ctc aag ttc cag att tgt gtt tcc tgag	190
	Thr Gly Pro Leu Leu Lys Phe Gln Ile Cys Val Ser	
	40 45	
	gttataggcg ggtgtttgag gagtacatgc gggttattag ccagcggtag ccagacatcc	250
30	gcattgaagg agagaattac ctccctcaac caatatatag acacatagca tctttcctgt	310
	cagtcttcaa actagtatta ataggettaa taattgttg caaggatcct tttgctttct	370
	ttggcatgca agctcctagc atctggcagt ggggcccaaga aaataagggtt tatgcatgta	430
	tgatggtttt cttcttgagc aacatgattg agaaccagtg tatgtcaaca ggtgcatttg	490
	agataacttt aaatgatgta cctgtgtggt ctaagctgga atctggtcac cttccatcca	550
35	tgcaacaact tgttcaaatt cttgacaatg aaatgaagct caatgtgcat atggattcaa	610

89/177

	tccccacacca tcgatcatag caccacctat cagcaactgaa aactcttttg cattaagggga	670
	tcattgcaag agcagcgtga ctgacattat gaaggcctgt actgaagaca gcaagctgtt	730
	agtacagacc agatgctttc ttggcaggct cgttgctacct cttggaaaac ctcaatgcaa	790
	gatatgtgtt cagtgtctgc atatttttga attctgcaca ttcattggagt gcaataatac	850
5	tgtatagctt tccccacctc ccacaaaatc acccagttaa tgtgtgtgtg tgtttttttt	910
	tttaaggtaa acattactac ttgtaaactt ttttcttagt catatttgaa aaagtagaaa	970
	attgagttac aatttgattt tttttccaaa gatgtctgtt aaatctgttg tgcttttata	1030
	tgaatatttg ttttttatag tttaaaattg atcctttggg aatccagttg aagttcccaa	1090
	atactttata agagtttata agacatctct aatttgcca tgtccagttt atacagttta	1150
10	caaaatatag cagatgcaag attatggggg aaatcctata ttcagagtac tctataaatt	1210
	tttgtgtatg tgtgtatgtg cgtgtgatta ccagagaact actaaaaaa ccaactgctt	1270
	tttaaactct attgtgtagt taaagtgtca tgcttgacc aatctaataa attgattaat	1330
	taactgggcc tttatactta actaaataaa aaactaagca gatatgagtt	1380
15	<210> 86	
	<211> 1503	
	<212> DNA	
	<213> Homo sapiens	
	<220>	
20	<221> CDS	
	<222> (51)...(1166)	
	<400> 86	
	gtgacggggc ccggcgccgc taactggagc gaaccccagc gtcgcgcgac atg gcc	56
25	Met Ala	
	1	
	tgg acc aag tac cag ctg ttc ctg gcc ggg ctc atg ctt gtt acc ggc	104
	Trp Thr Lys Tyr Gln Leu Phe Leu Ala Gly Leu Met Leu Val Thr Gly	
	5 10 15	
30	tcc atc aac acg ctc tcg gca aaa tgg gcg gac aat ttc atg gcc gag	152
	Ser Ile Asn Thr Leu Ser Ala Lys Trp Ala Asp Asn Phe Met Ala Glu	
	20 25 30	
	ggc tgt gga ggg agc aag gag cac agc ttc cag cat ccc ttc ctc cag	200
	Gly Cys Gly Gly Ser Lys Glu His Ser Phe Gln His Pro Phe Leu Gln	
35	35 40 45 50	

90/177

	gca gtg ggc atg ttc ctg gga gaa ttc tcc tgc ctg gct gcc ttc tac	248
	Ala Val Gly Met Phe Leu Gly Glu Phe Ser Cys Leu Ala Ala Phe Tyr	
	55 60 65	
	ctc ctc cga tgc aga gct gca ggg caa tca gac tcc agc gta gac ccc	296
5	Leu Leu Arg Cys Arg Ala Ala Gly Gln Ser Asp Ser Ser Val Asp Pro	
	70 75 80	
	cag cag ccc ttc aac cct ctt ctt ttc ctg ccc cca gcg ctc tgt gac	344
	Gln Gln Pro Phe Asn Pro Leu Leu Phe Leu Pro Pro Ala Leu Cys Asp	
	85 90 95	
10	atg aca ggg acc agc ctc atg tat gtg gct ctg aac atg acc agt gcc	392
	Met Thr Gly Thr Ser Leu Met Tyr Val Ala Leu Asn Met Thr Ser Ala	
	100 105 110	
	tcc agc ttc cag atg ctg cgg ggt gca gtg atc ata ttc act ggc ctg	440
	Ser Ser Phe Gln Met Leu Arg Gly Ala Val Ile Ile Phe Thr Gly Leu	
15	115 120 125 130	
	ttc tcg gtg gcc ttc ctg ggc cgg agg ctg gtg ctg agc cag tgg ctg	488
	Phe Ser Val Ala Phe Leu Gly Arg Arg Leu Val Leu Ser Gln Trp Leu	
	135 140 145	
	ggc atc cta gcc acc atc gcg ggg ctg gtg gtc gtg ggc ctg gct gac	536
20	Gly Ile Leu Ala Thr Ile Ala Gly Leu Val Val Val Gly Leu Ala Asp	
	150 155 160	
	ctc ctg agc aag cac gac agt cag cac aag ctc agc gaa gtg atc aca	584
	Leu Leu Ser Lys His Asp Ser Gln His Lys Leu Ser Glu Val Ile Thr	
	165 170 175	
25	ggg gac ctg ttg atc atc atg gcc cag atc atc gtt gcc atc cag atg	632
	Gly Asp Leu Leu Ile Ile Met Ala Gln Ile Ile Val Ala Ile Gln Met	
	180 185 190	
	gtg cta gag gag aag ttc gtc tac aaa cac aat gtg cac cca ctg cgg	680
	Val Leu Glu Glu Lys Phe Val Tyr Lys His Asn Val His Pro Leu Arg	
30	195 200 205 210	
	gca gtt ggc act gag ggc ctc ttt ggc ttt gtg atc ctc tcc ctg ctg	728
	Ala Val Gly Thr Glu Gly Leu Phe Gly Phe Val Ile Leu Ser Leu Leu	
	215 220 225	
	ctg gtg ccc atg tac tac atc ccc gcc ggc tcc ttc agc gga aac cct	776
35	Leu Val Pro Met Tyr Tyr Ile Pro Ala Gly Ser Phe Ser Gly Asn Pro	

91/177

	230	235	240	
	cgt ggg aca ctg gag gat gca ttg gac gcc ttc tgc cag gtg ggc cag	824		
	Arg Gly Thr Leu Glu Asp Ala Leu Asp Ala Phe Cys Gln Val Gly Gln			
	245	250	255	
5	cag ccg ctc att gcc gtg gca ctg ctg ggc aac atc agc agc att gcc	872		
	Gln Pro Leu Ile Ala Val Ala Leu Leu Gly Asn Ile Ser Ser Ile Ala			
	260	265	270	
	ttc ttc aac ttc gca ggc atc agc gtc acc aag gaa ctg agc gcc acc	920		
	Phe Phe Asn Phe Ala Gly Ile Ser Val Thr Lys Glu Leu Ser Ala Thr			
10	275	280	285	290
	acc cgc atg gtg ttg gac agc ttg cgc acc gtt gtc atc tgg gca ctg	968		
	Thr Arg Met Val Leu Asp Ser Leu Arg Thr Val Val Ile Trp Ala Leu			
	295	300	305	
	agc ctg gca ctg ggc tgg gag gcc ttc cat gca ctg cag atc ctt ggc	1016		
15	Ser Leu Ala Leu Gly Trp Glu Ala Phe His Ala Leu Gln Ile Leu Gly			
	310	315	320	
	ttc ctc ata ctc ctt ata ggc act gcc ctc tac aat ggg cta cac cgt	1064		
	Phe Leu Ile Leu Leu Ile Gly Thr Ala Leu Tyr Asn Gly Leu His Arg			
	325	330	335	
20	ccg ctg ctg ggc cgc ctg tcc agg ggc cgg ccc ctg gca gag gag agc	1112		
	Pro Leu Leu Gly Arg Leu Ser Arg Gly Arg Pro Leu Ala Glu Glu Ser			
	340	345	350	
	gag cag gag aga ctg ctg ggt ggc acc cgc act ccc atc aat gat gcc	1160		
	Glu Gln Glu Arg Leu Leu Gly Gly Thr Arg Thr Pro Ile Asn Asp Ala			
25	355	360	365	370
	agc tgagggtccc tggaggettc tactgccacc cgggtgctcc ttctccc	1210		
	Ser			
	tgagactgag gccacacagg ctggtgggcc ccgaatgccc tatccccaag gctcaccct	1270		
30	gtccctctccc tgcagaacct ccagggcagc tgctgccaca gaagataaca acaccaagt	1330		
	cctctttttc tcactaccac ctgcagggtg gtgttaccca gccccacaa gctgagtgc	1390		
	agtggcagac ctcaactctc tggaccctc ctacagcact agagctaaat catgaagtgc	1450		
	aattgtagga atttaccacc gtagtgtatc tgaatcataa actagattat cat	1503		
35	<210> 87			

92/177

<211> 733

<212> DNA

<213> Homo sapiens

<220>

5 <221> CDS

<222> (40)...(312)

<400> 87

	gttaaggcac acagagcacc agtccctcc tgccctgaag atg ttc cac caa att	54
10	Met Phe His Gln Ile	
	1 5	
	tgg gca gct ctg ctc tac ttc tat ggt att atc ctt aac tcc atc tac	102
	Trp Ala Ala Leu Leu Tyr Phe Tyr Gly Ile Ile Leu Asn Ser Ile Tyr	
	10 15 20	
15	cag tgc cct gag cac agt caa ctg aca act ctg ggc gtg gat ggg aag	150
	Gln Cys Pro Glu His Ser Gln Leu Thr Thr Leu Gly Val Asp Gly Lys	
	25 30 35	
	gag ttc cca gag gtc cac ttg ggc cag tgg tac ttt atc gca ggg gca	198
	Glu Phe Pro Glu Val His Leu Gly Gln Trp Tyr Phe Ile Ala Gly Ala	
20	40 45 50	
	gct ccc acc aag gag gag ttg gca act ttt gac cct gtg gac aac att	246
	Ala Pro Thr Lys Glu Glu Leu Ala Thr Phe Asp Pro Val Asp Asn Ile	
	55 60 65	
	gtc ttc aat atg gct gct ggc tct gcc ccg atg cag ctc cac ctt cgt	294
25	Val Phe Asn Met Ala Ala Gly Ser Ala Pro Met Gln Leu His Leu Arg	
	70 75 80 85	
	gct acc atc cgc atg tgagtggaaa gatgggctct gtgtgccccg g	340
	Ala Thr Ile Arg Met	
	90	
30	aatggatct accacctgac tgaagggagc acagatctca gaactgaagg ccgccctgac	400
	atgaagactg agctcttttc cagctcatgc ccagggtggaa tcatgctgaa tgagacaggc	460
	cagggttacc agcgetttct cctctacaat cgtcaccac atcctcccga aaagtgtgtg	520
	gaggaattca agtccctgac ttctgcctg gactccaaag ccttcttatt gactcctagg	580
	aatcaagagg cctgtgagct gtccaataac tgacctgtaa cttcatctaa gtccccagat	640
35	gggtacaatg ggagctgagt tgttggaggg agaagctgga gacttccagc tccagctccc	700

93/177

actcaagata ataaagataa tttttcaatc etc

733

<210> 88

<211> 3768

5

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (358)...(1857)

10

<400> 88

gctagtggcg	cgcgaggag	cgacgcgtgg	agaagcggcc	cacgtgtctg	cccagagtca	60
agtctgtgt	tcttccgct	ccttacgcat	ccgcggtcca	gggcgccctt	tcagccccgc	120
tggtgttcgc	ccaccccg	ccgcgtgagt	ggggccccac	gcagctcccc	gcactccgtg	180
ggccaacttg	gccaagcaac	tctgtccggg	gagcgggtgt	tgcggggggg	gagtaccggg	240
cactgcgcat	gcggagctcc	aaattcaaac	agctgttttc	agaggctgga	gggcgggcgg	300
actggtagca	gctggggcta	ggagaggctt	tctctaggag	gcggccgctc	gggagcc	357

20

atg	gtg	gac	cgg	ggc	cct	ctg	ctc	acc	tcg	gcc	atc	atc	ttc	tac	ctg	405
Met	Val	Asp	Arg	Gly	Pro	Leu	Leu	Thr	Ser	Ala	Ile	Ile	Phe	Tyr	Leu	
1				5						10				15		

gcc	atc	ggg	gcg	gcg	atc	ttc	gaa	gtg	ctg	gag	gag	cca	cac	tgg	aag	453
Ala	Ile	Gly	Ala	Ala	Ile	Phe	Glu	Val	Leu	Glu	Glu	Pro	His	Trp	Lys	
				20					25					30		

25

gag	gcc	aag	aaa	aac	tac	tac	aca	cag	aag	ctg	cat	ctg	ctc	aag	gag	501
Glu	Ala	Lys	Lys	Asn	Tyr	Tyr	Thr	Gln	Lys	Leu	His	Leu	Leu	Lys	Glu	
				35				40						45		

30

ttc	ccg	tgc	ctg	ggt	cag	gag	ggc	ctg	gac	aag	atc	cta	gag	gtg	gta	549
Phe	Pro	Cys	Leu	Gly	Gln	Glu	Gly	Leu	Asp	Lys	Ile	Leu	Glu	Val	Val	
				50				55						60		

tct	gat	gct	gca	gga	cag	ggt	gtg	gcc	atc	aca	ggg	aac	cag	acc	ttc	597
Ser	Asp	Ala	Ala	Gly	Gln	Gly	Val	Ala	Ile	Thr	Gly	Asn	Gln	Thr	Phe	
				65			70				75			80		

35

aac	aac	tgg	aac	tgg	ccc	aat	gca	atg	att	ttt	gca	gcg	acc	gtc	att	645
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

94/177

	Asn Asn Trp Asn Trp Pro Asn Ala Met Ile Phe Ala Ala Thr Val Ile	
	85 90 95	
	acc acc att gga tat ggc aat gtg gct ccc aag acc ccc gcc ggt cgc	693
	Thr Thr Ile Gly Tyr Gly Asn Val Ala Pro Lys Thr Pro Ala Gly Arg	
5	100 105 110	
	ctc ttc tgt gtt ttc tat ggt ctc ttc ggg gtg ccg ctc tgc ctg acg	741
	Leu Phe Cys Val Phe Tyr Gly Leu Phe Gly Val Pro Leu Cys Leu Thr	
	115 120 125	
	tgg atc agt gcc ctg ggc aag ttc ttc ggg gga cgt gcc aag aga cta	789
10	Trp Ile Ser Ala Leu Gly Lys Phe Phe Gly Gly Arg Ala Lys Arg Leu	
	130 135 140	
	ggg cag ttc ctt acc aag aga ggt gtg agt ctg cgg aag gcg cag atc	837
	Gly Gln Phe Leu Thr Lys Arg Gly Val Ser Leu Arg Lys Ala Gln Ile	
	145 150 155 160	
15	acg tgc aca gtc atc ttc atc gtg tgg ggc gtc cta gtc cac ctg gtg	885
	Thr Cys Thr Val Ile Phe Ile Val Trp Gly Val Leu Val His Leu Val	
	165 170 175	
	atc cca ccc ttc gta ttc atg gtg act gag ggg tgg aac tac atc gag	933
	Ile Pro Pro Phe Val Phe Met Val Thr Glu Gly Trp Asn Tyr Ile Glu	
20	180 185 190	
	ggc ctc tac tac tcc ttc atc acc atc tcc acc atc ggc ttc ggt gac	981
	Gly Leu Tyr Tyr Ser Phe Ile Thr Ile Ser Thr Ile Gly Phe Gly Asp	
	195 200 205	
	ttt gtg gcc ggt gtg aac ccc agc gcc aac tac cac gcc ctg tac cgc	1029
25	Phe Val Ala Gly Val Asn Pro Ser Ala Asn Tyr His Ala Leu Tyr Arg	
	210 215 220	
	tac ttc gtg gag ctc tgg atc tac ttg ggg ctg gcc tgg ctg tcc ctt	1077
	Tyr Phe Val Glu Leu Trp Ile Tyr Leu Gly Leu Ala Trp Leu Ser Leu	
	225 230 235 240	
30	ttt gtc aac tgg aag gtg agc atg ttt gtg gaa gtc cac aaa gcc att	1125
	Phe Val Asn Trp Lys Val Ser Met Phe Val Glu Val His Lys Ala Ile	
	245 250 255	
	aag aag cgg cgg cgg cga cgg aag gag tcc ttt gag agc tcc cca cac	1173
	Lys Lys Arg Arg Arg Arg Arg Lys Glu Ser Phe Glu Ser Ser Pro His	
35	260 265 270	

95/177

	tcc cgg aag gcc ctg cag gtg aag ggg agc aca gcc tcc aag gac gtc	1221
	Ser Arg Lys Ala Leu Gln Val Lys Gly Ser Thr Ala Ser Lys Asp Val	
	275 280 285	
	aac atc ttc agc ttt ctt tcc aag aag gaa gag acc tac aac gac ctc	1269
5	Asn Ile Phe Ser Phe Leu Ser Lys Lys Glu Glu Thr Tyr Asn Asp Leu	
	290 295 300	
	atc aag cag atc ggg aag aag gcc atg aag aca agc ggg ggt ggg gag	1317
	Ile Lys Gln Ile Gly Lys Lys Ala Met Lys Thr Ser Gly Gly Gly Glu	
	305 310 315 320	
10	acg ggc ccg ggc cca ggg ctg ggg cct caa ggc ggt ggg ctc cca gca	1365
	Thr Gly Pro Gly Pro Gly Leu Gly Pro Gln Gly Gly Gly Leu Pro Ala	
	325 330 335	
	ctg ccc cct tcc ctg gtg ccc ctg gta gtc tac tcc aag aac cgg gtg	1413
	Leu Pro Pro Ser Leu Val Pro Leu Val Val Tyr Ser Lys Asn Arg Val	
15	340 345 350	
	ccc acc ttg gaa gag gtg tca cag aca ctg agg agc aaa ggc cac gta	1461
	Pro Thr Leu Glu Glu Val Ser Gln Thr Leu Arg Ser Lys Gly His Val	
	355 360 365	
	tca agg tcc cca gat gag gag gct gtg gca cgg gcc cct gaa gac agc	1509
20	Ser Arg Ser Pro Asp Glu Glu Ala Val Ala Arg Ala Pro Glu Asp Ser	
	370 375 380	
	tcc cct gcc ccc gag gtg ttc atg aac cag ctg gac cgc atc agc gag	1557
	Ser Pro Ala Pro Glu Val Phe Met Asn Gln Leu Asp Arg Ile Ser Glu	
	385 390 395 400	
25	gaa tgc gag cca tgg gac gcc cag gac tac cac cca ctc atc ttc cag	1605
	Glu Cys Glu Pro Trp Asp Ala Gln Asp Tyr His Pro Leu Ile Phe Gln	
	405 410 415	
	gac gcc agc atc acc ttc gtg aac acg gag gct ggc ctc tca gac gag	1653
	Asp Ala Ser Ile Thr Phe Val Asn Thr Glu Ala Gly Leu Ser Asp Glu	
30	420 425 430	
	gag acc tcc aag tcc tcg cta gag gac aac ttg gca ggg gag gag agc	1701
	Glu Thr Ser Lys Ser Ser Leu Glu Asp Asn Leu Ala Gly Glu Glu Ser	
	435 440 445	
	ccc cag cag ggg gct gaa gcc aag gcg ccc ctg aac atg ggc gag ttc	1749
35	Pro Gln Gln Gly Ala Glu Ala Lys Ala Pro Leu Asn Met Gly Glu Phe	

96/177

	450	455	460	
	ccc tcc tcc tcc gag tcc acc ttc acc agc act gag tct gag ctc tct			1797
	Pro Ser Ser Ser Glu Ser Thr Phe Thr Ser Thr Glu Ser Glu Leu Ser			
	465	470	475	480
5	gtg cct tac gaa cag ctg atg aat gag tac aac aag gct aac agc ccc			1845
	Val Pro Tyr Glu Gln Leu Met Asn Glu Tyr Asn Lys Ala Asn Ser Pro			
	485	490	495	
	aag ggc aca tgaggcaggg ccggtccccc accccacett tgatgg			1890
	Lys Gly Thr			
10	cctcttccccc cctcacccta ggggtgtcccg agatgaccgg gacgcctggc ccctgggtggg			1950
	ggggcagcct cggaaactggg agtggggggc caggggcctt cctaaccctc catcatccccc			2010
	agctagatgt atgcccggga cagggcctct gttctccagc tgaaccatac cctggctgtg			2070
	ggggcatctg tcttgagctt ggctgggtgta tctcacaatg caaagacatg ctggctggcg			2130
15	ggacaggtgg gcaggactga ccctgaggag gccttgctg caggggtcttt gtcccaccat			2190
	ttgggtggagt atcacacggg tctctgaggt ccggggcctc agctgtttaa gtttaccggg			2250
	attactgagc tcggcatttg gagagggagc tctgaaagtgt ctggggaggt accgctgtgc			2310
	gtgggggtcag gtgtttccgt accacagcag gagcagggcc cgcccgcatc ccagctgtgg			2370
	gcctgccggg caggtcgggc acctactaca aaccgtagtg gggtaggagg tgctggaggt			2430
20	gggagtgagg agatgagggc aggggtctcaa acagtcctga ctcacagggc ctggaaacaa			2490
	gtcctatgtg ggctggggc ctggggctct catctcctt gttggtctac tcaggcccag			2550
	cccagagctg tgttcctgt ctcaggtaaa gcagtggcag acgcaaggct ttctgtgggc			2610
	ccccaaagtgg taggagggag agtagcagag catgggttac tggaagccgg gactgctagg			2670
	gctggtggcc agggagctgc aagagtgagg ctcagctctg gctggttctg cccttaccac			2730
25	tctgcccgc cggagaactg cacaccctgc ccgtggccc caggacctgc actcccaatc			2790
	ctgctgtctt ctcttccct gtgccctgaa caaggacctc actgcccgc tccccctccc			2850
	accagccccc ttgggcccag caggggtgagg ccaaattgct cttggccac aaatgggtga			2910
	tggtcagata tgtgaatcaa gctcctttct ctagctagtg tttgatgtgc acgtgtgtgt			2970
	gcacagtgcg tgtgtgcaca cgcacacctg tgcaactcgtg tgtgtttaag aaaggaaagg			3030
30	atgtgggctg gggagcaaaa gataatgtga aactgttggg ggactctctg gtgaggggtg			3090
	ggcagaactt gctgtacta gagttcttgg gttctccatg atgttcaccc tggggctggc			3150
	ccactgtgtc ctgaatgttt ttgttatatt ttgttttatt ttttaacaa actgctgttt			3210
	ttatatacct ggaatctgtt gttggcttca gagccagtgg ttaaagagca ggggtcccaag			3270
	gattgggaga tctagtgtct gccctcctgc cctgcaactc aattgggcct ttttcggtga			3330
35	cctcatccaa ggccatgatg tcaagggccca tgtccccaag cagaggtgga gaaggggaca			3390

97/177

ctgaggtgag caaaagcagg aaggggcac cactgcgggt gactggaggc cgggcaggaa 3450
 gcaagtcac agagccgctc agctccgttc actctctgcc ttctgcccc ctactgtggg 3510
 gcagtggggc cagagcccac ctccccaaac tgtgaagaca gtgatgggca cgtgcccaca 3570
 cccccacttc tctagccgtt tgcagaggcc gccaccacgc aggggcctga aaaggagcag 3630
 5 cctcgtatatt ttctgtgaaa tgttttaatg aaccatgttg ttgctggttg tcctggcacc 3690
 gcgcacactg tatgtacata ctggcaacga tgtcaaattg aatttatattt aacattttta 3750
 caataaaaca tgaggtgg 3768

<210> 89
 10 <211> 770
 <212> DNA
 <213> Homo sapiens
 <220>
 <221> CDS
 15 <222> (24)...(344)

<400> 89
 accgcgaagg gaggagtggc aac atg gcg tct tcg gga gct ggt gac cct ctg 53
 Met Ala Ser Ser Gly Ala Gly Asp Pro Leu
 20 1 5 10
 gat tct aag cgt gga gag gcc ccg ttc gct cag cgt atc gac ccg act 101
 Asp Ser Lys Arg Gly Glu Ala Pro Phe Ala Gln Arg Ile Asp Pro Thr
 15 20 25
 cgg gag aag ctg aca ccc gag caa ctg cat tcc atg cgg cag gcg gag 149
 25 Arg Glu Lys Leu Thr Pro Glu Gln Leu His Ser Met Arg Gln Ala Glu
 30 35 40
 ctt gcc cag tgg cag aag gtc cta cca cgg cgg cga acc cgg aac atc 197
 Leu Ala Gln Trp Gln Lys Val Leu Pro Arg Arg Arg Thr Arg Asn Ile
 45 50 55
 30 gtg acc ggc cta ggc atc ggg gcc ctg gtg ttg gct att tat ggt tac 245
 Val Thr Gly Leu Gly Ile Gly Ala Leu Val Leu Ala Ile Tyr Gly Tyr
 60 65 70
 acc ttc tac tcg att tcc cag gag cgt ttc cta gat gag cta gaa gac 293
 Thr Phe Tyr Ser Ile Ser Gln Glu Arg Phe Leu Asp Glu Leu Glu Asp
 35 75 80 85 90

98/177

	gag gcc aaa gct gcc cga gcc cga gct ctg gca agg gcg tca ggg tcc	341
	Glu Ala Lys Ala Ala Arg Ala Arg Ala Leu Ala Arg Ala Ser Gly Ser	
	95 100 105	
	taatctgga tgggtattga tcatgtccaa cctgctggag ccccttcaca tgggtggatga	400
5	tgcccatga cctgtagaa attgaatcct gtcacaaca ttgttggcct tcttaactaac	460
	cttgaccgt gattgagccc aagaaaccag ggacttacgc atttgccaa tgtcaaaaga	520
	acagaacttt gccactgca cacttgctgt gtacaatgac tgagcccttt cttgtagttt	580
	gtttccttgt ttgagaggtg tgcattgcgac cgtggtttt cccaaagttt ctgactttgt	640
	ggtttacccc cttcaccttc cagggacgca gttgttacga ggtagacgt ggcagctctg	700
10	tgcagtgttt gaggctacag tgggatacat agggtcaaat tgagaataat aaactgagtc	760
	attctcctgg	770
	<210> 90	
	<211> 1229	
15	<212> DNA	
	<213> Homo sapiens	
	<220>	
	<221> CDS	
	<222> (96)...(554)	
20	<400> 90	
	cctactcctg gattaggagg actgacaata ctacatatat cattaagcat gggcctcgct	60
	tagaagttag atctgagaaa gtagccaga agaca atg gac tat gtg tgc tgt	113
	Met Asp Tyr Val Cys Cys	
25	1 5	
	gct tac aac aac ata acc ggc agg caa gat gaa act cat ttc aca gtt	161
	Ala Tyr Asn Asn Ile Thr Gly Arg Gln Asp Glu Thr His Phe Thr Val	
	10 15 20	
	atc atc act tcc gta gga ctg gag aag ctt gca cag aaa gga aaa tca	209
30	Ile Ile Thr Ser Val Gly Leu Glu Lys Leu Ala Gln Lys Gly Lys Ser	
	25 30 35	
	ttg tca cct tta gca agt ata act gga ata tca cta ttt ttg att ata	257
	Leu Ser Pro Leu Ala Ser Ile Thr Gly Ile Ser Leu Phe Leu Ile Ile	
	40 45 50	
35	tcc atg tgt ctt ctc ttc cta tgg aaa aaa tat caa ccc tac aaa gtt	305

99/177

Ser Met Cys Leu Leu Phe Leu Trp Lys Lys Tyr Gln Pro Tyr Lys Val
 55 60 65 70
 ata aaa cag aaa cta gaa ggc agg cca gaa aca gaa tac agg aaa gct 353
 Ile Lys Gln Lys Leu Glu Gly Arg Pro Glu Thr Glu Tyr Arg Lys Ala
 5 75 80 85
 caa aca ttt tca ggc cat gaa gat gct ctg gat gac ttc gga ata tat 401
 Gln Thr Phe Ser Gly His Glu Asp Ala Leu Asp Asp Phe Gly Ile Tyr
 90 95 100
 gaa ttt gtt gct ttt cca gat gtt tct ggt gtt tcc agg atc cca agc 449
 10 Glu Phe Val Ala Phe Pro Asp Val Ser Gly Val Ser Arg Ile Pro Ser
 105 110 115
 agg tct gtt cca gcc tct gat tgt gta tgc ggg caa gat ttg cac agt 497
 Arg Ser Val Pro Ala Ser Asp Cys Val Ser Gly Gln Asp Leu His Ser
 120 125 130
 15 aca gtg tat gaa gtt att cag cac atc cct gcc cag cag caa gac cat 545
 Thr Val Tyr Glu Val Ile Gln His Ile Pro Ala Gln Gln Gln Asp His
 135 140 145 150
 cca gag tgaactttca tgggctaaac agtacattcg agtgaaattc tgaagaaac 600
 Pro Glu
 20
 attttaagga aaaacagtgg aaaagtatat taatctggaa tcagtgaaga aaccaagacc 660
 aacacctctt actcattatt cctttacatg cagaatagag gcatttatgc aaattgaact 720
 gcaggttttt cagcatatac acaatgtctt gtgcaacaga aaaacatggt ggggaaatat 780
 tctcagtggt agagtcgttc tcatgctgac ggggagaacg aaagtgacag gggtttcttc 840
 25 ataagttttg tatgaaatat ctctacaaac ctcaattagt tctactctac actttcacta 900
 tcatcaaacac tgagactatc ctgtctcacc tacaatgtg gaaactttac attgttcgat 960
 ttttcagcag actttgtttt attaaatttt tattagtgtt aagaatgcta aagtttcaat 1020
 tttatttcca aattttctatc ttgttatattg tacaacaaag taataaggat ggttgtcaca 1080
 aaaacaaaac tatgccttct cttttttttc aatcaccagt agtatttttg agaagacttg 1140
 30 tgaacactta aggaaatgac tattaagtc ttatttttat ttttttcaag gaaagatgga 1200
 ttcaaataaa ttattctgtt ttgtctttt 1229

 <210> 91
 <211> 358
 35 <212> PRT

100/177

<213> Homo sapience

<400> 91

Met Ala Pro Gln Asn Leu Ser Thr Phe Cys Leu Leu Leu Leu Tyr Leu
 5 1 5 10 15
 Ile Gly Ala Val Ile Ala Gly Arg Asp Phe Tyr Lys Ile Leu Gly Val
 20 25 30
 Pro Arg Ser Ala Ser Ile Lys Asp Ile Lys Lys Ala Tyr Arg Lys Leu
 35 40 45
 10 Ala Leu Gln Leu His Pro Asp Arg Asn Pro Asp Asp Pro Gln Ala Gln
 50 55 60
 Glu Lys Phe Gln Asp Leu Gly Ala Ala Tyr Glu Val Leu Ser Asp Ser
 65 70 75 80
 Glu Lys Arg Lys Gln Tyr Asp Thr Tyr Gly Glu Glu Gly Leu Lys Asp
 15 85 90 95
 Gly His Gln Ser Ser His Gly Asp Ile Phe Ser His Phe Phe Gly Asp
 100 105 110
 Phe Gly Phe Met Phe Gly Gly Thr Pro Arg Gln Gln Asp Arg Asn Ile
 115 120 125
 20 Pro Arg Gly Ser Asp Ile Ile Val Asp Leu Glu Val Thr Leu Glu Glu
 130 135 140
 Val Tyr Ala Gly Asn Phe Val Glu Val Val Arg Asn Lys Pro Val Ala
 145 150 155 160
 Arg Gln Ala Pro Gly Lys Arg Lys Cys Asn Cys Arg Gln Glu Met Arg
 25 165 170 175
 Thr Thr Gln Leu Gly Pro Gly Arg Phe Gln Met Thr Gln Glu Val Val
 180 185 190
 Cys Asp Glu Cys Pro Asn Val Lys Leu Val Asn Glu Glu Arg Thr Leu
 195 200 205
 30 Glu Val Glu Ile Glu Pro Gly Val Arg Asp Gly Met Glu Tyr Pro Phe
 210 215 220
 Ile Gly Glu Gly Glu Pro His Val Asp Gly Glu Pro Gly Asp Leu Arg
 225 230 235 240
 Phe Arg Ile Lys Val Val Lys His Pro Ile Phe Glu Arg Arg Gly Asp
 35 245 250 255

101/177

Asp Leu Tyr Thr Asn Val Thr Ile Ser Leu Val Glu Ser Leu Val Gly
 260 265 270
 Phe Glu Met Asp Ile Thr His Leu Asp Gly His Lys Val His Ile Ser
 275 280 285
 5 Arg Asp Lys Ile Thr Arg Pro Gly Ala Lys Leu Trp Lys Lys Gly Glu
 290 295 300
 Gly Leu Pro Asn Phe Asp Asn Asn Asn Ile Lys Gly Ser Leu Ile Ile
 305 310 315 320
 Thr Phe Asp Val Asp Phe Pro Lys Glu Gln Leu Thr Glu Glu Ala Arg
 10 325 330 335
 Glu Gly Ile Lys Gln Leu Leu Lys Gln Gly Ser Val Gln Lys Val Tyr
 340 345 350
 Asn Gly Leu Gln Gly Tyr
 355
 15
 <210> 92
 <211> 226
 <212> PRT
 <213> Homo sapience
 20
 <400> 92
 Met Lys Met Val Ala Pro Trp Thr Arg Phe Tyr Ser Asn Ser Cys Cys
 1 5 10 15
 Leu Cys Cys His Val Arg Thr Gly Thr Ile Leu Leu Gly Val Trp Tyr
 25 20 25 30
 Leu Ile Ile Asn Ala Val Val Leu Leu Ile Leu Leu Ser Ala Leu Ala
 35 40 45
 Asp Pro Asp Gln Tyr Asn Phe Ser Ser Ser Glu Leu Gly Gly Asp Phe
 50 55 60
 30 Glu Phe Met Asp Asp Ala Asn Met Cys Ile Ala Ile Ala Ile Ser Leu
 65 70 75 80
 Leu Met Ile Leu Ile Cys Ala Met Ala Thr Tyr Gly Ala Tyr Lys Gln
 85 90 95
 Arg Ala Ala Trp Ile Ile Pro Phe Phe Cys Tyr Gln Ile Phe Asp Phe
 35 100 105 110

102/177

Ala Leu Asn Met Leu Val Ala Ile Thr Val Leu Ile Tyr Pro Asn Ser
 115 120 125
 Ile Gln Glu Tyr Ile Arg Gln Leu Pro Pro Asn Phe Pro Tyr Arg Asp
 130 135 140
 5 Asp Val Met Ser Val Asn Pro Thr Cys Leu Val Leu Ile Ile Leu Leu
 145 150 155 160
 Phe Ile Ser Ile Ile Leu Thr Phe Lys Gly Tyr Leu Ile Ser Cys Val
 165 170 175
 Trp Asn Cys Tyr Arg Tyr Ile Asn Gly Arg Asn Ser Ser Asp Val Leu
 10 180 185 190
 Val Tyr Val Thr Ser Asn Asp Thr Thr Val Leu Leu Pro Pro Tyr Asp
 195 200 205
 Asp Ala Thr Val Asn Gly Ala Ala Lys Glu Pro Pro Pro Pro Tyr Val
 210 215 220
 15 Ser Ala
 225

 <210> 93
 <211> 195
 20 <212> PRT
 <213> Homo sapience

 <400> 93
 Met Arg Leu Leu Leu Leu Leu Leu Val Ala Ala Ser Ala Met Val Arg
 25 1 5 10 15
 Ser Glu Ala Ser Ala Asn Leu Gly Gly Val Pro Ser Lys Arg Leu Lys
 20 25 30
 Met Gln Tyr Ala Thr Gly Pro Leu Leu Lys Phe Gln Ile Cys Val Ser
 35 40 45
 30 Xaa Gly Tyr Arg Arg Val Phe Glu Glu Tyr Met Arg Val Ile Ser Gln
 50 55 60
 Arg Tyr Pro Asp Ile Arg Ile Glu Gly Glu Asn Tyr Leu Pro Gln Pro
 65 70 75 80
 Ile Tyr Arg His Ile Ala Ser Phe Leu Ser Val Phe Lys Leu Val Leu
 35 85 90 95

103/177

Ile Gly Leu Ile Ile Val Gly Lys Asp Pro Phe Ala Phe Phe Gly Met
 100 105 110
 Gln Ala Pro Ser Ile Trp Gln Trp Gly Gln Glu Asn Lys Val Tyr Ala
 115 120 125
 5 Cys Met Met Val Phe Phe Leu Ser Asn Met Ile Glu Asn Gln Cys Met
 130 135 140
 Ser Thr Gly Ala Phe Glu Ile Thr Leu Asn Asp Val Pro Val Trp Ser
 145 150 155 160
 Lys Leu Glu Ser Gly His Leu Pro Ser Met Gln Gln Leu Val Gln Ile
 10 165 170 175
 Leu Asp Asn Glu Met Lys Leu Asn Val His Met Asp Ser Ile Pro His
 180 185 190
 His Arg Ser
 195
 15
 <210> 94
 <211> 339
 <212> PRT
 <213> Homo sapience
 20
 <400> 94
 Met Asn Trp Glu Leu Leu Leu Trp Leu Leu Val Leu Cys Ala Leu Leu
 1 5 10 15
 Leu Leu Leu Val Gln Leu Leu Arg Phe Leu Arg Ala Asp Gly Asp Leu
 25 20 25 30
 Thr Leu Leu Trp Ala Glu Trp Gln Gly Arg Arg Pro Glu Trp Glu Leu
 35 40 45
 Thr Asp Met Val Val Trp Val Thr Gly Ala Ser Ser Gly Ile Gly Glu
 50 55 60
 30 Glu Leu Ala Tyr Gln Leu Ser Lys Leu Gly Val Ser Leu Val Leu Ser
 65 70 75 80
 Ala Arg Arg Val His Glu Leu Glu Arg Val Lys Arg Arg Cys Leu Glu
 85 90 95
 Asn Gly Asn Leu Lys Glu Lys Asp Ile Leu Val Leu Pro Leu Asp Leu
 35 100 105 110

104/177

Thr Asp Thr Gly Ser His Glu Ala Ala Thr Lys Ala Val Leu Gln Glu
 115 120 125
 Phe Gly Arg Ile Asp Ile Leu Val Asn Asn Gly Gly Met Ser Gln Arg
 130 135 140
 5 Ser Leu Cys Met Asp Thr Ser Leu Asp Val Tyr Arg Lys Leu Ile Glu
 145 150 155 160
 Leu Asn Tyr Leu Gly Thr Val Ser Leu Thr Lys Cys Val Leu Pro His
 165 170 175
 Met Ile Glu Arg Lys Gln Gly Lys Ile Val Thr Val Asn Ser Ile Leu
 10 180 185 190
 Gly Ile Ile Ser Val Pro Leu Ser Ile Gly Tyr Cys Ala Ser Lys His
 195 200 205
 Ala Leu Arg Gly Phe Phe Asn Gly Leu Arg Thr Glu Leu Ala Thr Tyr
 210 215 220
 15 Pro Gly Ile Ile Val Ser Asn Ile Cys Pro Gly Pro Val Gln Ser Asn
 225 230 235 240
 Ile Val Glu Asn Ser Leu Ala Gly Glu Val Thr Lys Thr Ile Gly Asn
 245 250 255
 Asn Gly Asp Gln Ser His Lys Met Thr Thr Ser Arg Cys Val Arg Leu
 20 260 265 270
 Met Leu Ile Ser Met Ala Asn Asp Leu Lys Glu Val Trp Ile Ser Glu
 275 280 285
 Gln Pro Phe Leu Leu Val Thr Tyr Leu Trp Gln Tyr Met Pro Thr Trp
 290 295 300
 25 Ala Trp Trp Ile Thr Asn Lys Met Gly Lys Lys Arg Ile Glu Asn Phe
 305 310 315 320
 Lys Ser Gly Val Asp Ala Asp Ser Ser Tyr Phe Lys Ile Phe Lys Thr
 325 330 335
 Lys His Asp
 30
 <210> 95
 <211> 487
 <212> PRT
 <213> Homo sapiens
 35

105/177

<400> 95

Met Asp Gly Thr Glu Thr Arg Gln Arg Arg Leu Asp Ser Cys Gly Lys
 1 5 10 15

Pro Gly Glu Leu Gly Leu Pro His Pro Leu Ser Thr Gly Gly Leu Pro
 5 20 25 30

Val Ala Ser Glu Asp Gly Ala Leu Arg Ala Pro Glu Ser Gln Ser Val
 35 40 45

Thr Pro Lys Pro Leu Glu Thr Glu Pro Ser Arg Glu Thr Ala Trp Ser
 50 55 60

10 Ile Gly Leu Gln Val Thr Val Pro Phe Met Phe Ala Gly Leu Gly Leu
 65 70 75 80

Ser Trp Ala Gly Met Leu Leu Asp Tyr Phe Gln His Trp Pro Val Phe
 85 90 95

Val Glu Val Lys Asp Leu Leu Thr Leu Val Pro Pro Leu Val Gly Leu
 15 100 105 110

Lys Gly Asn Leu Glu Met Thr Leu Ala Ser Arg Leu Ser Thr Ala Ala
 115 120 125

Asn Thr Gly Gln Ile Asp Asp Pro Gln Glu Gln His Arg Val Ile Ser
 130 135 140

20 Ser Asn Leu Ala Leu Ile Gln Val Gln Ala Thr Val Val Gly Leu Leu
 145 150 155 160

Ala Ala Val Ala Ala Leu Leu Leu Gly Val Val Ser Arg Glu Glu Val
 165 170 175

Asp Val Ala Lys Val Glu Leu Leu Cys Ala Ser Ser Val Leu Thr Ala
 25 180 185 190

Phe Leu Ala Ala Phe Ala Leu Gly Val Leu Met Val Cys Ile Val Ile
 195 200 205

Gly Ala Arg Lys Leu Gly Val Asn Pro Asp Asn Ile Ala Thr Pro Ile
 210 215 220

30 Ala Ala Ser Leu Gly Asp Leu Ile Thr Leu Ser Ile Leu Ala Leu Val
 225 230 235 240

Ser Ser Phe Phe Tyr Arg His Lys Asp Ser Arg Tyr Leu Thr Pro Leu
 245 250 255

Val Cys Leu Ser Phe Ala Ala Leu Thr Pro Val Trp Val Leu Ile Ala
 35 260 265 270

106/177

Lys Gln Ser Pro Pro Ile Val Lys Ile Leu Lys Phe Gly Trp Phe Pro
 275 280 285
 Ile Ile Leu Ala Met Val Ile Ser Ser Phe Gly Gly Leu Ile Leu Ser
 290 295 300
 5 Lys Thr Val Ser Lys Gln Gln Tyr Lys Gly Met Ala Ile Phe Thr Pro
 305 310 315 320
 Val Ile Cys Gly Val Gly Gly Asn Leu Val Ala Ile Gln Thr Ser Arg
 325 330 335
 Ile Ser Thr Tyr Leu His Met Trp Ser Ala Pro Gly Val Leu Pro Leu
 10 340 345 350
 Gln Met Lys Lys Phe Trp Pro Asn Pro Cys Ser Thr Phe Cys Thr Ser
 355 360 365
 Glu Ile Asn Ser Met Ser Ala Arg Val Leu Leu Leu Leu Val Val Pro
 370 375 380
 15 Gly His Leu Ile Phe Phe Tyr Ile Ile Tyr Leu Val Glu Gly Gln Ser
 385 390 395 400
 Val Ile Asn Ser Gln Thr Phe Val Val Leu Tyr Leu Leu Ala Gly Leu
 405 410 415
 Ile Gln Val Thr Ile Leu Leu Tyr Leu Ala Glu Val Met Val Arg Leu
 20 420 425 430
 Thr Trp His Gln Ala Leu Asp Pro Asp Asn His Cys Ile Pro Tyr Leu
 435 440 445
 Thr Gly Leu Gly Asp Leu Leu Gly Thr Gly Leu Leu Ala Leu Cys Phe
 450 455 460
 25 Phe Thr Asp Trp Leu Leu Lys Ser Lys Ala Glu Leu Gly Gly Ile Ser
 465 470 475 480
 Glu Leu Ala Ser Gly Pro Pro
 485
 30 <210> 96
 <211> 393
 <212> PRT
 <213> Homo sapience
 35 <400> 96

107/177

Met Arg Thr Leu Phe Asn Leu Leu Trp Leu Ala Leu Ala Cys Ser Pro
 1 5 10 15
 Val His Thr Thr Leu Ser Lys Ser Asp Ala Lys Lys Ala Ala Ser Lys
 20 25 30
 5 Thr Leu Leu Glu Lys Ser Gln Phe Ser Asp Lys Pro Val Gln Asp Arg
 35 40 45
 Gly Leu Val Val Thr Asp Leu Lys Ala Glu Ser Val Val Leu Glu His
 50 55 60
 Arg Ser Tyr Cys Ser Ala Lys Ala Arg Asp Arg His Phe Ala Gly Asp
 10 65 70 75 80
 Val Leu Gly Tyr Val Thr Pro Trp Asn Ser His Gly Tyr Asp Val Thr
 85 90 95
 Lys Val Phe Gly Ser Lys Phe Thr Gln Ile Ser Pro Val Trp Leu Gln
 100 105 110
 15 Leu Lys Arg Arg Gly Arg Glu Met Phe Glu Val Thr Gly Leu His Asp
 115 120 125
 Val Asp Gln Gly Trp Met Arg Ala Val Arg Lys His Ala Lys Gly Leu
 130 135 140
 His Ile Val Pro Arg Leu Leu Phe Glu Asp Trp Thr Tyr Asp Asp Phe
 20 145 150 155 160
 Arg Asn Val Leu Asp Ser Glu Asp Glu Ile Glu Glu Leu Ser Lys Thr
 165 170 175
 Val Val Gln Val Ala Lys Asn Gln His Phe Asp Gly Phe Val Val Glu
 180 185 190
 25 Val Trp Asn Gln Leu Leu Ser Gln Lys Arg Val Gly Leu Ile His Met
 195 200 205
 Leu Thr His Leu Ala Glu Ala Leu His Gln Ala Arg Leu Leu Ala Leu
 210 215 220
 Leu Val Ile Pro Pro Ala Ile Thr Pro Gly Thr Asp Gln Leu Gly Met
 30 225 230 235 240
 Phe Thr His Lys Glu Phe Glu Gln Leu Ala Pro Val Leu Asp Gly Phe
 245 250 255
 Ser Leu Met Thr Tyr Asp Tyr Ser Thr Ala His Gln Pro Gly Pro Asn
 260 265 270
 35 Ala Pro Leu Ser Trp Val Arg Ala Cys Val Gln Val Leu Asp Pro Lys

108/177

275 280 285
 Ser Lys Trp Arg Ser Lys Ile Leu Leu Gly Leu Asn Phe Tyr Gly Met
 290 295 300
 Asp Tyr Ala Thr Ser Lys Asp Ala Arg Glu Pro Val Val Gly Ala Arg
 5 305 310 315 320
 Tyr Ile Gln Thr Leu Lys Asp His Arg Pro Arg Met Val Trp Asp Ser
 325 330 335
 Gln Ala Ser Glu His Phe Phe Glu Tyr Lys Lys Ser Arg Ser Gly Arg
 340 345 350
 10 His Val Val Phe Tyr Pro Thr Leu Lys Ser Leu Gln Val Arg Leu Glu
 355 360 365
 Leu Ala Arg Glu Leu Gly Val Gly Val Ser Ile Trp Glu Leu Gly Gln
 370 375 380
 Gly Leu Asp Tyr Phe Tyr Asp Leu Leu
 15 385 390

 <210> 97
 <211> 196
 <212> PRT
 20 <213> Homo sapience

 <400> 97
 Met Trp Arg Val Pro Gly Thr Thr Arg Arg Pro Val Thr Gly Glu Ser
 1 5 10 15
 25 Pro Gly Met His Arg Pro Glu Ala Met Leu Leu Leu Leu Thr Leu Ala
 20 25 30
 Leu Leu Gly Gly Pro Thr Trp Ala Gly Lys Met Tyr Gly Pro Gly Gly
 35 40 45
 Gly Lys Tyr Phe Ser Thr Thr Glu Asp Tyr Asp His Glu Ile Thr Gly
 30 50 55 60
 Leu Arg Val Ser Val Gly Leu Leu Leu Val Lys Ser Val Gln Val Lys
 65 70 75 80
 Leu Gly Asp Ser Trp Asp Val Lys Leu Gly Ala Leu Gly Gly Asn Thr
 85 90 95
 35 Gln Glu Val Thr Leu Gln Pro Gly Glu Tyr Ile Thr Lys Val Phe Val

109/177

100 105 110
 Ala Phe Gln Ala Phe Leu Arg Gly Met Val Met Tyr Thr Ser Lys Asp
 115 120 125
 Arg Tyr Phe Tyr Phe Gly Lys Leu Asp Gly Gln Ile Ser Ser Ala Tyr
 5 130 135 140
 Pro Ser Gln Glu Gly Gln Val Leu Val Gly Ile Tyr Gly Gln Tyr Gln
 145 150 155 160
 Leu Leu Gly Ile Lys Ser Ile Gly Phe Glu Trp Asn Tyr Pro Leu Glu
 165 170 175
 10 Glu Pro Thr Thr Glu Pro Pro Val Asn Leu Thr Tyr Ser Ala Asn Ser
 180 185 190
 Pro Val Gly Arg
 195
 15 <210> 98
 <211> 107
 <212> PRT
 <213> Homo sapience
 20 <400> 98
 Met Glu Gln Lys Leu Val Glu Glu Ile Leu Gln Ala Ile Thr Met Ser
 1 5 10 15
 Thr Asp Thr Gly Val Ser Leu Pro Ser Tyr Glu Glu Asp Gln Gly Ser
 20 25 30
 25 Lys Leu Ile Arg Lys Ala Lys Glu Ala Pro Phe Val Pro Val Gly Ile
 35 40 45
 Ala Gly Phe Ala Ala Ile Val Ala Tyr Gly Leu Tyr Lys Leu Lys Ser
 50 55 60
 Arg Gly Asn Thr Lys Met Ser Ile His Leu Ile His Met Arg Val Ala
 30 65 70 75 80
 Ala Glu Gly Phe Val Val Gly Ala Met Thr Val Gly Met Gly Tyr Ser
 85 90 95
 Met Tyr Arg Glu Phe Trp Ala Lys Pro Lys Pro
 100 105
 35

110/177

<210> 99

<211> 350

<212> PRT

<213> Homo sapience

5

<400> 99

Met Ser Glu Val Lys Ser Arg Lys Lys Ser Gly Pro Lys Gly Ala Pro
 1 5 10 15
 Ala Ala Glu Pro Gly Lys Arg Ser Glu Gly Gly Lys Thr Pro Val Ala
 10 20 25 30
 Arg Ser Ser Gly Gly Gly Gly Trp Ala Asp Pro Arg Thr Cys Leu Ser
 35 40 45
 Leu Leu Ser Leu Gly Thr Cys Leu Gly Leu Ala Trp Phe Val Phe Gln
 50 55 60
 15 Gln Ser Glu Lys Phe Ala Lys Val Glu Asn Gln Tyr Gln Leu Leu Lys
 65 70 75 80
 Leu Glu Thr Asn Glu Phe Gln Gln Leu Gln Ser Lys Ile Ser Leu Ile
 85 90 95
 Ser Glu Lys Trp Gln Lys Ser Glu Ala Ile Met Glu Gln Leu Lys Ser
 20 100 105 110
 Phe Gln Ile Ile Ala His Leu Lys Arg Leu Gln Glu Glu Ile Asn Glu
 115 120 125
 Val Lys Thr Trp Ser Asn Arg Ile Thr Glu Lys Gln Asp Ile Leu Asn
 130 135 140
 25 Asn Ser Leu Thr Thr Leu Ser Gln Asp Ile Thr Lys Val Asp Gln Ser
 145 150 155 160
 Thr Thr Ser Met Ala Lys Asp Val Gly Leu Lys Ile Thr Ser Val Lys
 165 170 175
 Thr Asp Ile Arg Arg Ile Ser Gly Leu Val Thr Asp Val Ile Ser Leu
 30 180 185 190
 Thr Asp Ser Val Gln Glu Leu Glu Asn Lys Ile Glu Lys Val Glu Lys
 195 200 205
 Asn Thr Val Lys Asn Ile Gly Asp Leu Leu Ser Ser Ser Ile Asp Arg
 210 215 220
 35 Thr Ala Thr Leu Arg Lys Thr Ala Ser Glu Asn Ser Gln Arg Ile Asn

111/177

225 230 235 240
 Ser Val Lys Lys Thr Leu Thr Glu Leu Lys Ser Asp Phe Asp Lys His
 245 250 255
 Thr Asp Arg Phe Leu Ser Leu Glu Gly Asp Arg Ala Lys Val Leu Lys
 5 260 265 270
 Thr Val Thr Phe Ala Asn Asp Leu Lys Pro Lys Val Tyr Asn Leu Lys
 275 280 285
 Lys Asp Phe Ser Arg Leu Glu Pro Leu Val Asn Asp Leu Thr Leu Arg
 290 295 300
 10 Ile Gly Arg Leu Val Thr Asp Leu Leu Gln Arg Glu Lys Glu Ile Ala
 305 310 315 320
 Phe Leu Ser Glu Lys Ile Ser Asn Leu Thr Ile Val Gln Ala Glu Ile
 325 330 335
 Lys Asp Ile Lys Asp Glu Ile Ala His Ile Ser Asp Met Asn
 15 340 345 350

 <210> 100
 <211> 107
 <212> PRT
 20 <213> Homo sapience

 <400> 100
 Met Ser Ser Ala Gly Thr Ala Thr Pro Leu Glu Met Asp His Lys Leu
 1 5 10 15
 25 Thr Ser Gln Pro Gly Arg Pro Ser Phe Tyr Cys Asn Ser Arg His Ser
 20 25 30
 Ile Val Gly Ser Ser His Gln Leu Gly Phe Trp Phe Ser His Leu Glu
 35 40 45
 Ser Ser Gly Leu Lys Val Phe Gln Val Ser Leu Pro Cys Glu Cys Val
 30 50 55 60
 Asn Leu Pro Thr Arg Ile Ala Ser Val Val Leu Ser Leu Met Ser Leu
 65 70 75 80
 Leu Val Val Gly Gln Ala Pro Ala Trp Glu Gly Ser Leu Leu Arg Gly
 85 90 95
 35 Arg Pro Ala Gly Gly Ala His Leu Cys Ala Ala

112/177

100

105

<210> 101

<211> 1074

5

<212> DNA

<213> Homo Sapience

<400> 101

	atggetccgc	agaacctgag	caccttttgc	ctgttgctgc	tatacctcat	cggggcgggtg	60
10	attgccggac	gagatttcta	taagatcttg	ggggtgcctc	gaagtgcctc	tataaaggat	120
	attaaaaagg	cctataggaa	actagccctg	cagcttcata	ccgaccggaa	ccctgatgat	180
	ccacaagccc	aggagaaatt	ccaggatctg	ggtgctgctt	atgaggttct	gtcagatagt	240
	gagaaacgga	aacagtacga	tacttatggt	gaagaaggat	taaaagatgg	tcatacagagc	300
	tcccatggag	acattttttc	acacttcttt	ggggattttg	gtttcatggt	tggaggaacc	360
15	cctcgtcagc	aagacagaaa	tattccaaga	ggaagtgata	ttattgtaga	tctagaagtc	420
	actttggaag	aagtatatgc	aggaaatttt	gtggaagtag	ttagaaacaa	acctgtggca	480
	aggcaggctc	ctggcaaacg	gaagtgcaat	tgctggcaag	agatgcggac	cacccagctg	540
	ggccctgggc	gcttccaaat	gacccaggag	gtggtctgcg	acgaatgccc	taatgtcaaa	600
	ctagtgaatg	aagaacgaac	gctggaagta	gaaatagagc	ctggggtgag	agacggcatg	660
20	gagtaccctt	ttattggaga	aggtgagcct	cacgtggatg	gggagcctgg	agatttacgg	720
	ttccgaatca	aagttgtcaa	gcacccaata	tttgaaagga	gaggagatga	tttgtaacaa	780
	aatgtgacaa	tctcattagt	tgagtcactg	gttggtcttg	agatggatat	tactcacttg	840
	gatggtcaca	aggtacatat	ttcccgatg	aagatcacca	ggccaggagc	gaagctatgg	900
	aagaaagggg	aagggctccc	caactttgac	aacaacaata	tcaagggctc	tttgataatc	960
25	acttttgatg	tggattttcc	aaaagaacag	ttaacagagg	aagcgagaga	aggtatcaaa	1020
	cagctactga	aacaagggtc	agtgcagaag	gtatacaatg	gactgcaagg	atat	1074

<210> 102

<211> 678

30

<212> DNA

<213> Homo Sapience

<400> 102

	atgaagatgg	tcgcgcctcg	gacgcgggtc	tactccaaca	getgetgctt	gtgetgceat	60
35	gtccgcaccg	gcaccatcct	gctcggcgtc	tggtatctga	tcataaatgc	tgtggtactg	120

113/177

5 ttgattttat tgagtgccct ggctgatccg gatcagtata acttttcaag ttctgaactg 180
 ggaggtgact ttgagttcat ggatgatgcc aacatgtgca ttgccattgc gattttctctt 240
 ctcatgatcc tgatatgtgc tatggctact tacggagcgt acaagcaacg cgcagcctgg 300
 atcatcccat tcttctgtta ccagatcttt gactttgccc tgaacatggt ggttgcaatc 360
 actgtgctta tttatccaaa ctccattcag gaatacatac ggcaactgcc tcctaatttt 420
 ccctacagag atgatgtcat gtcagtgaat cctacctgtt tggtccttat tattcttctg 480
 tttattagca ttatcttgac ttttaagggt tacttgatta gctgtgtttg gaactgctac 540
 cgatacatca atggtaggaa ctctcttgat gtcctggttt atgttaccag caatgacact 600
 acggtgctgc taccctcgta tgatgatgcc actgtgaatg gtgctgccaa ggagccaccg 660
 10 ccaccttacg tgtctgcc 678

<210> 103

<211> 585

<212> DNA

15 <213> Homo Sapience

<400> 103

20 atgaggettc tgctgcttct cctagtggcg gcgtctgcga tggccggag cgaggcctcg 60
 gccaatctgg gggcggtgcc cagcaagaga ttaaagatgc agtacgccac ggggccgctg 120
 ctcaagttcc agatttgtgt ttcctgaggt tataggcggg tgtttgagga gtacatgcgg 180
 gttattagcc agcggtagcc agacatccgc attgaaggag agaattacct ccctcaacca 240
 atatatagac acatagcacc tttcctgtca gtcttcaaac tagtattaat aggettaata 300
 attgttgcca aggatccttt tgctttcttt ggcatgcaag ctcttagcat ctggcagtg 360
 ggccaagaaa ataaggttta tgcatgtatg atgggtttct tcttgagcaa catgattgag 420
 25 aaccagtgtg tgtcaacagg tgcatttgag ataaacttta atgatgtacc tgtgtggtct 480
 aagctggaat ctggtcacct tccatccatg caacaacttg ttcaaattct tgacaatgaa 540
 atgaagctca atgtgcatat ggattcaatc ccacaccatc gatca 585

<210> 104

30 <211> 1017

<212> DNA

<213> Homo Sapience

<400> 104

35 atgaactggg agctgctgct gtggctgctg gtgctgtgcg cgctgctcct gctcttggtg 60

114/177

cagctgctgc gcttctgag ggctgacgc gacctgacgc tactatgggc cgagtggcag 120
 ggacgacgcc cagaatggga gctgactgat atgggtggtgt gggtgactgg agcctcgagt 180
 ggaattggtg aggagctggc ttaccagttg tctaaactag gagtttctct tgtgctgtca 240
 gccagaagag tgcattgagct ggaaagggtg aaaagaagat gcctagagaa tggcaattta 300
 5 aaagaaaaag atatacttgt tttgcccctt gacctgaccg aactggttc ccatgaagcg 360
 gctaccaaaag ctgttctcca ggagtttggg agaactgaca ttctgggtcaa caatggtgga 420
 atgtcccagc gttctctgtg catggatacc agcttggatg tctacagaaa gctaatagag 480
 cttactact tagggacggt gtccttgaca aaatgtgttc tgccctcacat gatcgagagg 540
 aagcaaggaa agattgttac tgtgaatagc atcctgggta tcatatctgt acctctttcc 600
 10 attggatact gtgctagcaa gcatgctctc cggggttttt ttaatggcct tcgaacagaa 660
 cttgccacat acccaggtat aatagtttct aacatttgcc caggacctgt gcaatcaaat 720
 attgtggaga attccctagc tggagaagtc acaaagacta taggcaataa tggagaccag 780
 tcccacaaga tgacaaccag tcgttgtgtg cggtgatgt taatcagcat ggccaatgat 840
 ttgaaagaag tttggatctc agaacaacct ttctgttag taacatattt gtggcaatac 900
 15 atgccaacct gggcctggtg gataaccaac aagatgggga agaaaaggat tgagaacttt 960
 aagagtgggtg tggatgcaga ctcttcttat tttaaaatct ttaagacaaa acatgac 1017

<210> 105

<211> 1461

20 <212> DNA

<213> Homo Sapiens

<400> 105

atggatggga cagagaccgc gcagcggagg ctggacagct gtggcaagcc aggggagctg 60
 25 gggcttctc acccctcag cacaggagga ctccctgtag cctcagaaga tggagctctc 120
 agggccctg agagccaaag cgtgaccccc aagccactgg agactgagcc tagcagggag 180
 accgcctggt ccataggcct tcaggtgacc gtgcccttca tgtttgcagg cctgggactg 240
 tctggggccg gcattgcttct ggactatttc cagcactggc ctgtgtttgt ggaggtgaaa 300
 gaccttttga cattggtgcc gccctggtg ggctgaagg ggaacctgga gatgacactg 360
 30 gcattccagc tctccacagc tgccaaact ggacaaattg atgaccccca ggagcagcac 420
 agagtcatca gcagcaacct ggcctcatc caggtgcagg cactgtcgt ggggtctctg 480
 gctgtgtgg ctgcgctgct gttggcggtg gtgtctcgag aggaagtgga tgtcgccaa 540
 gtggagtgtc tgtgtgccag cagtgtctc actgcttcc ttgcagcctt tgccctgggg 600
 gtgctgatgg tctgtatagt gattggtgct cgaaagctcg gggtaaccc agacaacatt 660
 35 gccacgccca ttgcagccag cctgggagac ctcatcacac tgtccattct ggctttggtt 720

115/177

	agcagcttct	totacagaca	caaagatagt	cggtatctga	cgccgctggg	ctgectcage	780
	tttgcggtct	tgaccccagt	gtgggtctct	attgccaaag	agagcccacc	catcgtgaag	840
	atcctgaagt	ttggctgggt	cccaatcctc	ctggccatgg	tcctcagcag	tttcggagga	900
	ctcatcttga	gcaaaaccgt	ttctaaacag	cagtacaaag	gcatggcgat	atttaccctc	960
5	gtcatatgtg	gtgttggtgg	caatctgggt	gccattcaga	ccagccgaat	ctcaacctac	1020
	ctgcacatgt	ggagtgcacc	tggcgtctct	cccctccaga	tgaagaaatt	ctggcccaac	1080
	ccgtgttcta	ctttctgcac	gtcagaaatc	aattccatgt	cagctcgagt	cctgctcttg	1140
	ctggtgggtc	caggccatct	gattttcttc	tacatcatct	acctgggtga	gggtcagtca	1200
	gtcataaaca	gccagacctt	tgtggtgctc	tacctgctgg	caggcctgat	ccaggtgaca	1260
10	atcctgctgt	acctggcaga	agtgatgggt	cggtgacttt	ggcaccaggc	cctggatcct	1320
	gacaaccact	gcacccctta	ccttacaggg	ctggggggacc	tgtcgggtac	tggcctcctg	1380
	gcactctgct	ttttactga	ctggctactg	aagagcaagg	cagagctggg	tggcatctca	1440
	gaactggcat	ctggacctcc	c				1461
15	<210> 106						
	<211> 1179						
	<212> DNA						
	<213> Homo Sapience						
20	<400> 106						
	atcgggacac	tcttcaacct	cctctggctt	gccctggcct	gcagccctgt	tcacactacc	60
	ctgtcaaaagt	cagatgccaa	aaaagccgcc	tcaaagacgc	tgtcggagaa	gagtcagttt	120
	tcagataagc	cggtgcaaga	ccgggggtttg	gtggtgacgg	acctcaaagc	tgagagtgtg	180
	gttcttgagc	atcgagctta	ctgctcggca	aaggcccggg	acagacactt	tgtcggggat	240
25	gtactgggct	atgtcactcc	atggaacagc	catggctacg	atgtcaccaa	ggtctttggg	300
	agcaagttca	cacagatctc	acctgtctgg	ctgcagctga	agagacgtgg	ccgtgagatg	360
	tttgagggtca	cgggcctcca	cgacgtggac	caagggtgga	tgcgagctgt	caggaagcat	420
	gccaaggggc	tgcacatagt	gcctcggtct	ctgtttgagg	actggactta	cgatgatctc	480
	cggaacgtct	tagacagtga	ggatgagata	gaggagctga	gcaagaccgt	ggtccaggtg	540
30	gcaaaagaacc	agcatttcga	tggcttcgtg	gtggaggtct	ggaaccagct	gctaagccag	600
	aagcgctggg	gcctcatcca	catgtctacc	cacttggtcg	aggtctctga	ccaggcccg	660
	ctgctggccc	tcctggatca	cccgcctgcc	atccccccg	ggaccgacca	gctgggcatg	720
	ttcacgcaca	aggagtctga	gcagctggcc	cccgtgctgg	atggtttcag	cctcatgacc	780
	tacgactact	ctacagcgca	tcagcctggc	cctaatacgc	ccctgtcctg	ggttcgagcc	840
35	tgcgtccagg	tcctggaccc	gaagtccaag	tggcgaagca	aaatcctcct	ggggctcaac	900

116/177

	ttctatggta tggactacgc gacctccaag gatgcccggtg agcctgttgt cggggccagg	960
	tacatccaga cactgaagga ccacaggccc cggatggtgt gggacagcca ggcctcagag	1020
	cacttcttcg agtacaagaa gagccgcagt gggaggcacg tcgtcttcta cccaaccctg	1080
	aagtcctcgc aggtgcggct ggagctggcc cgggagctgg gcgttggggg ctctatctgg	1140
5	gagctggggc agggcctgga ctactctac gacctgtc	1179
	<210> 107	
	<211> 588	
	<212> DNA	
10	<213> Homo Sapience	
	<400> 107	
	atgtggaggg tggccggcac aaccagacgc ccagtcacag gcgagagccc tgggatgcac	60
	cggccagagg ccatgctgct gctgctcacg cttgccctcc tggggggccc cacctgggca	120
15	gggaagatgt atggccctgg aggaggcaag tatttcagca ccactgaaga ctacgacct	180
	gaaatcacag ggctgcgggt gtctgtaggt cttctcctgg tgaaaagtgt ccaggtgaaa	240
	cttgagagct cctgggacgt gaaactggga gccttaggtg ggaataccca ggaagtcacc	300
	ctgcagccag gcgaatacat cacaaaagtc tttgtgcct tccaagcttt cctccgggg	360
	atggtcatgt acaccagcaa ggaccgctat ttctatcttg ggaagcttga tgccagatc	420
20	tcctctgcct accccagcca agaggggcag gtgtgtgtgg gcatttatgg ccagtatcaa	480
	ctccttgga tcaagagcat tggctttgaa tggaattatc cactagagga gccgaccact	540
	gagccaccag ttaatctcac atactcagca aactcacccg tgggtcgc	588
	<210> 108	
25	<211> 321	
	<212> DNA	
	<213> Homo Sapience	
	<400> 108	
30	atggagcaga agcttgtgga ggagattctt caagcaatca ctatgtcaac agacacaggt	60
	gtttcccttc cttcatatga ggaagatcag ggatcaaaac tcattcgaaa agctaaagag	120
	gcaccattcg taccggttg aatagcgggt tttgcagcaa ttgttgcata tggattatat	180
	aaactgaaga gcaggggaaa tactaaaatg tccattcatt tgatccacat gcgtgtggca	240
	gcccaaggct ttgtttagg agcaatgact gttgggtatgg gctattccat gtatcgggaa	300
35	ttctgggcaa aacctaaaggc t	321

117/177

<210> 109

<211> 1050

<212> DNA

5 <213> Homo Sapience

<400> 109

	atgtctgagg tgaagagccg gaagaagtcg gggcccaagg gagccctgc tgcggagccc	60
	gggaagcggg gcgagggcgg gaagaccccc gtggcccgga gcagcggagg cgggggctgg	120
10	gcagaccccc gaacgtgcct gagcctgctg tcgctgggga cgtgcctggg cctggcctgg	180
	tttgtatttc agcagtcaga aaaatttgca aaggtggaaa accaatacca gttactgaaa	240
	ctagaaacca atgaattcca acaacttcaa agtaaaatca gtttaatttc agaaaagtgg	300
	cagaaatctg aagctatcat ggaacaattg aagtcttttc aaataattgc tcatctaaag	360
	cgtctacagg aagaaattaa tgaggtaaaa acttgggtcca ataggataac tgaaaaacag	420
15	gatatactga acaacagtct gacgacgctt tctcaagaca ttacaaaagt agaccaaagt	480
	acaacttcca tggcaaaaaga tgttgggtctc aagattacaa gtgtaaaaac agatatacga	540
	cggatttcag gtttagtaac tgatgtaata tcattgacag attctgtgca agaactagaa	600
	aataaaatag agaaagtaga aaaaaataca gtaaaaaata taggtgatct tctttcaagc	660
	agtattgatc gaacagcaac gctccgaaag acagcatctg aaaattcaca aagaattaac	720
20	tctgttaaga agacgctaac cgaactaaag agtgacttcg acaaacatac agatagattt	780
	ctaagcttag aaggtgacag agccaaagtt ctgaagacag tgacttttgc aaatgatcta	840
	aaaccaaagg tgtataatct aaagaaggac ttttcccggt tagaaccatt agtaaatgat	900
	ttaacactac gcattgggag attggttacc gaacttactac aaagagagaa agaaattgct	960
	ttcttaagtg aaaaaatata taatttaaca atagtccaag ctgagattaa ggatattaaa	1020
25	gatgaaatag cacacatttc agatatgaat	1050

<210> 110

<211> 321

<212> DNA

30 <213> Homo Sapience

<400> 110

	atgtcctcag caggcacagc aacctctctg gaaatggatc acaaactcac ttctcagcca	60
	ggcaggccaa gcttctattg taacagtagg cacagtatag tcggatcatc acatcagctg	120
35	ggtttttggt ttagtcatct agagtgcgtc ggactaaagg tctttcaggt ctccttgccc	180

118/177

	tgtgagtgcg tgaacctccc caccogaatt gcctcagttg tctgagcct catgtctctc	240
	ctggtggtgg gccaggcccc tgcattgggaa gggagcctgc tgcggggcag gccagctggg	300
	ggtgctcacc tatgcgcagc a	321
5	<210> 111	
	<211> 1619	
	<212> DNA	
	<213> Homo Sapiens	
	<220>	
10	<221> CDS	
	<222> (158)...(1234)	
	<400> 111	
	agaagagggg gctagctagc tgtctctgcg gaccagggag acccccgcgc cccccggcg	60
15	tgaggcgccc tcacagggcc ggggtggctg gcgagccgac gcggcggcgg aggaggtgt	120
	gaggagtgtg tggaacagga cccgggacag aggaacc atg gct ccg cag aac ctg	175
	Met Ala Pro Gln Asn Leu	
	1 5	
	agc acc ttt tgc ctg ttg ctg cta tac ctc atc ggg gcg gtg att gcc	223
20	Ser Thr Phe Cys Leu Leu Leu Leu Tyr Leu Ile Gly Ala Val Ile Ala	
	10 15 20	
	gga cga gat ttc tat aag atc ttg ggg gtg cct cga agt gcc tct ata	271
	Gly Arg Asp Phe Tyr Lys Ile Leu Gly Val Pro Arg Ser Ala Ser Ile	
	25 30 35	
25	aag gat att aaa aag gcc tat agg aaa cta gcc ctg cag ctt cat ccc	319
	Lys Asp Ile Lys Lys Ala Tyr Arg Lys Leu Ala Leu Gln Leu His Pro	
	40 45 50	
	gac cgg aac cct gat gat cca caa gcc cag gag aaa ttc cag gat ctg	367
	Asp Arg Asn Pro Asp Asp Pro Gln Ala Gln Glu Lys Phe Gln Asp Leu	
30	55 60 65 70	
	ggt gct gct tat gag gtt ctg tca gat agt gag aaa cgg aaa cag tac	415
	Gly Ala Ala Tyr Glu Val Leu Ser Asp Ser Glu Lys Arg Lys Gln Tyr	
	75 80 85	
	gat act tat ggt gaa gaa gga tta aaa gat ggt cat cag agc tcc cat	463
35	Asp Thr Tyr Gly Glu Glu Gly Leu Lys Asp Gly His Gln Ser Ser His	

119/177

		90		95		100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
--	--	----	--	----	--	-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

120/177

	His Leu Asp Gly His Lys Val His Ile Ser Arg Asp Lys Ile Thr Arg	
	280 285 290	
	cca gga gcg aag cta tgg aag aaa ggg gaa ggg ctc ccc aac ttt gac	1087
	Pro Gly Ala Lys Leu Trp Lys Lys Gly Glu Gly Leu Pro Asn Phe Asp	
5	295 300 305 310	
	aac aac aat atc aag ggc tct ttg ata atc act ttt gat gtg gat ttt	1135
	Asn Asn Asn Ile Lys Gly Ser Leu Ile Ile Thr Phe Asp Val Asp Phe	
	315 320 325	
	cca aaa gaa cag tta aca gag gaa gcg aga gaa ggt atc aaa cag cta	1183
10	Pro Lys Glu Gln Leu Thr Glu Glu Ala Arg Glu Gly Ile Lys Gln Leu	
	330 335 340	
	ctg aaa caa ggg tca gtg cag aag gta tac aat gga ctg caa gga tat	1231
	Leu Lys Gln Gly Ser Val Gln Lys Val Tyr Asn Gly Leu Gln Gly Tyr	
	345 350 355	
15	tgagagtga ataaaattgg actttgttta aaataagtga ataagcgata tttattatct	1290
	gcaaggtttt tttgtgtgtg tttttgtttt ttttttcaat atgcaagtta ggcttaattt	1350
	ttttatctaa tgatcatcat gaaatgaata agagggctta agaatttgtc catttgcatt	1410
	cggaaaagaa tgaccagcaa aaggtttact aatacctctc cctttgggga tttaatgtct	1470
	ggtgctgccg cctgagtttc aagaattaaa gctgcaagag gactccagga gcaaaagaaa	1530
20	cacaatatag agggttggag ttgttagcaa tttcattcaa aatgccaaact ggagaagtct	1590
	gtttttaaat acattttgtt gttattttt	1619
	<210> 112	
	<211> 2054	
25	<212> DNA	
	<213> Homo Sapience	
	<220>	
	<221> CDS	
	<222> (254)...(934)	
30	<400> 112	
	cacatggcca agtccgcccc gccccctccc cgccccgcc gctgcagcgg tcgccttcgg	60
	agcgaaggggt accgaccggg cagaagctcg gagctctcgg ggtatcgagg aggcaggccc	120
	gcggggcgac gggcgagcgg gccgggagcc ggagcggcgg aggagccggc agcagcggcg	180
35	cggcggggctc caggcgaggc ggtcgacgct cctgaaaact tgcgcgcgcg ctgcgcgcac	240

121/177

	tgcgcccgga gcg atg aag atg gtc gcg ccc tgg acg cgg ttc tac tcc	289
	Met Lys Met Val Ala Pro Trp Thr Arg Phe Tyr Ser	
	1 5 10	
	aac agc tgc tgc ttg tgc tgc cat gtc cgc acc gcc acc atc ctg ctc	337
5	Asn Ser Cys Cys Leu Cys Cys His Val Arg Thr Gly Thr Ile Leu Leu	
	15 20 25	
	ggc gtc tgg tat ctg atc atc aat gct gtg gta ctg ttg att tta ttg	385
	Gly Val Trp Tyr Leu Ile Ile Asn Ala Val Val Leu Leu Ile Leu Leu	
	30 35 40	
10	agt gcc ctg gct gat ccg gat cag tat aac ttt tca agt tct gaa ctg	433
	Ser Ala Leu Ala Asp Pro Asp Gln Tyr Asn Phe Ser Ser Ser Glu Leu	
	45 50 55 60	
	gga ggt gac ttt gag ttc atg gat gat gcc aac atg tgc att gcc att	481
	Gly Gly Asp Phe Glu Phe Met Asp Asp Ala Asn Met Cys Ile Ala Ile	
15	65 70 75	
	gcg att tct ctt ctc atg atc ctg ata tgt gct atg gct act tac gga	529
	Ala Ile Ser Leu Leu Met Ile Leu Ile Cys Ala Met Ala Thr Tyr Gly	
	80 85 90	
	gcg tac aag caa cgc gca gcc tgg atc atc cca ttc ttc tgt tac cag	577
20	Ala Tyr Lys Gln Arg Ala Ala Trp Ile Ile Pro Phe Phe Cys Tyr Gln	
	95 100 105	
	atc ttt gac ttt gcc ctg aac atg ttg gtt gca atc act gtg ctt att	625
	Ile Phe Asp Phe Ala Leu Asn Met Leu Val Ala Ile Thr Val Leu Ile	
	110 115 120	
25	tat cca aac tcc att cag gaa tac ata cgg caa ctg cct cct aat ttt	673
	Tyr Pro Asn Ser Ile Gln Glu Tyr Ile Arg Gln Leu Pro Pro Asn Phe	
	125 130 135 140	
	ccc tac aga gat gat gtc atg tca gtg aat cct acc tgt ttg gtc ctt	721
	Pro Tyr Arg Asp Asp Val Met Ser Val Asn Pro Thr Cys Leu Val Leu	
30	145 150 155	
	att att ctt ctg ttt att agc att atc ttg act ttt aag ggt tac ttg	769
	Ile Ile Leu Leu Phe Ile Ser Ile Ile Leu Thr Phe Lys Gly Tyr Leu	
	160 165 170	
	att agc tgt gtt tgg aac tgc tac cga tac atc aat ggt agg aac tcc	817
35	Ile Ser Cys Val Trp Asn Cys Tyr Arg Tyr Ile Asn Gly Arg Asn Ser	

122/177

	175	180	185	
	tct gat gtc ctg gtt tat gtt acc agc aat gac act acg gtg ctg cta			865
	Ser Asp Val Leu Val Tyr Val Thr Ser Asn Asp Thr Thr Val Leu Leu			
	190	195	200	
5	ccc ccg tat gat gat gcc act gtg aat ggt gct gcc aag gag cca ccg			913
	Pro Pro Tyr Asp Asp Ala Thr Val Asn Gly Ala Ala Lys Glu Pro Pro			
	205	210	215	220
	cca cct tac gtg tct gcc taagccttca agtgggcgga gctgagggc			960
	Pro Pro Tyr Val Ser Ala			
10	225			
	agcagcttga ctttgcagac atctgagcaa tagttctgtt atttcacttt tgccatgagc			1020
	ctctctgagc ttgtttgttg ctgaaatgct actttttaaa atttagatgt tagattgaaa			1080
	actgtagttt tcaacatatg ctttgetgga acaactgtgat agattaactg tagaattcct			1140
	cctgtacgat tggggatata atgggettca ctaaccttcc ctaggcattg aaacttcccc			1200
15	caaattctgat ggacctagaa gtctgttttt gtacctgtg ggccccaag ttgggcattt			1260
	ttctctctgt tccctctctt ttgaaatgt aaaataaaac caaaaataga caacttttct			1320
	ttcagccatt ccagcataga gaacaaaacc ttatggaaac aggaatgtca attgtgtaat			1380
	cattgttcta attaggtaaa tagaagtcct tatgtatgtg ttacaagaat ttccccaca			1440
	acatccttta tgactgaagt tcaatgacag tttgtgtttg gtggtaaagg attttctcca			1500
20	tggcctgaat taagaccatt agaaagcacc aggcogtggg agcagtgacc atctgetgac			1560
	tgttcttgtg gatcttgtgt ccagggacat ggggtgacat gcctcgtatg tgtagaggg			1620
	tggaatggat gtgtttggcg ctgcatggga tctgggtgcc ctcttctcct ggattcacat			1680
	ccccaccag gggccgttt tactaagtgt tctgccctag attggttcaa ggaggtcatc			1740
	caactgactt tatcaagtgg aattgggata tatttgatat acttctgcct aacaacatgg			1800
25	aaaagggttt tcttttccct gcaagctaca tcctactgct ttgaacttcc aagtatgtct			1860
	agtcaccttt taaaatgtaa acattttcag aaaaatgagg attgccttcc ttgtatgcgc			1920
	tttttacctt gactacctga attgcaaggg atttttatat attcatatgt tacaaagtca			1980
	gcaactctcc tgttggttca ttattgaatg tgctgtaaat taagttgttt gcaattaaaa			2040
	caaggtttgc ccac			2054
30	<210> 113			
	<211> 1380			
	<212> DNA			
	<213> Homo Sapience			
35	<220>			

123/177

<221> CDS

<222> (43)...(630)

<400> 113

5	gcagtctgtc tgagggcggc cgaagtggct ggctcattta ag atg agg ctt ctg	54
	Met Arg Leu Leu	
	1	
	ctg ctt ctc cta gtg gcg gcg tct gcg atg gtc cgg agc gag gcc tcg	102
	Leu Leu Leu Leu Val Ala Ala Ser Ala Met Val Arg Ser Glu Ala Ser	
10	5 10 15 20	
	gcc aat ctg ggc ggc gtg ccc agc aag aga tta aag atg cag tac gcc	150
	Ala Asn Leu Gly Gly Val Pro Ser Lys Arg Leu Lys Met Gln Tyr Ala	
	25 30 35	
	acg ggg ccg ctg ctc aag ttc cag att tgt gtt tcc tga ggt tat agg	198
15	Thr Gly Pro Leu Leu Lys Phe Gln Ile Cys Val Ser Xaa Gly Tyr Arg	
	40 45 50	
	cgg gtg ttt gag gag tac atg cgg gtt att agc cag cgg tac cca gac	246
	Arg Val Phe Glu Glu Tyr Met Arg Val Ile Ser Gln Arg Tyr Pro Asp	
	55 60 65	
20	atc cgc att gaa gga gag aat tac ctc cct caa cca ata tat aga cac	294
	Ile Arg Ile Glu Gly Glu Asn Tyr Leu Pro Gln Pro Ile Tyr Arg His	
	70 75 80	
	ata gca tct ttc ctg tca gtc ttc aaa cta gta tta ata ggc tta ata	342
	Ile Ala Ser Phe Leu Ser Val Phe Lys Leu Val Leu Ile Gly Leu Ile	
25	85 90 95 100	
	att gtt ggc aag gat cct ttt gct ttc ttt ggc atg caa gct cct agc	390
	Ile Val Gly Lys Asp Pro Phe Ala Phe Phe Gly Met Gln Ala Pro Ser	
	105 110 115	
	atc tgg cag tgg ggc caa gaa aat aag gtt tat gca tgt atg atg gtt	438
30	Ile Trp Gln Trp Gly Gln Glu Asn Lys Val Tyr Ala Cys Met Met Val	
	120 125 130	
	ttc ttc ttg agc aac atg att gag aac cag tgt atg tca aca ggt gca	486
	Phe Phe Leu Ser Asn Met Ile Glu Asn Gln Cys Met Ser Thr Gly Ala	
	135 140 145	
35	ttt gag ata act tta aat gat gta cct gtg tgg tct aag ctg gaa tct	534

124/177

	Phe Glu Ile Thr Leu Asn Asp Val Pro Val Trp Ser Lys Leu Glu Ser	
	150 155 160	
	ggg cac ctt cca tcc atg caa caa ctt gtt caa att ctt gac aat gaa	582
	Gly His Leu Pro Ser Met Gln Gln Leu Val Gln Ile Leu Asp Asn Glu	
5	165 170 175 180	
	atg aag ctc aat gtg cat atg gat tca atc cca cac cat cga tca	627
	Met Lys Leu Asn Val His Met Asp Ser Ile Pro His His Arg Ser	
	185 190 195	
	tag caccacctat cagcactgaa aactcttttg cattaaggga tcattgcaag	680
10	agcagcgtga ctgacattat gaaggcctgt actgaagaca gcaagctgtt agtacagacc	740
	agatgctttc ttggcaggct cggtgtacct cttggaaaac ctcaatgcaa gatagtgttt	800
	cagtgtctggc atatttttgga attctgcaca ttcattggagt gcaataatac tgtatagctt	860
	tccccacctc ccacaaaatc acccagttaa tgtgtgtgtg tgtttttttt ttttaaggtaa	920
	acattactac ttgtaacttt tttctttagt catatttgaa aaagtagaaa attgagttac	980
15	aatttgattt tttttccaaa gatgtctgtt aaatctgttg tgctttttata tgaatatttg	1040
	ttttttatag tttaaaattg atcctttggg aatccagttg aagttcccaa atactttata	1100
	agagtttatc agacatctct aatttggtcca tgtccagttt atacagttta caaaatatag	1160
	cagatgcaag attatggggg aaatcctata ttcagagtac tctataaatt tttgtgtatg	1220
	tgtgtatgtg cgtgtgatta ccagagaact actaaaaaaa ccaactgctt tttaaatcct	1280
20	attgtgtagt taaagtgtca tgccttgacc aatctaataa attgattaat taactggggc	1340
	tttatactta actaaataaa aaactaagca gatatgagtt	1380
	<210> 114	
	<211> 1292	
25	<212> DNA	
	<213> Homo Sapience	
	<220>	
	<221> CDS	
	<222> (113)...(1132)	
30	<400> 114	
	aaaagtgcgg ctctgggctg gccgaagggg tggcgtctgcg atcccgcagg gcagcgacgc	60
	gactctggtg cgggcgtct tcttcccccc gagctgggag tgcgcggccg ca atg aac	118
	Met Asn	
35	1	

125/177

	tgg gag ctg ctg ctg tgg ctg ctg gtg ctg tgc gcg ctg etc ctg etc	166
	Trp Glu Leu Leu Leu Trp Leu Leu Val Leu Cys Ala Leu Leu Leu Leu	
	5 10 15	
	ttg gtg cag ctg ctg cgc ttc ctg agg gct gac gcc gac ctg acg cta	214
5	Leu Val Gln Leu Leu Arg Phe Leu Arg Ala Asp Gly Asp Leu Thr Leu	
	20 25 30	
	cta tgg gcc gag tgg cag gga cga cgc cca gaa tgg gag ctg act gat	262
	Leu Trp Ala Glu Trp Gln Gly Arg Arg Pro Glu Trp Glu Leu Thr Asp	
	35 40 45 50	
10	atg gtg gtg tgg gtg act gga gcc tcg agt gga att ggt gag gag ctg	310
	Met Val Val Trp Val Thr Gly Ala Ser Ser Gly Ile Gly Glu Glu Leu	
	55 60 65	
	gct tac cag ttg tct aaa cta gga gtt tct ctt gtg ctg tca gcc aga	358
	Ala Tyr Gln Leu Ser Lys Leu Gly Val Ser Leu Val Leu Ser Ala Arg	
15	70 75 80	
	aga gtg cat gag ctg gaa agg gtg aaa aga aga tgc cta gag aat gcc	406
	Arg Val His Glu Leu Glu Arg Val Lys Arg Arg Cys Leu Glu Asn Gly	
	85 90 95	
	aat tta aaa gaa aaa gat ata ctt gtt ttg ccc ctt gac ctg acc gac	454
20	Asn Leu Lys Glu Lys Asp Ile Leu Val Leu Pro Leu Asp Leu Thr Asp	
	100 105 110	
	act ggt tcc cat gaa gcg gct acc aaa gct gtt etc cag gag ttt ggt	502
	Thr Gly Ser His Glu Ala Ala Thr Lys Ala Val Leu Gln Glu Phe Gly	
	115 120 125 130	
25	aga atc gac att ctg gtc aac aat ggt gga atg tcc cag cgt tct ctg	550
	Arg Ile Asp Ile Leu Val Asn Asn Gly Gly Met Ser Gln Arg Ser Leu	
	135 140 145	
	tgc atg gat acc agc ttg gat gtc tac aga aag cta ata gag ctt aac	598
	Cys Met Asp Thr Ser Leu Asp Val Tyr Arg Lys Leu Ile Glu Leu Asn	
30	150 155 160	
	tac tta ggg acg gtg tcc ttg aca aaa tgt gtt ctg cct cac atg atc	646
	Tyr Leu Gly Thr Val Ser Leu Thr Lys Cys Val Leu Pro His Met Ile	
	165 170 175	
	gag agg aag caa gga aag att gtt act gtg aat agc atc ctg ggt atc	694
35	Glu Arg Lys Gln Gly Lys Ile Val Thr Val Asn Ser Ile Leu Gly Ile	

126/177

	180	185	190	
	ata tct gta cct ctt tcc att gga tac tgt gct agc aag cat gct ctc	742		
	Ile Ser Val Pro Leu Ser Ile Gly Tyr Cys Ala Ser Lys His Ala Leu			
	195	200	205	210
5	cgg ggt ttt ttt aat ggc ctt cga aca gaa ctt gcc aca tac cca ggt	790		
	Arg Gly Phe Phe Asn Gly Leu Arg Thr Glu Leu Ala Thr Tyr Pro Gly			
	215	220	225	
	ata ata gtt tct aac att tgc cca gga cct gtg caa tca aat att gtg	838		
	Ile Ile Val Ser Asn Ile Cys Pro Gly Pro Val Gln Ser Asn Ile Val			
10	230	235	240	
	gag aat tcc cta gct gga gaa gtc aca aag act ata ggc aat aat gga	886		
	Glu Asn Ser Leu Ala Gly Glu Val Thr Lys Thr Ile Gly Asn Asn Gly			
	245	250	255	
	gac cag tcc cac aag atg aca acc agt cgt tgt gtg cgg ctg atg tta	934		
15	Asp Gln Ser His Lys Met Thr Thr Ser Arg Cys Val Arg Leu Met Leu			
	260	265	270	
	atc agc atg gcc aat gat ttg aaa gaa gtt tgg atc tca gaa caa cct	982		
	Ile Ser Met Ala Asn Asp Leu Lys Glu Val Trp Ile Ser Glu Gln Pro			
	275	280	285	290
20	ttc ttg tta gta aca tat ttg tgg caa tac atg cca acc tgg gcc tgg	1030		
	Phe Leu Leu Val Thr Tyr Leu Trp Gln Tyr Met Pro Thr Trp Ala Trp			
	295	300	305	
	tgg ata acc aac aag atg ggg aag aaa agg att gag aac ttt aag agt	1078		
	Trp Ile Thr Asn Lys Met Gly Lys Lys Arg Ile Glu Asn Phe Lys Ser			
25	310	315	320	
	ggt gtg gat gca gac tct tct tat ttt aaa atc ttt aag aca aaa cat	1126		
	Gly Val Asp Ala Asp Ser Ser Tyr Phe Lys Ile Phe Lys Thr Lys His			
	325	330	335	
	gac tgaaaagagc atctgtactt ttcaagccac tggagggaaa aatggaaaac a	1180		
30	Asp			
	tgaaaacagc aatcttctta tgcttctgaa taatcaaaga ctaatttgtg gttttacttt	1240		
	ttaatagata tgactttgct tccaacatgg aatgaaataa aaaataagta at	1292		
35	<210> 115			

127/177

<211> 2168

<212> DNA

<213> Homo Sapience

<220>

5 <221> CDS

<222> (56)...(1519)

<400> 115

	tttccgccgc cgctgggag gggacccggg ctgccaggcg cccagctgtg cccag	55
10	atg gat ggg aca gag acc cgg cag cgg agg ctg gac agc tgt ggc aag	103
	Met Asp Gly Thr Glu Thr Arg Gln Arg Arg Leu Asp Ser Cys Gly Lys	
	1 5 10 15	
	cca ggg gag ctg ggg ctt cct cac ccc ctc agc aca gga gga ctc cct	151
	Pro Gly Glu Leu Gly Leu Pro His Pro Leu Ser Thr Gly Gly Leu Pro	
15	20 25 30	
	gta gcc tca gaa gat gga gct ctc agg gcc cct gag agc caa agc gtg	199
	Val Ala Ser Glu Asp Gly Ala Leu Arg Ala Pro Glu Ser Gln Ser Val	
	35 40 45	
	acc ccc aag cca ctg gag act gag cct agc agg gag acc gcc tgg tcc	247
20	Thr Pro Lys Pro Leu Glu Thr Glu Pro Ser Arg Glu Thr Ala Trp Ser	
	50 55 60	
	ata ggc ctt cag gtg acc gtg ccc ttc atg ttt gca ggc ctg gga ctg	295
	Ile Gly Leu Gln Val Thr Val Pro Phe Met Phe Ala Gly Leu Gly Leu	
	65 70 75 80	
25	tcc tgg gcc ggc atg ctt ctg gac tat ttc cag cac tgg cct gtg ttt	343
	Ser Trp Ala Gly Met Leu Leu Asp Tyr Phe Gln His Trp Pro Val Phe	
	85 90 95	
	gtg gag gtg aaa gac ctt ttg aca ttg gtg ccg ccc ctg gtg ggc ctg	391
	Val Glu Val Lys Asp Leu Leu Thr Leu Val Pro Pro Leu Val Gly Leu	
30	100 105 110	
	aag ggg aac ctg gag atg aca ctg gca tcc aga ctc tcc aca gct gcc	439
	Lys Gly Asn Leu Glu Met Thr Leu Ala Ser Arg Leu Ser Thr Ala Ala	
	115 120 125	
	aac act gga caa att gat gac ccc cag gag cag cac aga gtc atc agc	487
35	Asn Thr Gly Gln Ile Asp Asp Pro Gln Glu Gln His Arg Val Ile Ser	

128/177

	130	135	140	
	agc aac ctg gcc ctc atc cag gtg cag gcc act gtc gtg ggg ctc ttg			535
	Ser Asn Leu Ala Leu Ile Gln Val Gln Ala Thr Val Val Gly Leu Leu			
	145	150	155	160
5	gct gct gtg gct gcg ctg ctg ttg ggc gtg gtg tct cga gag gaa gtg			583
	Ala Ala Val Ala Ala Leu Leu Leu Gly Val Val Ser Arg Glu Glu Val			
	165	170	175	
	gat gtc gcc aag gtg gag ttg ctg tgt gcc agc agt gtc ctc act gcc			631
	Asp Val Ala Lys Val Glu Leu Leu Cys Ala Ser Ser Val Leu Thr Ala			
10	180	185	190	
	ttc ctt gca gcc ttt gcc ctg ggg gtg ctg atg gtc tgt ata gtg att			679
	Phe Leu Ala Ala Phe Ala Leu Gly Val Leu Met Val Cys Ile Val Ile			
	195	200	205	
	ggc gct cga aag ctc ggg gtc aac cca gac aac att gcc acg ccc att			727
15	Gly Ala Arg Lys Leu Gly Val Asn Pro Asp Asn Ile Ala Thr Pro Ile			
	210	215	220	
	gca gcc agc ctg gga gac ctc atc aca ctg tcc att ctg gct ttg gtt			775
	Ala Ala Ser Leu Gly Asp Leu Ile Thr Leu Ser Ile Leu Ala Leu Val			
	225	230	235	240
20	agc agc ttc ttc tac aga cac aaa gat agt cgg tat ctg acg ccg ctg			823
	Ser Ser Phe Phe Tyr Arg His Lys Asp Ser Arg Tyr Leu Thr Pro Leu			
	245	250	255	
	gtc tgc ctc agc ttt gcg gct ctg acc cca gtg tgg gtc ctc att gcc			871
	Val Cys Leu Ser Phe Ala Ala Leu Thr Pro Val Trp Val Leu Ile Ala			
25	260	265	270	
	aag cag agc cca ccc atc gtg aag atc ctg aag ttt ggc tgg ttc cca			919
	Lys Gln Ser Pro Pro Ile Val Lys Ile Leu Lys Phe Gly Trp Phe Pro			
	275	280	285	
	atc atc ctg gcc atg gtc atc agc agt ttc gga gga ctc atc ttg agc			967
30	Ile Ile Leu Ala Met Val Ile Ser Ser Phe Gly Gly Leu Ile Leu Ser			
	290	295	300	
	aaa acc gtt tct aaa cag cag tac aaa ggc atg gcg ata ttt acc ccc			1015
	Lys Thr Val Ser Lys Gln Gln Tyr Lys Gly Met Ala Ile Phe Thr Pro			
	305	310	315	320
35	gtc ata tgt ggt gtt ggt ggc aat ctg gtg gcc att cag acc agc cga			1063

129/177

	Val Ile Cys Gly Val Gly Gly Asn Leu Val Ala Ile Gln Thr Ser Arg	
	325 330 335	
	atc tca acc tac ctg cac atg tgg agt gca cct ggc gtc ctg ccc ctc	1111
	Ile Ser Thr Tyr Leu His Met Trp Ser Ala Pro Gly Val Leu Pro Leu	
5	340 345 350	
	cag atg aag aaa ttc tgg ccc aac ccg tgt tct act ttc tgc acg tca	1159
	Gln Met Lys Lys Phe Trp Pro Asn Pro Cys Ser Thr Phe Cys Thr Ser	
	355 360 365	
	gaa atc aat tcc atg tca gct cga gtc ctg ctc ttg ctg gtg gtc cca	1207
10	Glu Ile Asn Ser Met Ser Ala Arg Val Leu Leu Leu Leu Val Val Pro	
	370 375 380	
	ggc cat ctg att ttc ttc tac atc atc tac ctg gtg gag ggt cag tca	1255
	Gly His Leu Ile Phe Phe Tyr Ile Ile Tyr Leu Val Glu Gly Gln Ser	
	385 390 395 400	
15	gtc ata aac agc cag acc ttt gtg gtg ctc tac ctg ctg gca ggc ctg	1303
	Val Ile Asn Ser Gln Thr Phe Val Val Leu Tyr Leu Leu Ala Gly Leu	
	405 410 415	
	atc cag gtg aca atc ctg ctg tac ctg gca gaa gtg atg gtt cgg ctg	1351
	Ile Gln Val Thr Ile Leu Leu Tyr Leu Ala Glu Val Met Val Arg Leu	
20	420 425 430	
	act tgg cac cag gcc ctg gat cct gac aac cac tgc atc ccc tac ctt	1399
	Thr Trp His Gln Ala Leu Asp Pro Asp Asn His Cys Ile Pro Tyr Leu	
	435 440 445	
	aca ggg ctg ggg gac ctg ctc ggt act ggc ctc ctg gca ctc tgc ttt	1447
25	Thr Gly Leu Gly Asp Leu Leu Gly Thr Gly Leu Leu Ala Leu Cys Phe	
	450 455 460	
	ttc act gac tgg cta ctg aag agc aag gca gag ctg ggt ggc atc tca	1495
	Phe Thr Asp Trp Leu Leu Lys Ser Lys Ala Glu Leu Gly Gly Ile Ser	
	465 470 475 480	
30	gaa ctg gca tct gga cct ccc taactgggcc ccgctgggtcc catttgcctca ttag	1550
	Glu Leu Ala Ser Gly Pro Pro	
	485	
	aatttcctct cacatcagtg ggatacagaa ttcagtttct cccttgccag gtccttggga	1610
	tggttgaccc ctgcctctgc agtagccttt tgtgagctctg ctaaggtagc tctcacacac	1670
35	ctcggtctctg ggggtgatac ctgagcctgc aatagagccc tgaaatcaag agcatggctt	1730

130/177

	gagtgtgtga atatgatgtg tgcacatgct taatgagcgt gcaagtgtgc acacgtttgt	1790
	ggagaggagg gtgttctggc ctgagaagct aaagaagg catgtccagt atgctttgca	1850
	gggtgtgttt gctcttttcc atgcccatgc aaccagatt ggggtggagc aggaaggagc	1910
	tcttttctgt tcccaagcct cagaactctt gagctgtggc ttacttgetg tcttcaccag	1970
5	gttcaagctc cgtgggccac actgctgctg tgccaagaag gtgtacagcc tccccaggat	2030
	ggggcctcat acaacccttc atctgcactc aacatttaac cgtgtccttg ctgtcttttt	2090
	atcttccttt ttgttagcaa aaacctctat ttagatttca ataacagag aagtgtaaaa	2150
	taaaacagat tatattgt	2168
10	<210> 116	
	<211> 1357	
	<212> DNA	
	<213> Homo Sapience	
	<220>	
15	<221> CDS	
	<222> (81)...(1262)	
	<400> 116	
	cgtgcgtttg tgcccgctcg gcctccctga catgcagccc tctggacccc gaggttgac	60
20	cctactgtga cacacctacc atg cgg aca ctc ttc aac ctc ctc tgg ctt	110
	Met Arg Thr Leu Phe Asn Leu Leu Trp Leu	
	1 5 10	
	gcc ctg gcc tgc agc cct gtt cac act acc ctg tca aag tca gat gcc	158
	Ala Leu Ala Cys Ser Pro Val His Thr Thr Leu Ser Lys Ser Asp Ala	
25	15 20 25	
	aaa aaa gcc gcc tca aag acg ctg ctg gag aag agt cag ttt tca gat	203
	Lys Lys Ala Ala Ser Lys Thr Leu Leu Glu Lys Ser Gln Phe Ser Asp	
	30 35 40	
	aag ccg gtg caa gac cgg ggt ttg gtg gtg acg gac ctc aaa gct gag	254
30	Lys Pro Val Gln Asp Arg Gly Leu Val Val Thr Asp Leu Lys Ala Glu	
	45 50 55	
	agt gtg gtt ctt gag cat cgc agc tac tgc tcg gca aag gcc cgg gac	302
	Ser Val Val Leu Glu His Arg Ser Tyr Cys Ser Ala Lys Ala Arg Asp	
	60 65 70	
35	aga cac ttt gct ggg gat gta ctg ggc tat gtc act cca tgg aac agc	350

132/177

	cat cag cct ggc cct aat gca ccc ctg tcc tgg gtt cga gcc tgc gtc	926
	His Gln Pro Gly Pro Asn Ala Pro Leu Ser Trp Val Arg Ala Cys Val	
	270 275 280	
	cag gtc ctg gac ccg aag tcc aag tgg cga agc aaa atc ctc ctg ggg	974
5	Gln Val Leu Asp Pro Lys Ser Lys Trp Arg Ser Lys Ile Leu Leu Gly	
	285 290 295	
	ctc aac ttc tat ggt atg gac tac gcg acc tcc aag gat gcc cgt gag	1022
	Leu Asn Phe Tyr Gly Met Asp Tyr Ala Thr Ser Lys Asp Ala Arg Glu	
	300 305 310	
10	cct gtt gtc ggg gcc agg tac atc cag aca ctg aag gac cac agg ccc	1070
	Pro Val Val Gly Ala Arg Tyr Ile Gln Thr Leu Lys Asp His Arg Pro	
	315 320 325 330	
	cgg atg gtg tgg gac agc cag gcc tca gag cac ttc ttc gag tac aag	1118
	Arg Met Val Trp Asp Ser Gln Ala Ser Glu His Phe Phe Glu Tyr Lys	
15	335 340 345	
	aag agc cgc agt ggg agg cac gtc gtc ttc tac cca acc ctg aag tcc	1166
	Lys Ser Arg Ser Gly Arg His Val Val Phe Tyr Pro Thr Leu Lys Ser	
	350 355 360	
	ctg cag gtg cgg ctg gag ctg gcc cgg gag ctg ggc gtt ggg gtc tct	1214
20	Leu Gln Val Arg Leu Glu Leu Ala Arg Glu Leu Gly Val Gly Val Ser	
	365 370 375	
	atc tgg gag ctg ggc cag ggc ctg gac tac ttc tac gac ctg ctc t	1260
	Ile Trp Glu Leu Gly Gln Gly Leu Asp Tyr Phe Tyr Asp Leu Leu	
	380 385 390	
25	aggtgggcat tgcggcctcc gcggtggacg tggtcttttc taagccatgg agtgagtgag	1320
	caggtgtgaa atacaggect ccactccgtt tgetgtg	1357
	<210> 117	
	<211> 711	
30	<212> DNA	
	<213> Homo Sapience	
	<220>	
	<221> CDS	
	<222> (8)...(598)	
35		

133/177

<400> 117		
	aaaggcg atg tgg agg gtg ccc ggc aca acc aga cgc cca gtc aca ggc	49
	Met Trp Arg Val Pro Gly Thr Thr Arg Arg Pro Val Thr Gly	
	1 5 10	
5	gag agc cct ggg atg cac cgg cca gag gcc atg ctg ctg ctg ctc acg	97
	Glu Ser Pro Gly Met His Arg Pro Glu Ala Met Leu Leu Leu Leu Thr	
	15 20 25 30	
	ctt gcc ctc ctg ggg ggc ccc acc tgg gca ggg aag atg tat ggc cct	145
	Leu Ala Leu Leu Gly Gly Pro Thr Trp Ala Gly Lys Met Tyr Gly Pro	
10	35 40 45	
	gga gga ggc aag tat ttc agc acc act gaa gac tac gac cat gaa atc	193
	Gly Gly Gly Lys Tyr Phe Ser Thr Thr Glu Asp Tyr Asp His Glu Ile	
	50 55 60	
	aca ggg ctg cgg gtg tct gta ggt ctt ctc ctg gtg aaa agt gtc cag	241
15	Thr Gly Leu Arg Val Ser Val Gly Leu Leu Leu Val Lys Ser Val Gln	
	65 70 75	
	gtg aaa ctt gga gac tcc tgg gac gtg aaa ctg gga gcc tta ggt ggg	289
	Val Lys Leu Gly Asp Ser Trp Asp Val Lys Leu Gly Ala Leu Gly Gly	
	80 85 90	
20	aat acc cag gaa gtc acc ctg cag cca ggc gaa tac atc aca aaa gtc	337
	Asn Thr Gln Glu Val Thr Leu Gln Pro Gly Glu Tyr Ile Thr Lys Val	
	95 100 105 110	
	ttt gtc gcc ttc caa gct ttc ctc cgg ggt atg gtc atg tac acc agc	385
	Phe Val Ala Phe Gln Ala Phe Leu Arg Gly Met Val Met Tyr Thr Ser	
25	115 120 125	
	aag gac cgc tat ttc tat ttt ggg aag ctt gat ggc cag atc tcc tct	433
	Lys Asp Arg Tyr Phe Tyr Phe Gly Lys Leu Asp Gly Gln Ile Ser Ser	
	130 135 140	
	gcc tac ccc agc caa gag ggg cag gtg ctg gtg ggc atc tat ggc cag	481
30	Ala Tyr Pro Ser Gln Glu Gly Gln Val Leu Val Gly Ile Tyr Gly Gln	
	145 150 155	
	tat caa ctc ctt ggc atc aag agc att ggc ttt gaa tgg aat tat cca	529
	Tyr Gln Leu Leu Gly Ile Lys Ser Ile Gly Phe Glu Trp Asn Tyr Pro	
	160 165 170	
35	cta gag gag ccg acc act gag cca cca gtt aat ctc aca tac tca gca	577

134/177

Leu Glu Glu Pro Thr Thr Glu Pro Pro Val Asn Leu Thr Tyr Ser Ala
 175 180 185 190
 aac tca ccc gtg ggt cgc taggggtggg tatggggcca tccgagctga ggcca 630
 Asn Ser Pro Val Gly Arg
 5 195
 tctgtgtggt ggtggctgat ggtactggag taactgagtc gggacgctga atctgaatcc 690
 accaataaat aaagcttctg c 711

 <210> 118
 10 <211> 651
 <212> DNA
 <213> Homo Sapience
 <220>
 <221> CDS
 15 <222> (242)...(565)

 <400> 118
 aaagaaacaa gccgggggac tgcgagccag ggactcgggc cgcggggcgg gaagaagtgg 60
 ggcagcgctt ggccaggccg aaaggacttt gggggtggg gctgggagtc cgtgtctcga 120
 20 atgagggagg agaggtggag ttgccggggc tcaggcccg cctcgagcat gggcggatga 180
 gaggagtcgg gagccgaggc ctagggtcct tcgggtgagg ggagacggag ccagcgagga 240
 g atg gag cag aag ctt gtg gag gag att ctt caa gca atc act atg 286
 Met Glu Gln Lys Leu Val Glu Glu Ile Leu Gln Ala Ile Thr Met
 1 5 10 15
 25 tca aca gac aca ggt gtt tcc ctt cct tca tat gag gaa gat cag gga 334
 Ser Thr Asp Thr Gly Val Ser Leu Pro Ser Tyr Glu Glu Asp Gln Gly
 20 25 30
 tca aaa ctc att cga aaa gct aaa gag gca cca ttc gta ccc gtt gga 382
 Ser Lys Leu Ile Arg Lys Ala Lys Glu Ala Pro Phe Val Pro Val Gly
 30 35 40 45
 ata gcg ggt ttt gca gca att gtt gca tat gga tta tat aaa ctg aag 430
 Ile Ala Gly Phe Ala Ala Ile Val Ala Tyr Gly Leu Tyr Lys Leu Lys
 50 55 60
 agc agg gga aat act aaa atg tcc att cat ctg atc cac atg cgt gtg 478
 35 Ser Arg Gly Asn Thr Lys Met Ser Ile His Leu Ile His Met Arg Val

135/177

	65	70	75	
	gca gcc caa ggc ttt gtt gta gga gca atg act gtt ggt atg ggc tat	526		
	Ala Ala Gln Gly Phe Val Val Gly Ala Met Thr Val Gly Met Gly Tyr			
	80	85	90	95
5	tcc atg tat cgg gaa ttc tgg gca aaa cct aag cct tagaagaa	570		
	Ser Met Tyr Arg Glu Phe Trp Ala Lys Pro Lys Pro			
	100	105		
	gagatgctgt cttggtcttg ttggaggagc ttgctttagt tagatgtctt attattaaag	630		
	ttacctatta ttgttggaat t	651		
10	<210> 119			
	<211> 1310			
	<212> DNA			
	<213> Homo Sapience			
15	<220>			
	<221> CDS			
	<222> (78)...(1130)			
	<400> 119			
20	cgaacgccaa ggccggccacg tccgtctccc cctggtgaag aagctgccct gggettgctg	60		
	tccatagggtc tccagac atg tct gag gtg aag agc cgg aag aag tcg ggg	110		
	Met Ser Glu Val Lys Ser Arg Lys Lys Ser Gly			
	1 5 10			
	ccc aag gga gcc cct gct gcg gag ccc ggg aag cgg agc gag ggc ggg	158		
25	Pro Lys Gly Ala Pro Ala Ala Glu Pro Gly Lys Arg Ser Glu Gly Gly			
	15 20 25			
	aag acc ccc gtg gcc cgg agc agc gga ggc ggg ggc tgg gca gac ccc	206		
	Lys Thr Pro Val Ala Arg Ser Ser Gly Gly Gly Gly Trp Ala Asp Pro			
	30 35 40			
30	cga acg tgc ctg agc ctg ctg tcg ctg ggg acg tgc ctg ggc ctg gcc	254		
	Arg Thr Cys Leu Ser Leu Leu Ser Leu Gly Thr Cys Leu Gly Leu Ala			
	45 50 55			
	tgg ttt gta ttt cag cag tca gaa aaa ttt gca aag gtg gaa aac caa	302		
	Trp Phe Val Phe Gln Gln Ser Glu Lys Phe Ala Lys Val Glu Asn Gln			
35	60 65 70 75			

136/177

	tac cag tta ctg aaa cta gaa acc aat gaa ttc caa caa ctt caa agt	350
	Tyr Gln Leu Leu Lys Leu Glu Thr Asn Glu Phe Gln Gln Leu Gln Ser	
	80 85 90	
	aaa atc agt tta att tca gaa aag tgg cag aaa tct gaa gct atc atg	398
5	Lys Ile Ser Leu Ile Ser Glu Lys Trp Gln Lys Ser Glu Ala Ile Met	
	95 100 105	
	gaa caa ttg aag tct ttt caa ata att gct cat cta aag cgt cta cag	446
	Glu Gln Leu Lys Ser Phe Gln Ile Ile Ala His Leu Lys Arg Leu Gln	
	110 115 120	
10	gaa gaa att aat gag gta aaa act tgg tcc aat agg ata act gaa aaa	494
	Glu Glu Ile Asn Glu Val Lys Thr Trp Ser Asn Arg Ile Thr Glu Lys	
	125 130 135	
	cag gat ata ctg aac aac agt ctg acg acg ctt tct caa gac att aca	542
	Gln Asp Ile Leu Asn Asn Ser Leu Thr Thr Leu Ser Gln Asp Ile Thr	
15	140 145 150 155	
	aaa gta gac caa agt aca act tcc atg gca aaa gat gtt ggt ctc aag	590
	Lys Val Asp Gln Ser Thr Thr Ser Met Ala Lys Asp Val Gly Leu Lys	
	160 165 170	
	att aca agt gta aaa aca gat ata cga cgg att tca ggt tta gta act	638
20	Ile Thr Ser Val Lys Thr Asp Ile Arg Arg Ile Ser Gly Leu Val Thr	
	175 180 185	
	gat gta ata tca ttg aca gat tct gtg caa gaa cta gaa aat aaa ata	686
	Asp Val Ile Ser Leu Thr Asp Ser Val Gln Glu Leu Glu Asn Lys Ile	
	190 195 200	
25	gag aaa gta gaa aaa aat aca gta aaa aat ata ggt gat ctt ctt tca	734
	Glu Lys Val Glu Lys Asn Thr Val Lys Asn Ile Gly Asp Leu Leu Ser	
	205 210 215	
	agc agt att gat cga aca gca acg ctc cga aag aca gca tct gaa aat	782
	Ser Ser Ile Asp Arg Thr Ala Thr Leu Arg Lys Thr Ala Ser Glu Asn	
30	220 225 230 235	
	tca caa aga att aac tct gtt aag aag acg cta acc gaa cta aag agt	830
	Ser Gln Arg Ile Asn Ser Val Lys Lys Thr Leu Thr Glu Leu Lys Ser	
	240 245 250	
	gac ttc gac aaa cat aca gat aga ttt cta agc tta gaa ggt gac aga	878
35	Asp Phe Asp Lys His Thr Asp Arg Phe Leu Ser Leu Glu Gly Asp Arg	

137/177

	255	260	265	
	gcc aaa gtt ctg aag aca gtg act ttt gca aat gat cta aaa cca aag			926
	Ala Lys Val Leu Lys Thr Val Thr Phe Ala Asn Asp Leu Lys Pro Lys			
	270	275	280	
5	gtg tat aat cta aag aag gac ttt tcc cgt tta gaa cca tta gta aat			974
	Val Tyr Asn Leu Lys Lys Asp Phe Ser Arg Leu Glu Pro Leu Val Asn			
	285	290	295	
	gat tta aca cta cgc att ggg aga ttg gtt acc gac tta cta caa aga			1022
	Asp Leu Thr Leu Arg Ile Gly Arg Leu Val Thr Asp Leu Leu Gln Arg			
10	300	305	310	315
	gag aaa gaa att gct ttc tta agt gaa aaa ata tct aat tta aca ata			1070
	Glu Lys Glu Ile Ala Phe Leu Ser Glu Lys Ile Ser Asn Leu Thr Ile			
	320	325	330	
	gtc caa gct gag att aag gat att aaa gat gaa ata gca cac att tca			1118
15	Val Gln Ala Glu Ile Lys Asp Ile Lys Asp Glu Ile Ala His Ile Ser			
	335	340	345	
	gat atg aat tagtttgaca ttattgagat tagactaagg taattttttt aat			1170
	Asp Met Asn			
	350			
20	gggacctctc atgagaagac tggtaaatca aaaataatga tattttggag caaaagtcac			1230
	tttatattta atcctatttt gtacagttaa aataaaactt taaaacaggt tgattttcca			1290
	aaataaatat gctaaaacct			1310
	<210> 120			
25	<211> 1400			
	<212> DNA			
	<213> Homo Sapience			
	<220>			
	<221> CDS			
30	<222> (233)...(556)			
	<400> 120			
	tggtgtatg ctattggagg gtggaaatca catctcctgt ttatccgtgt gcttgtagg			60
	tgtcagccgc ccccccccc ccatatgcag atttactcgg catggtagtg gccagcttct			120
35	aacacagctg gtatttcaag tctcctggga cctcactcag gaatgatacc cctcagtag			180

138/177

	aagcagcagg tgatcttaac tcctttcaaa gagcaggcct gtctgggaag cc atg	235
	Met	
	1	
	tcc tca gca ggc aca gca acc cct ctg gaa atg gat cac aaa ctc act	283
5	Ser Ser Ala Gly Thr Ala Thr Pro Leu Glu Met Asp His Lys Leu Thr	
	5 10 15	
	tct cag cca ggc agg cca agc ttc tat tgt aac agt agg cac agt ata	331
	Ser Gln Pro Gly Arg Pro Ser Phe Tyr Cys Asn Ser Arg His Ser Ile	
	20 25 30	
10	gtc gga tca tca cat cag ctg ggt ttt tgg ttt agt cat cta gag tcg	379
	Val Gly Ser Ser His Gln Leu Gly Phe Trp Phe Ser His Leu Glu Ser	
	35 40 45	
	tct gga cta aag gtc ttt cag gtc tcc ttg ccc tgt gag tgc gtg aac	427
	Ser Gly Leu Lys Val Phe Gln Val Ser Leu Pro Cys Glu Cys Val Asn	
15	50 55 60 65	
	ctc ccc acc cga att gcc tca gtt gtc ctg agc ctc atg tct ctc ctg	475
	Leu Pro Thr Arg Ile Ala Ser Val Val Leu Ser Leu Met Ser Leu Leu	
	70 75 80	
	gtg gtg ggc cag gcc cct gca tgg gaa ggg agc ctg ctg cgg ggc agg	523
20	Val Val Gly Gln Ala Pro Ala Trp Glu Gly Ser Leu Leu Arg Gly Arg	
	85 90 95	
	cca gct ggg ggt gct cac cta tgc gca gca tgaagttatt gaaggac	570
	Pro Ala Gly Gly Ala His Leu Cys Ala Ala	
	100 105	
25	tggttggtga tgttggtgag cgtatccttc atggccagcg cgaagtcggc caggtcagcc	630
	aggtgctgcc agcgetctct ctcggaacttg tcttctgtg ccaggggacc gtggagaaag	690
	tgtcaggggc cgctcactgc agcagcctgc tctgtgcct tccttggcag tggtctgggg	750
	gtggattccc tacacctaga tgttcaaggc cttacttttc ctcccacaaa ggagtcgcag	810
	ccacgctagc tetgacttgc cactgtgaca aagttcacgt agcaggtcta ggcaaagact	870
30	gggcaattga gcagaggaga cggacctgtg agtctgacca cgaggcggac cccttcacct	930
	tggttgggccc tggctcctggt ccttaggttt tgtcaggttg tccttgtttg gatccctcaa	990
	ctaggtgata agcactggag ggggatgacc cgcttggac gtgtttcttt aaacctatcc	1050
	atataatagg gccgtgggat ggtttagag gtaaagcagg atgatggtgt ttttaagacca	1110
	gagcttggga ccagggtcc tacacctaat ttctctcct ggtagctgaa caaaggctca	1170
35	aattagctta acaaaagaac aggtgccgt cagccagagt tctgaaggcc atgctttcag	1230

139/177

tttcccttgt tgacaattgc tctccagttc ctatgaaagc acagagcctt agggggcctg 1290
gccacagaac acaaccatct taggcctgag ctgtgaacag caggggggttg tgtgtctgtt 1350
ctgtttctct gcttgccgaa ctttctcaat aaaccctatt tcttatttat 1400

5 <210> 121
<211> 483
<212> PRT
<213> Homo sapience

10 <400> 121
Met Lys Ala Phe His Thr Phe Cys Val Val Leu Leu Val Phe Gly Ser
1 5 10 15
Val Ser Glu Ala Lys Phe Asp Asp Phe Glu Asp Glu Glu Asp Ile Val
20 25 30
15 Glu Tyr Asp Asp Asn Asp Phe Ala Glu Phe Glu Asp Val Met Glu Asp
35 40 45
Ser Val Thr Glu Ser Pro Gln Arg Val Ile Ile Thr Glu Asp Asp Glu
50 55 60
Asp Glu Thr Thr Val Glu Leu Glu Gly Gln Asp Glu Asn Gln Glu Gly
20 65 70 75 80
Asp Phe Glu Asp Ala Asp Thr Gln Glu Gly Asp Thr Glu Ser Glu Pro
85 90 95
Tyr Asp Asp Glu Glu Phe Glu Gly Tyr Glu Asp Lys Pro Asp Thr Ser
100 105 110
25 Ser Ser Lys Asn Lys Asp Pro Ile Thr Ile Val Asp Val Pro Ala His
115 120 125
Leu Gln Asn Ser Trp Glu Ser Tyr Tyr Leu Glu Ile Leu Met Val Thr
130 135 140
Gly Leu Leu Ala Tyr Ile Met Asn Tyr Ile Ile Gly Lys Asn Lys Asn
30 145 150 155 160
Ser Arg Leu Ala Gln Ala Trp Phe Asn Thr His Arg Glu Leu Leu Glu
165 170 175
Ser Asn Phe Thr Leu Val Gly Asp Asp Gly Thr Asn Lys Glu Ala Thr
180 185 190
35 Ser Thr Gly Lys Leu Asn Gln Glu Asn Glu His Ile Tyr Asn Leu Trp

140/177

	195	200	205
	Cys Ser Gly Arg Val Cys Cys Glu Gly Met Leu Ile Gln Leu Arg Phe		
	210	215	220
	Leu Lys Arg Gln Asp Leu Leu Asn Val Leu Ala Arg Met Met Arg Pro		
5	225	230	235
	Val Ser Asp Gln Val Gln Ile Lys Val Thr Met Asn Asp Glu Asp Met		
	245	250	255
	Asp Thr Tyr Val Phe Ala Val Gly Thr Arg Lys Ala Leu Val Arg Leu		
	260	265	270
10	Gln Lys Glu Met Gln Asp Leu Ser Glu Phe Cys Ser Asp Lys Pro Lys		
	275	280	285
	Ser Gly Ala Lys Tyr Gly Leu Pro Asp Ser Leu Ala Ile Leu Ser Glu		
	290	295	300
	Met Gly Glu Val Thr Asp Gly Met Met Asp Thr Lys Met Val His Phe		
15	305	310	315
	Leu Thr His Tyr Ala Asp Lys Ile Glu Ser Val His Phe Ser Asp Gln		
	325	330	335
	Phe Ser Gly Pro Lys Ile Met Gln Glu Glu Gly Gln Pro Leu Lys Leu		
	340	345	350
20	Pro Asp Thr Lys Arg Thr Leu Leu Phe Thr Phe Asn Val Pro Gly Ser		
	355	360	365
	Gly Asn Thr Tyr Pro Lys Asp Met Glu Ala Leu Leu Pro Leu Met Asn		
	370	375	380
	Met Val Ile Tyr Ser Ile Asp Lys Ala Lys Lys Phe Arg Leu Asn Arg		
25	385	390	395
	Glu Gly Lys Gln Lys Ala Asp Lys Asn Arg Ala Arg Val Glu Glu Asn		
	405	410	415
	Phe Leu Lys Leu Thr His Val Gln Arg Gln Glu Ala Ala Gln Ser Arg		
	420	425	430
30	Arg Glu Glu Lys Lys Arg Ala Glu Lys Glu Arg Ile Met Asn Glu Glu		
	435	440	445
	Asp Pro Glu Lys Gln Arg Arg Leu Glu Glu Ala Ala Leu Arg Arg Glu		
	450	455	460
	Gln Lys Lys Leu Glu Lys Lys Gln Met Lys Met Lys Gln Ile Lys Val		
35	465	470	475
			480

141/177

Lys Ala Met

<210> 122

<211> 334

5 <212> PRT

<213> Homo sapience

<400> 122

Met Val Glu Phe Ala Pro Leu Phe Met Pro Trp Glu Arg Arg Leu Gln
 10 1 5 10 15
 Thr Leu Ala Val Leu Gln Phe Val Phe Ser Phe Leu Ala Leu Ala Glu
 20 25 30
 Ile Cys Thr Val Gly Phe Ile Ala Leu Leu Phe Thr Arg Phe Trp Leu
 35 40 45
 15 Leu Thr Val Leu Tyr Ala Ala Trp Trp Tyr Leu Asp Arg Asp Lys Pro
 50 55 60
 Arg Gln Gly Gly Arg His Ile Gln Ala Ile Arg Cys Trp Thr Ile Trp
 65 70 75 80
 Lys Tyr Met Lys Asp Tyr Phe Pro Ile Ser Leu Val Lys Thr Ala Glu
 20 85 90 95
 Leu Asp Pro Ser Arg Asn Tyr Ile Ala Gly Phe His Pro His Gly Val
 100 105 110
 Leu Ala Val Gly Ala Phe Ala Asn Leu Cys Thr Glu Ser Thr Gly Phe
 115 120 125
 25 Ser Ser Ile Phe Pro Gly Ile Arg Pro His Leu Met Met Leu Thr Leu
 130 135 140
 Trp Phe Arg Ala Pro Phe Phe Arg Asp Tyr Ile Met Ser Ala Gly Leu
 145 150 155 160
 Val Thr Ser Glu Lys Glu Ser Ala Ala His Ile Leu Asn Arg Lys Gly
 30 165 170 175
 Gly Gly Asn Leu Leu Gly Ile Ile Val Gly Gly Ala Gln Glu Ala Leu
 180 185 190
 Asp Ala Arg Pro Gly Ser Phe Thr Leu Leu Leu Arg Asn Arg Lys Gly
 195 200 205
 35 Phe Val Arg Leu Ala Leu Thr His Gly Ala Pro Leu Val Pro Ile Phe

142/177

210 215 220
 Ser Phe Gly Glu Asn Asp Leu Phe Asp Gln Ile Pro Asn Ser Ser Gly
 225 230 235 240
 Ser Trp Leu Arg Tyr Ile Gln Asn Arg Leu Gln Lys Ile Met Gly Ile
 5 245 250 255
 Ser Leu Pro Leu Phe His Gly Arg Gly Val Phe Gln Tyr Ser Phe Gly
 260 265 270
 Leu Ile Pro Tyr Arg Arg Pro Ile Thr Thr Val Val Gly Lys Pro Ile
 275 280 285
 10 Glu Val Gln Lys Thr Leu His Pro Ser Glu Glu Glu Val Asn Gln Leu
 290 295 300
 His Gln Arg Tyr Ile Lys Glu Leu Cys Asn Leu Phe Glu Ala His Lys
 305 310 315 320
 Leu Lys Phe Asn Ile Pro Ala Asp Gln His Leu Glu Phe Cys
 15 325 330

 <210> 123
 <211> 267
 <212> PRT
 20 <213> Homo sapience

 <400> 123
 Met Ala Pro Trp Ala Leu Leu Ser Pro Gly Val Leu Val Arg Thr Gly
 1 5 10 15
 25 His Thr Val Leu Thr Trp Gly Ile Thr Leu Val Leu Phe Leu His Asp
 20 25 30
 Thr Glu Leu Arg Gln Trp Glu Glu Gln Gly Glu Leu Leu Leu Pro Leu
 35 40 45
 Thr Phe Leu Leu Leu Val Leu Gly Ser Leu Leu Leu Tyr Leu Ala Val
 30 50 55 60
 Ser Leu Met Asp Pro Gly Tyr Val Asn Val Gln Pro Gln Pro Gln Glu
 65 70 75 80
 Glu Leu Lys Glu Glu Gln Thr Ala Met Val Pro Pro Ala Ile Pro Leu
 85 90 95
 35 Arg Arg Cys Arg Tyr Cys Leu Val Leu Gln Pro Leu Arg Ala Arg His

143/177

100 105 110
 Cys Arg Glu Cys Arg Arg Cys Val Arg Arg Tyr Asp His His Cys Pro
 115 120 125
 Trp Met Glu Asn Cys Val Gly Glu Arg Asn His Pro Leu Phe Val Val
 5 130 135 140
 Tyr Leu Ala Leu Gln Leu Val Val Leu Leu Trp Gly Leu Tyr Leu Ala
 145 150 155 160
 Trp Ser Gly Leu Arg Phe Phe Gln Pro Trp Gly Leu Trp Leu Arg Ser
 165 170 175
 10 Ser Gly Leu Leu Phe Ala Thr Phe Leu Leu Leu Ser Leu Phe Ser Leu
 180 185 190
 Val Ala Ser Leu Leu Leu Val Ser His Leu Tyr Leu Val Ala Ser Asn
 195 200 205
 Thr Thr Thr Trp Glu Phe Ile Ser Ser His Arg Ile Ala Tyr Leu Arg
 15 210 215 220
 Gln Arg Pro Ser Asn Pro Phe Asp Arg Gly Leu Thr Arg Asn Leu Ala
 225 230 235 240
 His Phe Phe Cys Gly Trp Pro Ser Gly Ser Trp Glu Thr Leu Trp Ala
 245 250 255
 20 Glu Glu Glu Glu Glu Gly Ser Ser Pro Ala Val
 260 265

 <210> 124
 <211> 106
 25 <212> PRT
 <213> Homo sapience

 <400> 124
 Met Ser Thr Asn Asn Met Ser Asp Pro Arg Arg Pro Asn Lys Val Leu
 30 1 5 10 15
 Arg Tyr Lys Pro Pro Pro Ser Glu Cys Asn Pro Ala Leu Asp Asp Pro
 20 25 30
 Thr Pro Asp Tyr Met Asn Leu Leu Gly Met Ile Phe Ser Met Cys Gly
 35 35 40 45
 Leu Met Leu Lys Leu Lys Trp Cys Ala Trp Val Ala Val Tyr Cys Ser

144/177

50 55 60
 Phe Ile Ser Phe Ala Asn Ser Arg Ser Ser Glu Asp Thr Lys Gln Met
 65 70 75 80
 Met Ser Ser Phe Met Leu Ser Ile Ser Ala Val Val Met Ser Tyr Leu
 5 85 90 95
 Gln Asn Pro Gln Pro Met Thr Pro Pro Trp
 100 105

 <210> 125
 10 <211> 224
 <212> PRT
 <213> Homo sapience

 <400> 125
 15 Met Thr Leu Phe His Phe Gly Asn Cys Phe Ala Leu Ala Tyr Phe Pro
 1 5 10 15
 Tyr Phe Ile Thr Tyr Lys Cys Ser Gly Leu Ser Glu Tyr Asn Ala Phe
 20 25 30
 Trp Lys Cys Val Gln Ala Gly Val Thr Tyr Leu Phe Val Gln Leu Cys
 20 35 40 45
 Lys Met Leu Phe Leu Ala Thr Phe Phe Pro Thr Trp Glu Gly Gly Ile
 50 55 60
 Tyr Asp Phe Ile Gly Glu Phe Met Lys Ala Ser Val Asp Val Ala Asp
 65 70 75 80
 25 Leu Ile Gly Leu Asn Leu Val Met Ser Arg Asn Ala Gly Lys Gly Glu
 85 90 95
 Tyr Lys Ile Met Val Ala Ala Leu Gly Trp Ala Thr Ala Glu Leu Ile
 100 105 110
 Met Ser Arg Cys Ile Pro Leu Trp Val Gly Ala Arg Gly Ile Glu Phe
 30 115 120 125
 Asp Trp Lys Tyr Ile Gln Met Ser Ile Asp Ser Asn Ile Ser Leu Val
 130 135 140
 His Tyr Ile Val Ala Ser Ala Gln Val Trp Met Ile Thr Arg Tyr Asp
 145 150 155 160
 35 Leu Tyr His Thr Phe Arg Pro Ala Val Leu Leu Leu Met Phe Leu Ser

145/177

165 170 175
 Val Tyr Lys Ala Phe Val Met Glu Thr Phe Val His Leu Cys Ser Leu
 180 185 190
 Gly Ser Trp Ala Ala Leu Leu Ala Arg Ala Val Val Thr Gly Leu Leu
 5 195 200 205
 Ala Leu Ser Thr Leu Ala Leu Tyr Val Ala Val Val Asn Val His Ser
 210 215 220

 <210> 126
 10 <211> 258
 <212> PRT
 <213> Homo sapience

 <400> 126
 15 Met Ala Val Leu Ala Pro Leu Ile Ala Leu Val Tyr Ser Val Pro Arg
 1 5 10 15
 Leu Ser Arg Trp Leu Ala Gln Pro Tyr Tyr Leu Leu Ser Ala Leu Leu
 20 25 30
 Ser Ala Ala Phe Leu Leu Val Arg Lys Leu Pro Pro Leu Cys His Gly
 20 35 40 45
 Leu Pro Thr Gln Arg Glu Asp Gly Asn Pro Cys Asp Phe Asp Trp Arg
 50 55 60
 Glu Val Glu Ile Leu Met Phe Leu Ser Ala Ile Val Met Met Lys Asn
 65 70 75 80
 25 Arg Arg Ser Met Phe Leu Met Thr Cys Lys Pro Pro Leu Tyr Met Gly
 85 90 95
 Pro Glu Tyr Ile Lys Tyr Phe Asn Asp Lys Thr Ile Asp Glu Glu Leu
 100 105 110
 Glu Arg Asp Lys Arg Val Thr Trp Ile Val Glu Phe Phe Ala Asn Trp
 30 115 120 125
 Ser Asn Asp Cys Gln Ser Phe Ala Pro Ile Tyr Ala Asp Leu Ser Leu
 130 135 140
 Lys Tyr Asn Cys Thr Gly Leu Asn Phe Gly Lys Val Asp Val Gly Arg
 145 150 155 160
 35 Tyr Thr Asp Val Ser Thr Arg Tyr Lys Val Ser Thr Ser Pro Leu Thr

146/177

165 170 175
 Lys Gln Leu Pro Thr Leu Ile Leu Phe Gln Gly Gly Lys Glu Ala Met
 180 185 190
 Arg Arg Pro Gln Ile Asp Lys Lys Gly Arg Ala Val Ser Trp Thr Phe
 5 195 200 205
 Ser Glu Glu Asn Val Ile Arg Glu Phe Asn Leu Asn Glu Leu Tyr Gln
 210 215 220
 Arg Ala Lys Lys Leu Ser Lys Ala Gly Asp Asn Ile Pro Glu Glu Gln
 225 230 235 240
 10 Pro Val Ala Ser Thr Pro Thr Thr Val Ser Asp Gly Glu Asn Lys Lys
 245 250 255
 Asp Lys

 <210> 127
 15 <211> 110
 <212> PRT
 <213> Homo sapience

 <400> 127
 20 Met Ala Ala Val Val Ala Lys Arg Glu Gly Pro Pro Phe Ile Ser Glu
 1 5 10 15
 Ala Ala Val Arg Gly Asn Ala Ala Val Leu Asp Tyr Cys Arg Thr Ser
 20 25 30
 Val Ser Ala Leu Ser Gly Ala Thr Ala Gly Ile Leu Gly Leu Thr Gly
 25 35 40 45
 Leu Tyr Gly Phe Ile Phe Tyr Leu Leu Ala Ser Val Leu Leu Ser Leu
 50 55 60
 Leu Leu Ile Leu Lys Ala Gly Arg Arg Trp Asn Lys Tyr Phe Lys Ser
 65 70 75 80
 30 Arg Arg Pro Leu Phe Thr Gly Gly Leu Ile Gly Gly Leu Phe Thr Tyr
 85 90 95
 Val Leu Phe Trp Thr Phe Leu Tyr Gly Met Val His Val Tyr
 100 105 110

 35 <210> 128

147/177

<211> 91

<212> PRT

<213> Homo sapience

5 <400> 128

Met Val Tyr Ile Ser Asn Gly Gln Val Leu Asp Ser Arg Ser Gln Ser

1 5 10 15

Pro Trp Arg Leu Ser Leu Ile Thr Asp Phe Phe Trp Gly Ile Ala Glu

20 25 30

10 Phe Val Val Leu Phe Phe Lys Thr Leu Leu Gln Gln Asp Val Lys Lys

35 40 45

Arg Arg Ser Tyr Gly Asn Ser Ser Asp Ser Arg Tyr Asp Asp Gly Arg

50 55 60

Gly Pro Pro Gly Asn Pro Pro Arg Arg Met Gly Arg Ile Asn His Leu

15 65 70 75 80

Arg Gly Pro Ser Pro Pro Pro Met Ala Gly Gly

85 90

<210> 129

20 <211> 344

<212> PRT

<213> Homo sapience

<400> 129

25 Met Phe Thr Ser Thr Gly Ser Ser Gly Leu Tyr Lys Ala Pro Leu Ser

1 5 10 15

Lys Ser Leu Leu Leu Val Pro Ser Ala Leu Ser Leu Leu Leu Ala Leu

20 25 30

Leu Leu Pro His Cys Gln Lys Leu Phe Val Tyr Asp Leu His Ala Val

30 35 40 45

Lys Asn Asp Phe Gln Ile Trp Arg Leu Ile Cys Gly Arg Ile Ile Cys

50 55 60

Leu Asp Leu Lys Asp Thr Phe Cys Ser Ser Leu Leu Ile Tyr Asn Phe

65 70 75 80

35 Arg Ile Phe Glu Arg Arg Tyr Gly Ser Arg Lys Phe Ala Ser Phe Leu

148/177

	85	90	95
	Leu Gly Ser Trp Val Leu Ser Ala Leu Phe Asp Phe Leu Leu Ile Glu		
	100	105	110
	Ala Met Gln Tyr Phe Phe Gly Ile Thr Ala Ala Ser Asn Leu Pro Ser		
5	115	120	125
	Gly Phe Leu Ala Pro Val Phe Ala Leu Phe Val Pro Phe Tyr Cys Ser		
	130	135	140
	Ile Pro Arg Val Gln Val Ala Gln Ile Leu Gly Pro Leu Ser Ile Thr		
	145	150	155
10	Asn Lys Thr Leu Ile Tyr Ile Leu Gly Leu Gln Leu Phe Thr Ser Gly		
	165	170	175
	Ser Tyr Ile Trp Ile Val Ala Ile Ser Gly Leu Met Ser Gly Leu Cys		
	180	185	190
	Tyr Asp Ser Lys Met Phe Gln Val His Gln Val Leu Cys Ile Pro Ser		
15	195	200	205
	Trp Met Ala Lys Phe Phe Ser Trp Thr Leu Glu Pro Ile Phe Ser Ser		
	210	215	220
	Ser Glu Pro Thr Ser Glu Ala Arg Ile Gly Met Gly Ala Thr Leu Asp		
	225	230	235
20	Ile Gln Arg Gln Gln Arg Met Glu Leu Leu Asp Arg Gln Leu Met Phe		
	245	250	255
	Ser Gln Phe Ala Gln Gly Arg Arg Gln Arg Gln Gln Gln Gly Gly Met		
	260	265	270
	Ile Asn Trp Asn Arg Leu Phe Pro Pro Leu Arg Gln Arg Gln Asn Val		
25	275	280	285
	Asn Tyr Gln Gly Gly Arg Gln Ser Glu Pro Ala Ala Pro Pro Leu Glu		
	290	295	300
	Val Ser Glu Glu Gln Val Ala Arg Leu Met Glu Met Gly Phe Ser Arg		
	305	310	315
30	Gly Asp Ala Leu Glu Ala Leu Arg Ala Ser Asn Asn Asp Leu Asn Val		
	325	330	335
	Ala Thr Asn Phe Leu Leu Gln His		
	340		
35	<210> 130		

149/177

<211> 428

<212> PRT

<213> Homo sapience

5 <400> 130

Met Gly Pro Pro Pro Gly Ala Gly Val Ser Cys Arg Gly Gly Cys Gly

1 5 10 15

Phe Ser Arg Leu Leu Ala Trp Cys Phe Leu Leu Ala Leu Ser Pro Gln

20 25 30

10 Ala Pro Gly Ser Arg Gly Ala Glu Ala Val Trp Thr Ala Tyr Leu Asn

35 40 45

Val Ser Trp Arg Val Pro His Thr Gly Val Asn Arg Thr Val Trp Glu

50 55 60

Leu Ser Glu Glu Gly Val Tyr Gly Gln Asp Ser Pro Leu Glu Pro Val

15 65 70 75 80

Ala Gly Val Leu Val Pro Pro Asp Gly Pro Gly Ala Leu Asn Ala Cys

85 90 95

Asn Pro His Thr Asn Phe Thr Val Pro Thr Val Trp Gly Ser Thr Val

100 105 110

20 Gln Val Ser Trp Leu Ala Leu Ile Gln Arg Gly Gly Gly Cys Thr Phe

115 120 125

Ala Asp Lys Ile His Leu Ala Tyr Glu Arg Gly Ala Ser Gly Ala Val

130 135 140

Ile Phe Asn Phe Pro Gly Thr Arg Asn Glu Val Ile Pro Met Ser His

25 145 150 155 160

Pro Gly Ala Val Asp Ile Val Ala Ile Met Ile Gly Asn Leu Lys Gly

165 170 175

Thr Lys Ile Leu Gln Ser Ile Gln Arg Gly Ile Gln Val Thr Met Val

180 185 190

30 Ile Glu Val Gly Lys Lys His Gly Pro Trp Val Asn His Tyr Ser Ile

195 200 205

Phe Phe Val Ser Val Ser Phe Phe Ile Ile Thr Ala Ala Thr Val Gly

210 215 220

Tyr Phe Ile Phe Tyr Ser Ala Arg Arg Leu Arg Asn Ala Arg Ala Gln

35 225 230 235 240

150/177

Ser Arg Lys Gln Arg Gln Leu Lys Ala Asp Ala Lys Lys Ala Ile Gly
 245 250 255
 Arg Leu Gln Leu Arg Thr Leu Lys Gln Gly Asp Lys Glu Ile Gly Pro
 260 265 270
 5 Asp Gly Asp Ser Cys Ala Val Cys Ile Glu Leu Tyr Lys Pro Asn Asp
 275 280 285
 Leu Val Arg Ile Leu Thr Cys Asn His Ile Phe His Lys Thr Cys Val
 290 295 300
 Asp Pro Trp Leu Leu Glu His Arg Thr Cys Pro Met Cys Lys Cys Asp
 10 305 310 315 320
 Ile Leu Lys Ala Leu Gly Ile Glu Val Asp Val Glu Asp Gly Ser Val
 325 330 335
 Ser Leu Gln Val Pro Val Ser Asn Glu Ile Ser Asn Ser Ala Ser Ser
 340 345 350
 15 His Glu Glu Asp Asn Arg Ser Glu Thr Ala Ser Ser Gly Tyr Ala Ser
 355 360 365
 Val Gln Gly Thr Asp Glu Pro Pro Leu Glu Glu His Val Gln Ser Thr
 370 375 380
 Asn Glu Ser Leu Gln Leu Val Asn His Glu Ala Asn Ser Val Ala Val
 20 385 390 395 400
 Asp Val Ile Pro His Val Asp Asn Pro Thr Phe Glu Glu Asp Glu Thr
 405 410 415
 Pro Asn Gln Glu Thr Ala Val Arg Glu Ile Lys Ser
 420 425
 25
 <210> 131
 <211> 1449
 <212> DNA
 <213> Homo sapience
 30
 <400> 131
 atgaaagcct tccacacttt ctgtgttgct cttctggtgt ttgggagtgt ctctgaagcc 60
 aagtttgatg attttgagga tgaggaggac atagtagagt atgatgataa tgacttcgct 120
 gaatttgagg atgtcatgga agactctggt actgaatctc ctcaacgggt cataatcact 180
 35 gaagatgatg aagatgagac cactgtggag ttggaagggc aggatgaaaa ccaagaagga 240

151/177

gattttgaag atgcagatac ccaggaggga gatactgaga gtgaaccata tgatgatgaa 300
 gaatttgaag gttatgaaga caaaccagat acttcttcta gcaaaaataa agaccaata 360
 acgattgttg atgttcctgc acacctccag aacagctggg agagttatta tctagaaatt 420
 ttgatgggtga ctggtctgct tgcttatatc atgaattaca tcattgggaa gaataaaaac 480
 5 agtcgccttg cacaggcctg gtttaacact catagggagc ttttggagag caactttact 540
 ttagtggggg atgatggaac taacaaagaa gccacaagca caggaaagtt gaaccaggag 600
 aatgagcaca tctataacct gtggtgttct ggtcgagtgt gctgtgaggg catgcttata 660
 cagctgaggt tcctcaagag acaagactta ctgaatgtcc tggcccggat gatgaggcca 720
 gtgagtgate aagtgc aaat aaaagtaacc atgaatgatg aagacatgga tacctacgta 780
 10 tttgctgttg gcacacggaa agccttggtg cgactacaga aagagatgca ggatttgagt 840
 gagttttgta gtgataaacc taagtctgga gcaaagtatg gactgccgga ctctttggcc 900
 atcctgtcag agatgggaga agtcacagac ggaatgatgg atacaaagat ggttcacttt 960
 cttacacact atgctgacaa gattgaatct gttcattttt cagaccagtt ctctggcca 1020
 aaaattatgc aagaggaagg tcagccttta aagctacctg acactaagag gacactgttg 1080
 15 tttacattta atgtgcctgg ctacaggtaac acttacccaa aggatatgga ggcactgcta 1140
 ccctgatga acatggtgat ttattctatt gataaagcca aaaagttccg actcaacaga 1200
 gaaggcaaac aaaaagcaga taagaaccgt gcccgagtag aagagaactt cttgaaactg 1260
 acacatgtgc aaagacagga agcagcacag tctcggcggg aggagaaaaa aagagcagag 1320
 aaggagcgaa tcatgaatga ggaagatcct gagaaacagc gcaggctgga ggaggctgca 1380
 20 ttgaggcgtg agcaaaagaa gttggaaaag aagcaaatga aaatgaaaca aatcaaagtg 1440
 aaagccatg 1449

<210> 132

<211> 1002

25 <212> DNA

<213> Homo sapiens

<400> 132

atggtagagt tcgcgccctt gtttatgccg tgggagcgca ggetgcagac acttgctgtc 60
 30 ctacagtttg tcttctcctt cttggcactg gccgagatct gcaactgtggg cttcatagcc 120
 ctctgttta caagattctg gctcctcact gtcctgtatg cggcctggtg gtatctggac 180
 cgagacaagc cagggcaggg gggccggcac atccaggcca tcagggtgctg gactatatgg 240
 aagtacatga aggactatct ccccatctcg ctggtcaaga ctgctgagct ggacccctct 300
 cggaaactaca ttgcgggctt ccaccccat ggagtccctg cagtcggagc ctttgccaac 360
 35 ctgtgcactg agagcacagg cttctcttcg atcttccccg gtatccgccc ccatctgatg 420

152/177

atgctgacct tgtggttccg gggcccccttc ttcagagatt acatcatgtc tgcagggttg 480
 gtcacatcag aaaaggagag tgetgctcac attctgaaca ggaagggtgg cggaaacttg 540
 ctgggcatca ttgtaggggg tgcccaggag gccctggatg ccaggcctgg atccttcacg 600
 ctgttactgc ggaaccgaaa gggcttcgtc aggcctgccc tgacacacgg ggcacccctg 660
 5 gtgccaatct tctccttcgg ggagaatgac ctatttgacc agattcccaa ctcttctggc 720
 tcctgggttac gctatatcca gaatcggtg cagaagatca tgggcatctc cctcccactc 780
 tttcatggcc gtggtgtctt ccagtacagc tttggtttaa taccctaccg ccggcccatc 840
 accactgtgg tggggaagcc catcgaggta cagaagacgc tgcacccctc ggaggaggag 900
 gtgaaccagc tgcaccagcg ttatatcaaa gagctgtgca acctcttcga ggcccacaaa 960
 10 cttaagttca acatccctgc tgaccagcac ttggagtctt gc 1002

<210> 133

<211> 801

<212> DNA

15 <213> Homo sapience

<400> 133

atggcgccct gggcgctcct cagccctggg gtccctgggtgc ggaccgggca caccgtgctg 60
 acctggggaa tcacgtcgtt gctcttcctg cagataccg agctgcggca atgggaggag 120
 20 cagggggagc tgetcctgcc cctcaccttc ctgctcctgg tgetgggctc cctgetgctc 180
 tacctcgetg tgtcactcat ggaccctggc tacgtgaatg tgcagcccca gcctcaggag 240
 gagctcaaag aggagcagac agccatggtt cctccagcca tccctcttcg gcgtgcaga 300
 tactgcctgg tgetgcagcc cctgagggct cggcactgcc gtgagtgcg ccgttgcgctc 360
 cgccgctacg accaccactg cccctggatg gagaactgtg tgggagagcg caaccaccca 420
 25 ctctttgtgg tctacctggc gctgcagctg gtggtgcttc tgtggggcct gtacctggca 480
 tggtcaggcc tcgggttctt ccagccctgg ggtctgtggt tgcggteccg cgggetcctg 540
 ttogccacct tectgetget gtccctcttc tcgttgggtg ccagcctget cctcgtctcg 600
 cacctctacc tgggtggccg caacaccacc acctgggaat tcctctctc acaccgcac 660
 gcctatctcc gccagcgccc cagcaacccc ttcgaccgag gcctgacccg caacctggcc 720
 30 caettcttct gtgatggcc ctcagggtcc tgggagacc tctgggctga ggaggaggaa 780
 gagggcagca gccagctgt t 801

<210> 134

<211> 318

35 <212> DNA

153/177

<213> Homo sapience

<400> 134

5 atgtccacta acaatatgtc ggacccacgg aggccgaaca aagtgtgag gtacaagccc 60
 ccgccgagcg aatgtaaccc ggccttgac gaccogacgc cggactacat gaacctgctg 120
 ggcattgatct tcagcatgtg cggcctcatg ctttaagctga agtgggtgtg ttgggtgctt 180
 gtctactgct ccttcacacg ctttgccaac tctcggagct cggaggacac gaagcaaagt 240
 atgagtagct tcattgtgtc catctctgcc gtggtgatgt cctatctgca gaacctcag 300
 cccatgacgc ccccatgg 318

10

<210> 135

<211> 672

<212> DNA

<213> Homo sapience

15

<400> 135

atgacctgt ttcacttcgg gaactgttc gctcttgcc acttccccta ctccatcac 60
 tacaagtga gcggcctgtc cgagtacaac gccttctgga aatgcgtcca ggctggagtc 120
 acctacctct ttgtccaact ctgcaagatg ctgttcttgg ccactttctt tcccacctgg 180
 20 gaaggcggca tctatgactt cattggggag ttcattgaagg ccagcgtgga tgtggcagac 240
 ctgataggtc taaaccttgt catgtcccgg aatgcgggca agggagagta caagatcatg 300
 gttgctgccc tgggctgggc cactgtgag cttattatgt cccgtgcat tcccctatgg 360
 gtcggagccc ggggcattga gtttgactgg aagtacatcc agatgagcat agactccaac 420
 atcagtctgg tccattacat cgtcgcgtct gctcaggtct ggatgataac acgctatgat 480
 25 ctgtaccaca ccttcgggc agctgtctc ctgtgatgt tctcagtgct ctacaaggcc 540
 ttgttatgg agacctcgt ccacctctgc tcgtgggca gttgggcagc tctactggcc 600
 cgagcagtg taacggggct gctggccctc agcactttgg cctgtatgt cgcggtgtc 660
 aatgtgact cc 672

30

<210> 136

<211> 774

<212> DNA

<213> Homo sapience

35

<400> 136

154/177

	atggcggtct tggcaacctct aattgctctc gtgtattcgg tgcgcgact ttcacgatgg	60
	ctcgcccaac cttactacct tctgtcgccc ctgctctctg ctgccttctt actcgtgagg	120
	aaactgccgc cgtcttgcca cggctcgccc acccaacgcg aagacggtaa cccgtgtgac	180
	tttgactgga gagaagtgga gatcctgatg tttctcagtg ccatttgtgat gatgaagaac	240
5	cgcagatcca tgttcctgat gacgtgcaaa cccccctat atatgggccc tgagtatata	300
	aagtacttca atgataaaac cattgatgag gaactagaac gggacaagag ggtcacttgg	360
	attgtggagt tctttgcaa ttggtctaata gactgccaat catttgccc tatctatgct	420
	gacctctccc ttaaatacaa ctgtacaggg ctaaattttg ggaaggtgga tgttggaagg	480
	tatactgatg ttagtacgag gtacaaagtg agcacatcac cctcaccaa gcaactccct	540
10	accctgatcc tgttccaagg tggcaaggag gcaatgcggc ggccacagat tgacaagaaa	600
	ggacgggctg tctcatggac cttctctgag gagaatgtga tccgagaatt taacttaaat	660
	gagctatacc agcgggccc gaaactatca aaggtggag acaatatccc tgaggagcag	720
	cctgtggctt caacccccac cacagtgtca gatggggaaa acaagaagga taaa	774
15	<210> 137	
	<211> 330	
	<212> DNA	
	<213> Homo sapiens	
20	<400> 137	
	atggcgcggg tgggtggcaa gggggaaggg ccgcccgttca tcagcgaggc ggccgtgcgg	60
	ggcaacgcgc cgtcctgga ttattgcggc acctcggtgt cagcgtgtc gggggccacg	120
	gccggcatcc tcggcctcac cggcctctac ggcttcatct tctacctgt cgcctccgtc	180
	ctgctctccc tgcctctcat tctcaaggcg ggaaggaggt ggaacaaata tttcaaatca	240
25	cggagacctc tctttacagg aggcctcatc gggggcctct tcacctacgt cctgttctgg	300
	acgttctctc acggcatggt gcacgtctac	330
	<210> 138	
	<211> 273	
30	<212> DNA	
	<213> Homo sapiens	
	<400> 138	
	atggtttaca tctgaacgg acaagtgttg gacagccgga gtcagtctcc atggagatta	60
35	tctttgataa cagatttctt ctggggaata gctgagtttg tggttttgtt tttcaaaact	120

155/177

	ctgcttcagc aagatgtgaa aaaaagaaga agctatggaa actcatctga ttccagatat	180
	gatgatggaa gagggccacc aggaaaccct ccccgaaaga tgggtagaat caatcatctg	240
	cgtggcccta gtccccctcc aatggctggg gga	273
5	<210> 139	
	<211> 1032	
	<212> DNA	
	<213> Homo sapience	
10	<400> 139	
	atgttcacca gcaccggctc cagtgggctc tacaaggcgc ctctgtcgaa gagccttctg	60
	ctgggtcccca gtgccctctc cctcctgctc gccctcctcc tgcctcactg ccagaagctc	120
	tttgtgtatg accttcacgc agtcaagaac gacttccaga tttggagggt gatatgtgga	180
	agaataatatt gcccttgattt gaaagatact ttctgcagta gtctgcttat ttataatttt	240
15	aggatatttg aaagaagata tggaagcaga aaatttgcct cctttttgct gggttcctgg	300
	gttttgcag ccttatttga ctttctctc attgaagcta tgcagtattt ctttggcctc	360
	actgcagcta gtaatttgcc ttctggatc ctggcacctg tgtttgctct gtttgtacca	420
	ttttactgct ccataccaag agtccaagtg gcacaaattc tgggtccggt gtccatcaca	480
	aacaagacat tgatttatat attgggactg cagcttttca cctctgggtc ctacatctgg	540
20	attgtagcca taagtggact tatgtccgggt ctgtgctacg acagcaaat gttccagggtg	600
	catcagggtg tctgcatccc cagctggatg gcaaaattct tttcttggac acttgaaccc	660
	atcttctctt cttcagaacc caccagcgaa gccagaattg ggatgggagc cacgctggac	720
	atccagagac agcagagaat ggagctgctg gaccggcagc tgatgttctc tcagtttgca	780
	caagggaggc gacagagaca gcagcaggga ggaatgatca attggaatcg tctttttcct	840
25	cctttacgtc agcgacaaaa cgtaaaactat caggggcggtc ggcagttctga gccagcagcg	900
	ccccctctag aagtttctga ggaacaggct gcccggtc tggagatggg attttccaga	960
	ggtgatgctt tggaagccct gagagcttca aacaatgacc tcaatgtcgc caccaacttc	1020
	ctgctgcagc ac	1032
30	<210> 140	
	<211> 1284	
	<212> DNA	
	<213> Homo sapience	
35	<400> 140	

156/177

atggggccgc cgctggggc cggggtctcc tgcgcgggtg gctgcggctt ttccagattg 60
 ctggcatggt gcttctgct ggccctgagt ccgcaggcac ccggttcccg gggggctgaa 120
 gcagtgtgga ccgcgtacct caacgtgtcc tggcgggttc cgcacacggg agtgaaccgt 180
 acggtgtggg agctgagcga ggagggcgtg tacggccagg actcgcgcgt ggagcctgtg 240
 5 gctgggggtcc tggtagcgcc cgacgggccc ggggcgctta acgcctgtaa cccgcacacg 300
 aatttcacgg tgcacacggt ttggggaagc accgtgcaag tctcttggtt ggccctcatc 360
 caacgcggcg ggggtgcac cttcgcagac aagatccatc tggcttatga gagaggggcg 420
 tctggagccg tcattcttaa ctccccggg acccgcaatg aggtcatccc catgtctcac 480
 cggggtgcag tagacattgt tgcaatcatg atcggcaatc tgaaaggcac aaaaattctg 540
 10 caatctatc aaagaggcat acaagtgaca atggtcatag aagtagggaa aaaacatggc 600
 ccttgggtga atcaactatc aatttttttc gttctgtgt ctttttttat tattacggcg 660
 gcaactgtgg gctattttat cttttattct gctcgaaggc tacggaatgc aagagctcaa 720
 agcaggaagc agaggcaatt aaaggcagat gctaaaaaag ctattggaag gcttcaacta 780
 cgcacactga aacaaggaga caaggaaatt ggcctgatg gagatagttg tgcgtgtgtgc 840
 15 attgaattgt ataaaccaa tgatttggtg cgcattctaa cgtgcaacca tattttccat 900
 aagacatgtg ttgacctatg gctgttagaa cacaggactt gccccatgtg caaatgtgac 960
 atactcaaa gcttgggaat tgaggtggat gttgaagatg gatcagtgtc ttacaagtc 1020
 cctgtatcca atgaaatc taatagtgc tcctcccatg aagaggataa tcgcagcgag 1080
 accgcatcat ctggatatgc ttcagtacag ggaacagatg aaccgcctct ggaggaacac 1140
 20 gtgcagtcaa caaatgaaag tctacagctg gtaaaccatg aagcaaattc tgtggcagtg 1200
 gatgttatc ctcatgttga caaccaacc tttgaagaag acgaaactcc taatcaagag 1260
 actgctgttc gagaaattaa atct 1284

<210> 141
 25 <211> 2050
 <212> DNA
 <213> Homo sapiens
 <220>
 <221> CDS
 30 <222> (122)...(1573)

<400> 141
 aaaaaaccgc tgcgatcgcg gaggcggcgg ccaggccgag aggcaggccg ggcaggggtg 60
 tcggacgcag ggcgtgggc cgggtttcgg cttcggccac agcttttttt ctcaagggtg 120
 35 a atg aaa gcc ttc cac act ttc tgt gtt gtc ctt ctg gtg ttt ggg 166

157/177

Met Lys Ala Phe His Thr Phe Cys Val Val Leu Leu Val Phe Gly
 1 5 10 15
 agt gtc tct gaa gcc aag ttt gat gat ttt gag gat gag gag gac ata 214
 Ser Val Ser Glu Ala Lys Phe Asp Asp Phe Glu Asp Glu Glu Asp Ile
 5 20 25 30
 gta gag tat gat gat aat gac ttc gct gaa ttt gag gat gtc atg gaa 262
 Val Glu Tyr Asp Asp Asn Asp Phe Ala Glu Phe Glu Asp Val Met Glu
 35 40 45
 gac tct gtt act gaa tct cct caa cgg gtc ata atc act gaa gat gat 310
 10 Asp Ser Val Thr Glu Ser Pro Gln Arg Val Ile Ile Thr Glu Asp Asp
 50 55 60
 gaa gat gag acc act gtg gag ttg gaa ggg cag gat gaa aac caa gaa 358
 Glu Asp Glu Thr Thr Val Glu Leu Glu Gly Gln Asp Glu Asn Gln Glu
 65 70 75
 15 gga gat ttt gaa gat gca gat acc cag gag gga gat act gag agt gaa 406
 Gly Asp Phe Glu Asp Ala Asp Thr Gln Glu Gly Asp Thr Glu Ser Glu
 80 85 90 95
 cca tat gat gat gaa gaa ttt gaa ggt tat gaa gac aaa cca gat act 454
 Pro Tyr Asp Asp Glu Glu Phe Glu Gly Tyr Glu Asp Lys Pro Asp Thr
 20 100 105 110
 tct tct agc aaa aat aaa gac cca ata acg att gtt gat gtt cct gca 502
 Ser Ser Ser Lys Asn Lys Asp Pro Ile Thr Ile Val Asp Val Pro Ala
 115 120 125
 cac ctc cag aac agc tgg gag agt tat tat cta gaa att ttg atg gtg 550
 25 His Leu Gln Asn Ser Trp Glu Ser Tyr Tyr Leu Glu Ile Leu Met Val
 130 135 140
 act ggt ctg ctt gct tat atc atg aat tac atc att ggg aag aat aaa 598
 Thr Gly Leu Leu Ala Tyr Ile Met Asn Tyr Ile Ile Gly Lys Asn Lys
 145 150 155
 30 aac agt cgc ctt gca cag gcc tgg ttt aac act cat agg gag ctt ttg 646
 Asn Ser Arg Leu Ala Gln Ala Trp Phe Asn Thr His Arg Glu Leu Leu
 160 165 170 175
 gag agc aac ttt act tta gtg ggg gat gat gga act aac aaa gaa gcc 694
 Glu Ser Asn Phe Thr Leu Val Gly Asp Asp Gly Thr Asn Lys Glu Ala
 35 180 185 190

158/177

	aca agc aca gga aag ttg aac cag gag aat gag cac atc tat aac ctg	742
	Thr Ser Thr Gly Lys Leu Asn Gln Glu Asn Glu His Ile Tyr Asn Leu	
	195 200 205	
	tgg tgt tct ggt cga gtg tgc tgt gag ggc atg ctt atc cag ctg agg	790
5	Trp Cys Ser Gly Arg Val Cys Cys Glu Gly Met Leu Ile Gln Leu Arg	
	210 215 220	
	ttc ctc aag aga caa gac tta ctg aat gtc ctg gcc cgg atg atg agg	838
	Phe Leu Lys Arg Gln Asp Leu Leu Asn Val Leu Ala Arg Met Met Arg	
	225 230 235	
10	cca gtg agt gat caa gtg caa ata aaa gta acc atg aat gat gaa gac	886
	Pro Val Ser Asp Gln Val Gln Ile Lys Val Thr Met Asn Asp Glu Asp	
	240 245 250 255	
	atg gat acc tac gta ttt gct gtt ggc aca cgg aaa gcc ttg gtg cga	934
	Met Asp Thr Tyr Val Phe Ala Val Gly Thr Arg Lys Ala Leu Val Arg	
15	260 265 270	
	cta cag aaa gag atg cag gat ttg agt gag ttt tgt agt gat aaa cct	982
	Leu Gln Lys Glu Met Gln Asp Leu Ser Glu Phe Cys Ser Asp Lys Pro	
	275 280 285	
	aag tct gga gca aag tat gga ctg ccg gac tct ttg gcc atc ctg tca	1030
20	Lys Ser Gly Ala Lys Tyr Gly Leu Pro Asp Ser Leu Ala Ile Leu Ser	
	290 295 300	
	gag atg gga gaa gtc aca gac gga atg atg gat aca aag atg gtt cac	1078
	Glu Met Gly Glu Val Thr Asp Gly Met Met Asp Thr Lys Met Val His	
	305 310 315	
25	ttt ctt aca cac tat gct gac aag att gaa tct gtt cat ttt tca gac	1126
	Phe Leu Thr His Tyr Ala Asp Lys Ile Glu Ser Val His Phe Ser Asp	
	320 325 330 335	
	cag ttc tct ggt cca aaa att atg caa gag gaa ggt cag cct tta aag	1174
	Gln Phe Ser Gly Pro Lys Ile Met Gln Glu Glu Gly Gln Pro Leu Lys	
30	340 345 350	
	cta cct gac act aag agg aca ctg ttg ttt aca ttt aat gtg cct ggc	1222
	Leu Pro Asp Thr Lys Arg Thr Leu Leu Phe Thr Phe Asn Val Pro Gly	
	355 360 365	
	tca ggt aac act tac cca aag gat atg gag gca ctg cta ccc ctg atg	1270
35	Ser Gly Asn Thr Tyr Pro Lys Asp Met Glu Ala Leu Leu Pro Leu Met	

159/177

	370	375	380	
	aac atg gtg att tat tct att gat aaa gcc aaa aag ttc cga ctc aac			1318
	Asn Met Val Ile Tyr Ser Ile Asp Lys Ala Lys Lys Phe Arg Leu Asn			
	385	390	395	
5	aga gaa ggc aaa caa aaa gca gat aag aac cgt gcc cga gta gaa gag			1366
	Arg Glu Gly Lys Gln Lys Ala Asp Lys Asn Arg Ala Arg Val Glu Glu			
	400	405	410	415
	aac ttc ttg aaa ctg aca cat gtg caa aga cag gaa gca gca cag tct			1414
	Asn Phe Leu Lys Leu Thr His Val Gln Arg Gln Glu Ala Ala Gln Ser			
10	420	425	430	
	cgg cgg gag gag aaa aaa aga gca gag aag gag cga atc atg aat gag			1462
	Arg Arg Glu Glu Lys Lys Arg Ala Glu Lys Glu Arg Ile Met Asn Glu			
	435	440	445	
	gaa gat cct gag aaa cag cgc agg ctg gag gag gct gca ttg agg cgt			1510
15	Glu Asp Pro Glu Lys Gln Arg Arg Leu Glu Glu Ala Ala Leu Arg Arg			
	450	455	460	
	gag caa aag aag ttg gaa aag aag caa atg aaa atg aaa caa atc aaa			1558
	Glu Gln Lys Lys Leu Glu Lys Lys Gln Met Lys Met Lys Gln Ile Lys			
	465	470	475	
20	gtg aaa gcc atg taaagccatc ccagagattt gagttctgat gccacctgta			1610
	Val Lys Ala Met			
	480			
	agctctgaat tcacaggaaa catgaaaaac gccagtccat ttctcaacct taaatttcag			1670
	acagtcttg gcaactgaga aatccttatt tcatcatcta ctctgttttg ggtttggggt			1730
25	tttacagaga ttgaagatac ctggaaaggg ctctgtttca agaatttttt tttccagata			1790
	atcaaatttat tttgattatt ttataaaagg aatgatctat gaaatctgtg taggttttaa			1850
	atattttaaa aattataata caaatcatca gtgcttttag tacttcagtg tttaaagaaa			1910
	taccatgaaa tttataggta gataaccaga ttgttgcttt ttgttttaaac caagcagttg			1970
	aaatggctat aaagactgac tctaaaccaa gattctgcaa ataatgattg gaattgcaca			2030
30	ataaacattg cttgatgttt			2050
	<210> 142			
	<211> 2746			
	<212> DNA			
35	<213> Homo sapience			

160/177

<220>

<221> CDS

<222> (70)...(1074)

5 <400> 142

aaaacctgtg ggtgcctcag accacagcag agctcacaga acctgcggga gccaggetga 60

cccgccagc atg gta gag ttc gcg ccc ttg ttt atg ccg tgg gag cgc 108

Met Val Glu Phe Ala Pro Leu Phe Met Pro Trp Glu Arg

1

5

10

10 agg ctg cag aca ctt gct gtc cta cag ttt gtc ttc tcc ttc ttg gca 156

Arg Leu Gln Thr Leu Ala Val Leu Gln Phe Val Phe Ser Phe Leu Ala

15

20

25

ctg gcc gag atc tgc act gtg ggc ttc ata gcc ctc ctg ttt aca aga 204

Leu Ala Glu Ile Cys Thr Val Gly Phe Ile Ala Leu Leu Phe Thr Arg

15 30 35 40 45

ttc tgg ctc ctc act gtc ctg tat gcg gcc tgg tgg tat ctg gac cga 252

Phe Trp Leu Leu Thr Val Leu Tyr Ala Ala Trp Trp Tyr Leu Asp Arg

50

55

60

gac aag cca cgg cag ggg ggc cgg cac atc cag gcc atc agg tgc tgg 300

20 Asp Lys Pro Arg Gln Gly Gly Arg His Ile Gln Ala Ile Arg Cys Trp

65

70

75

act ata tgg aag tac atg aag gac tat ttc ccc atc tcg ctg gtc aag 348

Thr Ile Trp Lys Tyr Met Lys Asp Tyr Phe Pro Ile Ser Leu Val Lys

80

85

90

25 act gct gag ctg gac ccc tct cgg aac tac att gcg ggc ttc cac ccc 396

Thr Ala Glu Leu Asp Pro Ser Arg Asn Tyr Ile Ala Gly Phe His Pro

95

100

105

cat gga gtc ctg gca gtc gga gcc ttt gcc aac ctg tgc act gag agc 444

His Gly Val Leu Ala Val Gly Ala Phe Ala Asn Leu Cys Thr Glu Ser

30 110 115 120 125

aca ggc ttc tct tcg atc ttc ccc ggt atc cgc ccc cat ctg atg atg 492

Thr Gly Phe Ser Ser Ile Phe Pro Gly Ile Arg Pro His Leu Met Met

130

135

140

ctg acc ttg tgg ttc cgg gcc ccc ttc ttc aga gat tac atc atg tct 540

35 Leu Thr Leu Trp Phe Arg Ala Pro Phe Phe Arg Asp Tyr Ile Met Ser

161/177

	145	150	155	
	gca ggg ttg gtc aca tca gaa aag gag agt gct gct cac att ctg aac			588
	Ala Gly Leu Val Thr Ser Glu Lys Glu Ser Ala Ala His Ile Leu Asn			
	160	165	170	
5	agg aag ggt ggc gga aac ttg ctg ggc atc att gta ggg ggt gcc cag			636
	Arg Lys Gly Gly Gly Asn Leu Leu Gly Ile Ile Val Gly Gly Ala Gln			
	175	180	185	
	gag gcc ctg gat gcc agg cct gga tcc ttc acg ctg tta ctg cgg aac			684
	Glu Ala Leu Asp Ala Arg Pro Gly Ser Phe Thr Leu Leu Leu Arg Asn			
10	190	195	200	205
	cga aag ggc ttc gtc agg ctc gcc ctg aca cac ggg gca ccc ctg gtg			732
	Arg Lys Gly Phe Val Arg Leu Ala Leu Thr His Gly Ala Pro Leu Val			
	210	215	220	
	cca atc ttc tcc ttc ggg gag aat gac cta ttt gac cag att ccc aac			780
15	Pro Ile Phe Ser Phe Gly Glu Asn Asp Leu Phe Asp Gln Ile Pro Asn			
	225	230	235	
	tct tct ggc tcc tgg tta cgc tat atc cag aat cgg ttg cag aag atc			828
	Ser Ser Gly Ser Trp Leu Arg Tyr Ile Gln Asn Arg Leu Gln Lys Ile			
	240	245	250	
20	atg ggc atc tcc ctc cca ctc ttt cat ggc cgt ggt gtc ttc cag tac			876
	Met Gly Ile Ser Leu Pro Leu Phe His Gly Arg Gly Val Phe Gln Tyr			
	255	260	265	
	agc ttt ggt tta ata ccc tac cgc cgg ccc atc acc act gtg gtg ggg			924
	Ser Phe Gly Leu Ile Pro Tyr Arg Arg Pro Ile Thr Thr Val Val Gly			
25	270	275	280	285
	aag ccc atc gag gta cag aag acg ctg cat ccc tcg gag gag gag gtg			972
	Lys Pro Ile Glu Val Gln Lys Thr Leu His Pro Ser Glu Glu Glu Val			
	290	295	300	
	aac cag ctg cac cag cgt tat atc aaa gag ctg tgc aac ctc ttc gag			1020
30	Asn Gln Leu His Gln Arg Tyr Ile Lys Glu Leu Cys Asn Leu Phe Glu			
	305	310	315	
	gcc cac aaa ctt aag ttc aac atc cct gct gac cag cac ttg gag ttc			1068
	Ala His Lys Leu Lys Phe Asn Ile Pro Ala Asp Gln His Leu Glu Phe			
	320	325	330	
35	tgc tgagcccaa agggcagggc caacattagg gagccagca ggaggtgctg			1120

162/177

Cys

	tgctgagaag	acttcctgga	ggtgtttgtt	gaacatatct	gcagagcctt	cccagactcc	1180
	tgcaaatcca	acccatatca	ggetgtaagt	cagagcaggc	aatgcagaag	aggagaccag	1240
	accaagggtt	cagctggggc	taggacagt	agggctgcta	gaggggctgg	gcctctcttt	1300
5	gcacatggac	actgggcccc	tctctatatt	gagtggctct	ttaacattca	ttggtggctg	1360
	attccaaaag	atgagagcca	aagctgcacg	gactcgagtc	ctaggctgca	cacctcacia	1420
	gcctctcttc	tactgcattc	tgttggtcga	agcaagtcac	aaccagcag	attcaaggag	1480
	taaggaatag	gatccccctc	tggatgggag	gagcagcaat	gtcatattac	aaaagggtgt	1540
	ggacacatgc	agggattctt	actgccgtct	ttgcaaacia	tccacaaaa	cttaaaaact	1600
10	aaaagcctga	agcacaagca	ctctccaccc	caggcacaca	cacctgggaa	ttccctgtgt	1660
	gaccatggta	ccaccactgt	gtgtcccag	gatcccagct	cagctttgca	tcgtgcct	1720
	atctccctct	cgtctctccc	tgttgatccc	tcattgcacag	ccacagcgag	ctgtctaaaa	1780
	cacaaagctg	accgcgccat	ttctactca	gcctccttc	atgacctctc	attgctccta	1840
	ggatagggtt	tggaccagtc	tgaatccaga	ggatcaggat	ccagcaggaa	ccagaggata	1900
15	atttgaggag	ggtttaaaa	ggaaccattt	tttgagggtg	gtgactgtt	tccacctga	1960
	ggcctggaag	gatgaatgga	agcagcagtt	cctgaaccag	gaagactcat	gtgtgggggc	2020
	cattgctggt	caagggggac	gaacaggtct	ggtgacctg	caagggagga	gccaggagca	2080
	agcattccca	cttcaccttc	ctccattcag	tctgctgcca	agtccccac	tgctgagcc	2140
	caactagaag	ctggagggaa	ggagggcctg	tggctgcagt	ccaggcatgt	aggcctcctg	2200
20	ggaaaggag	aatggcaaag	acaggcagag	tggatctgga	ggggtcaacg	gaagacggaa	2260
	catgtccact	tccaggcccc	agcttctcag	cctgccgttt	gccactctcc	agcatctggc	2320
	ccagcctgtc	cactctcctc	tctcttctc	ccttactcct	tgtctccatc	actcgggaacc	2380
	atttgcat	ctttgtctca	gctatattgt	ctcactctg	agtttttgcc	catgatgttg	2440
	gatgccatgg	aatgccatat	cctccccatt	atctccccct	tgtctggata	attcctactc	2500
25	atcctacaat	actgatttta	tctgtgcaaa	gaagtcttcc	ccagtgcctc	tgggtgacag	2560
	gggtttctct	tggcttctcc	agactttctg	ttctctcacc	acagccctta	gcacctggg	2620
	gaggagggtg	tgtgtccag	gtaaagtctg	cgccaatgcc	cctgcctcta	gtgactctcc	2680
	tccagcctac	ccacaaacag	gacctgcctc	ctgtctcaca	aataaaaactg	aactcttgaa	2740
	atggtg						2746
30	<210> 143						
	<211> 1136						
	<212> DNA						
	<213> Homo sapience						
35	<220>						

163/177

<221> CDS

<222> (32)...(835)

<400> 143

5	attcttccgg gtggggcccc gggccgagggc g atg gcg ccc tgg gcg ctc ctc	52
	Met Ala Pro Trp Ala Leu Leu	
	1 5	
	agc cct ggg gtc ctg gtg cgg acc ggg cac acc gtg ctg acc tgg gga	100
	Ser Pro Gly Val Leu Val Arg Thr Gly His Thr Val Leu Thr Trp Gly	
10	10 15 20	
	atc acg ctg gtg ctc ttc ctg cac gat acc gag ctg cgg caa tgg gag	148
	Ile Thr Leu Val Leu Phe Leu His Asp Thr Glu Leu Arg Gln Trp Glu	
	25 30 35	
	gag cag ggg gag ctg ctc ctg ccc ctc acc ttc ctg ctc ctg gtg ctg	196
15	Glu Gln Gly Glu Leu Leu Leu Pro Leu Thr Phe Leu Leu Leu Val Leu	
	40 45 50 55	
	ggc tcc ctg ctg ctc tac ctc gct gtg tca ctc atg gac cct ggc tac	244
	Gly Ser Leu Leu Leu Tyr Leu Ala Val Ser Leu Met Asp Pro Gly Tyr	
	60 65 70	
20	gtg aat gtg cag ccc cag cct cag gag gag ctc aaa gag gag cag aca	292
	Val Asn Val Gln Pro Gln Pro Gln Glu Glu Leu Lys Glu Glu Gln Thr	
	75 80 85	
	gcc atg gtt cct cca gcc atc cct ctt cgg cgc tgc aga tac tgc ctg	340
	Ala Met Val Pro Pro Ala Ile Pro Leu Arg Arg Cys Arg Tyr Cys Leu	
25	90 95 100	
	gtg ctg cag ccc ctg agg gct cgg cac tgc cgt gag tgc cgc cgt tgc	388
	Val Leu Gln Pro Leu Arg Ala Arg His Cys Arg Glu Cys Arg Arg Cys	
	105 110 115	
	gtc cgc cgc tac gac cac cac tgc ccc tgg atg gag aac tgt gtg gga	436
30	Val Arg Arg Tyr Asp His His Cys Pro Trp Met Glu Asn Cys Val Gly	
	120 125 130 135	
	gag cgc aac cac cca ctc ttt gtg gtc tac ctg gcg ctg cag ctg gtg	484
	Glu Arg Asn His Pro Leu Phe Val Val Tyr Leu Ala Leu Gln Leu Val	
	140 145 150	
35	gtg ctt ctg tgg ggc ctg tac ctg gca tgg tca ggc ctc cgg ttc ttc	532

164/177

	Val Leu Leu Trp Gly Leu Tyr Leu Ala Trp Ser Gly Leu Arg Phe Phe	
	155 160 165	
	cag ccc tgg ggt ctg tgg ttg cgg tcc agc ggg ctc ctg ttc gcc acc	580
	Gln Pro Trp Gly Leu Trp Leu Arg Ser Ser Gly Leu Leu Phe Ala Thr	
5	170 175 180	
	ttc ctg ctg ctg tcc ctc ttc tct ttg gtg gcc agc ctg ctc ctc gtc	628
	Phe Leu Leu Leu Ser Leu Phe Ser Leu Val Ala Ser Leu Leu Leu Val	
	185 190 195	
	tct cac ctc tac ctg gtg gcc agc aac acc acc acc tgg gaa ttc atc	676
10	Ser His Leu Tyr Leu Val Ala Ser Asn Thr Thr Thr Trp Glu Phe Ile	
	200 205 210 215	
	tcc tca cac cgc atc gcc tat ctc cgc cag cgc ccc agc aac ccc ttc	724
	Ser Ser His Arg Ile Ala Tyr Leu Arg Gln Arg Pro Ser Asn Pro Phe	
	220 225 230	
15	gac cga ggc ctg acc cgc aac ctg gcc cac ttc ttc tgt gga tgg ccc	772
	Asp Arg Gly Leu Thr Arg Asn Leu Ala His Phe Phe Cys Gly Trp Pro	
	235 240 245	
	tca ggg tcc tgg gag acc ctc tgg gct gag gag gag gaa gag ggc agc	820
	Ser Gly Ser Trp Glu Thr Leu Trp Ala Glu Glu Glu Glu Glu Gly Ser	
20	250 255 260	
	agc cca gct gtt tagggttgcg ggaggccggg ctaccgtctt gtgcctga	870
	Ser Pro Ala Val	
	265	
	aaaccacggg gcctgtcccc agctgggggtg agcgcacaga gggcctgggg ccctcactcc	930
25	tgcccacgcc tcccagaccc cagaacggag cttcaagtca gacagatccc tgccttgggtg	990
	ggcagttctg ccttccaagg aagaagggga agaaaaggac ctgtgggtgg ctcaggccca	1050
	agcagacccc gggtccacc ccagccccgc ccaggtgct gccagtgcac acttttataa	1110
	atttaatatata aagcaagtcc agtctt	1136
30	<210> 144	
	<211> 619	
	<212> DNA	
	<213> Homo sapience	
	<220>	
35	<221> CDS	

165/177

<222> (13)...(333)

<400> 144

cttegactcg ct atg tcc act aac aat atg tcg gac cca cgg agg ccg 48
 5 Met Ser Thr Asn Asn Met Ser Asp Pro Arg Arg Pro
 1 5 10
 aac aaa gtg ctg agg tac aag ccc ccg ccg agc gaa tgt aac ccg gcc 96
 Asn Lys Val Leu Arg Tyr Lys Pro Pro Pro Ser Glu Cys Asn Pro Ala
 15 20 25
 10 ttg gac gac ccg acg ccg gac tac atg aac ctg ctg ggc atg atc ttc 144
 Leu Asp Asp Pro Thr Pro Asp Tyr Met Asn Leu Leu Gly Met Ile Phe
 30 35 40
 agc atg tgc ggc ctc atg ctt aag ctg aag tgg tgt gct tgg gtc gct 192
 Ser Met Cys Gly Leu Met Leu Lys Leu Lys Trp Cys Ala Trp Val Ala
 15 45 50 55 60
 gtc tac tgc tcc ttc atc agc ttt gcc aac tct cgg agc tcg gag gac 240
 Val Tyr Cys Ser Phe Ile Ser Phe Ala Asn Ser Arg Ser Ser Glu Asp
 65 70 75
 acg aag caa atg atg agt agc ttc atg ctg tcc atc tct gcc gtg gtg 288
 20 Thr Lys Gln Met Met Ser Ser Phe Met Leu Ser Ile Ser Ala Val Val
 80 85 90
 atg tcc tat ctg cag aat cct cag ccc atg acg ccc cca tgg 340
 Met Ser Tyr Leu Gln Asn Pro Gln Pro Met Thr Pro Pro Trp
 95 100 105
 25 tgataaccagc ctagaagggt cacatttttg accctgtcta tccactaggc ctgggctttg 390
 gctgctaaac ctgctgcctt cagctgccat cctggacttc cctgaatgag gccgtctcgg 450
 tgccccagc tggatagagg gaacctggcc ctttctagg gaacacccta ggcttaccoc 510
 tctgcctcc ctccccctgc ctgctgctgg gggagatgct gtccatgttt ctaggggtat 570
 tcatttgctt tctcgttgaa acctgttggt aataaagttt ttcactcag 619
 30
 <210> 145
 <211> 864
 <212> DNA
 <213> Homo sapience
 35 <220>

166/177

<221> CDS

<222> (111)...(785)

<400> 145

5	aggtgggtgc cagggcctgg ccgtggcgaa agagccggcg gagccggaga cccgctcccg	60
	gagacgccgc ctgcgatcc ccgcggggc gggaccgggc ggccggcatc atg acc	116
	Met Thr	
	1	
	ctg ttt cac ttc ggg aac tgc ttc gct ctt gcc tac ttc ccc tac ttc	164
10	Leu Phe His Phe Gly Asn Cys Phe Ala Leu Ala Tyr Phe Pro Tyr Phe	
	5 10 15	
	atc acc tac aag tgc agc ggc ctg tcc gag tac aac gcc ttc tgg aaa	212
	Ile Thr Tyr Lys Cys Ser Gly Leu Ser Glu Tyr Asn Ala Phe Trp Lys	
	20 25 30	
15	tgc gtc cag gct gga gtc acc tac ctc ttt gtc caa ctc tgc aag atg	260
	Cys Val Gln Ala Gly Val Thr Tyr Leu Phe Val Gln Leu Cys Lys Met	
	35 40 45 50	
	ctg ttc ttg gcc act ttc ttt ccc acc tgg gaa ggc ggc atc tat gac	308
	Leu Phe Leu Ala Thr Phe Phe Pro Thr Trp Glu Gly Gly Ile Tyr Asp	
20	55 60 65	
	ttc att ggg gag ttc atg aag gcc agc gtg gat gtg gca gac ctg ata	356
	Phe Ile Gly Glu Phe Met Lys Ala Ser Val Asp Val Ala Asp Leu Ile	
	70 75 80	
	ggg cta aac ctt gtc atg tcc cgg aat gcc ggc aag gga gag tac aag	404
25	Gly Leu Asn Leu Val Met Ser Arg Asn Ala Gly Lys Gly Glu Tyr Lys	
	85 90 95	
	atc atg gtt gct gcc ctg ggc tgg gcc act gct gag ctt att atg tcc	452
	Ile Met Val Ala Ala Leu Gly Trp Ala Thr Ala Glu Leu Ile Met Ser	
	100 105 110	
30	cgc tgc att ccc cta tgg gtc gga gcc cgg ggc att gag ttt gac tgg	500
	Arg Cys Ile Pro Leu Trp Val Gly Ala Arg Gly Ile Glu Phe Asp Trp	
	115 120 125 130	
	aag tac atc cag atg agc ata gac tcc aac atc agt ctg gtc cat tac	548
	Lys Tyr Ile Gln Met Ser Ile Asp Ser Asn Ile Ser Leu Val His Tyr	
35	135 140 145	

167/177

atc gtc gcg tct gct cag gtc tgg atg ata aca cgc tat gat ctg tac 596
 Ile Val Ala Ser Ala Gln Val Trp Met Ile Thr Arg Tyr Asp Leu Tyr
 150 155 160
 cac acc ttc cgg cca gct gtc ctc ctg ctg atg ttc ctc agt gtc tac 644
 5 His Thr Phe Arg Pro Ala Val Leu Leu Leu Met Phe Leu Ser Val Tyr
 165 170 175
 aag gcc ttt gtt atg gag acc ttc gtc cac ctc tgc tcg ctg ggc agt 692
 Lys Ala Phe Val Met Glu Thr Phe Val His Leu Cys Ser Leu Gly Ser
 180 185 190
 10 tgg gca gct cta ctg gcc cga gca gtg gta acg ggg ctg ctg gcc ctc 740
 Trp Ala Ala Leu Leu Ala Arg Ala Val Val Thr Gly Leu Leu Ala Leu
 195 200 205 210
 agc act ttg gcc ctg tat gtc gcc gtt gtc aat gtg cac tcc taggcttg 790
 Ser Thr Leu Ala Leu Tyr Val Ala Val Val Asn Val His Ser
 15 215 220
 gtgtctcaga cattgatgta ccttttcct gcctcgtcc aggttttagt gaagtaaaca 850
 gtatttgga agtt 864

 <210> 146
 20 <211> 1527
 <212> DNA
 <213> Homo sapience
 <220>
 <221> CDS
 25 <222> (25)...(801)

 <400> 146
 gcagtggccg ttacggccga aaag atg gcg gtc ttg gca cct cta att gct 51
 Met Ala Val Leu Ala Pro Leu Ile Ala
 1 5
 30 ctc gtg tat tcg gtg ccg cga ctt tca cga tgg ctc gcc caa cct tac 99
 Leu Val Tyr Ser Val Pro Arg Leu Ser Arg Trp Leu Ala Gln Pro Tyr
 10 15 20 25
 tac ctt ctg tcg gcc ctg ctc tct gct gcc ttc cta ctc gtg agg aaa 147
 35 Tyr Leu Leu Ser Ala Leu Leu Ser Ala Ala Phe Leu Leu Val Arg Lys

168/177

	30	35	40	
	ctg ccg ccg ctc tgc cac ggt ctg ccc acc caa cgc gaa gac ggt aac			195
	Leu Pro Pro Leu Cys His Gly Leu Pro Thr Gln Arg Glu Asp Gly Asn			
	45	50	55	
5	ccg tgt gac ttt gac tgg aga gaa gtg gag atc ctg atg ttt ctc agt			243
	Pro Cys Asp Phe Asp Trp Arg Glu Val Glu Ile Leu Met Phe Leu Ser			
	60	65	70	
	gcc att gtg atg atg aag aac cgc aga tcc atg ttc ctg atg acg tgc			291
	Ala Ile Val Met Met Lys Asn Arg Arg Ser Met Phe Leu Met Thr Cys			
10	75	80	85	
	aaa ccc ccc cta tat atg ggc cct gag tat atc aag tac ttc aat gat			339
	Lys Pro Pro Leu Tyr Met Gly Pro Glu Tyr Ile Lys Tyr Phe Asn Asp			
	90	95	100	105
	aaa acc att gat gag gaa cta gaa cgg gac aag agg gtc act tgg att			387
15	Lys Thr Ile Asp Glu Glu Leu Glu Arg Asp Lys Arg Val Thr Trp Ile			
	110	115	120	
	gtg gag ttc ttt gcc aat tgg tct aat gac tgc caa tca ttt gcc cct			435
	Val Glu Phe Phe Ala Asn Trp Ser Asn Asp Cys Gln Ser Phe Ala Pro			
	125	130	135	
20	atc tat gct gac ctc tcc ctt aaa tac aac tgt aca ggg cta aat ttt			483
	Ile Tyr Ala Asp Leu Ser Leu Lys Tyr Asn Cys Thr Gly Leu Asn Phe			
	140	145	150	
	ggg aag gtg gat gtt gga cgc tat act gat gtt agt acg cgg tac aaa			531
	Gly Lys Val Asp Val Gly Arg Tyr Thr Asp Val Ser Thr Arg Tyr Lys			
25	155	160	165	
	gtg agc aca tca ccc ctc acc aag caa ctc cct acc ctg atc ctg ttc			579
	Val Ser Thr Ser Pro Leu Thr Lys Gln Leu Pro Thr Leu Ile Leu Phe			
	170	175	180	185
	caa ggt ggc aag gag gca atg cgg cgg cca cag att gac aag aaa gga			627
30	Gln Gly Gly Lys Glu Ala Met Arg Arg Pro Gln Ile Asp Lys Lys Gly			
	190	195	200	
	cgg gct gtc tca tgg acc ttc tct gag gag aat gtg atc cga gaa ttt			675
	Arg Ala Val Ser Trp Thr Phe Ser Glu Glu Asn Val Ile Arg Glu Phe			
	205	210	215	
35	aac tta aat gag cta tac cag cgg gcc aag aaa cta tca aag gct gga			723

169/177

	Asn	Leu	Asn	Glu	Leu	Tyr	Gln	Arg	Ala	Lys	Lys	Leu	Ser	Lys	Ala	Gly		
	220					225					230							
	gac aat atc cct gag gag cag cct gtg gct tca acc ccc acc aca gtg																771	
	Asp Asn Ile Pro Glu Glu Gln Pro Val Ala Ser Thr Pro Thr Thr Val																	
5	235					240					245							
	tca gat ggg gaa aac aag aag gat aaa taagatcctc ac																810	
	Ser Asp Gly Glu Asn Lys Lys Asp Lys																	
	250					255												
	tttggcagtg cttcctctcc tgtcaattcc aggcctcttc cataaccaca agcctgaggc																870	
10	tgcagccttt tatttatgtt ttccctttgg ctgtgactgg gtggggcagc atgcagcttc																930	
	tgatttttaa gaggcatcta gggaattgtc aggcacccta caggaaggcc tgccatgctg																990	
	tgcccaactg tttcactgga gcaagaaaga gatctcatag gacggagggg gaaatggttt																1050	
	ccctccaagc ttgggtcagt gtgttaactg cttatcagct attcagacat ctccatggtt																1110	
	tctccatgaa actctgtggt ttcattcttc cttcttagtt gacctgcaca gcttggttag																1170	
15	acctagattt aaccctaagg taagatgctg gggatataga cgctaagaat tttcccccac																1230	
	ggactcttgc ttccttaagc ccttctggct tcgtttatgg tcttcattaa aagtataagc																1290	
	ctaactttgt cgctagtcct aaggagaaac ctttaaccac aaagttttta tcattgaaga																1350	
	caatattgaa caaccacctt ttttgtgggg attgagaagg ggtgaataga ggcttgagac																1410	
	tttcctttgt gtggtaggac ttggaggaga aatcccctgg actttcacta accctctgac																1470	
20	atactcccca caccagttg atggctttcc gtaataaaaa gattgggatt tcctttt																1527	
	<210> 147																	
	<211> 659																	
	<212> DNA																	
25	<213> Homo sapience																	
	<220>																	
	<221> CDS																	
	<222> (138)...(470)																	
30	<400> 147																	
	agtcttccga gcaagatggc gccgcgggca tttcttccac tgcccgtctg agggaaacgt																60	
	aagtagtggt tccggcgccg tgttccagct ccgcgttggt ccgcgagaaa gcgagaggcc																120	
	gagcccgggc tggtgctg atg gcc gcg gtg gtg gcc aag cgg gaa ggg ccg																170	
	Met Ala Ala Val Val Ala Lys Arg Glu Gly Pro																	
35	1					5					10							

170/177

	ccg ttc atc agc gag gcg gcc gtg cgg ggc aac gcc gcc gtc ctg gat	218
	Pro Phe Ile Ser Glu Ala Ala Val Arg Gly Asn Ala Ala Val Leu Asp	
	15 20 25	
	tat tgc cgg acc tcg gtg tca gcg ctg tcg ggg gcc acg gcc ggc atc	266
5	Tyr Cys Arg Thr Ser Val Ser Ala Leu Ser Gly Ala Thr Ala Gly Ile	
	30 35 40	
	ctc ggc ctc acc ggc ctc tac ggc ttc atc ttc tac ctg ctc gcc tcc	314
	Leu Gly Leu Thr Gly Leu Tyr Gly Phe Ile Phe Tyr Leu Leu Ala Ser	
	45 50 55	
10	gtc ctg ctc tcc ctg ctc ctc att ctc aag gcg gga agg agg tgg aac	362
	Val Leu Leu Ser Leu Leu Ile Leu Lys Ala Gly Arg Arg Trp Asn	
	60 65 70 75	
	aaa tat ttc aaa tca cgg aga cct ctc ttt aca gga ggc ctc atc ggg	410
	Lys Tyr Phe Lys Ser Arg Arg Pro Leu Phe Thr Gly Gly Leu Ile Gly	
15	80 85 90	
	ggc ctc ttc acc tac gtc ctg ttc tgg acg ttc ctc tac ggc atg gtg	458
	Gly Leu Phe Thr Tyr Val Leu Phe Trp Thr Phe Leu Tyr Gly Met Val	
	95 100 105	
	cac gtc tac tgaaatgggg gcccggggga cttttttaa aaa	500
20	His Val Tyr	
	110	
	ccagatcggg aggactgtgg ccagcaatta acaccatgta gacttcotta gttottaagt	560
	ggttgaattc gctgcttgtt ctgtaacgtt ataaataatt tataatctgaa gacggagagc	620
	ctgtaaatatt cttcagatta aatgaagcgt gagacactt	659
25		
	<210> 148	
	<211> 710	
	<212> DNA	
	<213> Homo sapience	
30	<220>	
	<221> CDS	
	<222> (68)...(343)	
	<400> 148	
35	agaggagat acagaaaccg acagggggcca ggcgcccgtt ggctccgaag cggggaagt	60

171/177

	ggacaag atg gtt tac atc tcg aac gga caa gtg ttg gac agc cgg agt	109
	Met Val Tyr Ile Ser Asn Gly Gln Val Leu Asp Ser Arg Ser	
	1 5 10	
	cag tct cca tgg aga tta tct ttg ata aca gat ttc ttc tgg gga ata	157
5	Gln Ser Pro Trp Arg Leu Ser Leu Ile Thr Asp Phe Phe Trp Gly Ile	
	15 20 25 30	
	gct gag ttt gtg gtt ttg ttt ttc aaa act ctg ctt cag caa gat gtg	205
	Ala Glu Phe Val Val Leu Phe Phe Lys Thr Leu Leu Gln Gln Asp Val	
	35 40 45	
10	aaa aaa aga aga agc tat gga aac tca tct gat tcc aga tat gat gat	253
	Lys Lys Arg Arg Ser Tyr Gly Asn Ser Ser Asp Ser Arg Tyr Asp Asp	
	50 55 60	
	gga aga ggg cca cca gga aac cct ccc cga aga atg ggt aga atc aat	301
	Gly Arg Gly Pro Pro Gly Asn Pro Pro Arg Arg Met Gly Arg Ile Asn	
15	65 70 75	
	cat ctg cgt ggc cct agt ccc cct cca atg gct ggt gga tgaggaaggt	350
	His Leu Arg Gly Pro Ser Pro Pro Pro Met Ala Gly Gly	
	80 85 90	
	aaatgtctgc tctaagaagc agacaaccgg acatgcgcat tcatagcaga aggaaaccat	410
20	caagaagtgg aaggctgacc atgatgagca gtagatgaat gtgtatgtct aaacaaggac	470
	tgtctgtgt cctcacagat gaatgaggtc atgctgggaa ttccctctgc agggaaactgg	530
	cctgactgac atgcagttcc ataaatgcag atgtttgtct cattaccttt ttgtatagtt	590
	tattaaagta ttaatatagt ttaataagt aaatattttt aggttgacaga atggactcct	650
	catctttata ttacagaaaa agcaatctga agaaaacaaa taaaagcctg tgtatttagc	710
25		
	<210> 149	
	<211> 2182	
	<212> DNA	
	<213> Homo sapience	
30	<220>	
	<221> CDS	
	<222> (56)...(1090)	
	<400> 149	
35	gcacttcagc ttcccctccc ccggcgccct ctggggctcc gagcccggcg ggacc	58

172/177

	atg ttc acc agc acc ggc tcc agt ggg ctc tac aag gcg cct ctg tcg	103
	Met Phe Thr Ser Thr Gly Ser Ser Gly Leu Tyr Lys Ala Pro Leu Ser	
	1 5 10 15	
	aag agc ctt ctg ctg gtc ccc agt gcc ctc tcc ctc ctg ctc gcc ctc	151
5	Lys Ser Leu Leu Leu Val Pro Ser Ala Leu Ser Leu Leu Leu Ala Leu	
	20 25 30	
	ctc ctg cct cac tgc cag aag ctc ttt gtg tat gac ctt cac gca gtc	199
	Leu Leu Pro His Cys Gln Lys Leu Phe Val Tyr Asp Leu His Ala Val	
	35 40 45	
10	aag aac gac ttc cag att tgg agg ttg ata tgt gga aga ata att tgc	247
	Lys Asn Asp Phe Gln Ile Trp Arg Leu Ile Cys Gly Arg Ile Ile Cys	
	50 55 60	
	ctt gat ttg aaa gat act ttc tgc agt agt ctg ctt att tat aat ttt	295
	Leu Asp Leu Lys Asp Thr Phe Cys Ser Ser Leu Leu Ile Tyr Asn Phe	
15	65 70 75 80	
	agg ata ttt gaa aga aga tat gga agc aga aaa ttt gca tcc ttt ttg	343
	Arg Ile Phe Glu Arg Arg Tyr Gly Ser Arg Lys Phe Ala Ser Phe Leu	
	85 90 95	
	ctg ggt tcc tgg gtt ttg tca gcc tta ttt gac ttt ctc ctc att gaa	391
20	Leu Gly Ser Trp Val Leu Ser Ala Leu Phe Asp Phe Leu Leu Ile Glu	
	100 105 110	
	gct atg cag tat ttc ttt ggc atc act gca gct agt aat ttg cct tct	439
	Ala Met Gln Tyr Phe Phe Gly Ile Thr Ala Ala Ser Asn Leu Pro Ser	
	115 120 125	
25	gga ttc ctg gca cct gtg ttt gct ctg ttt gta cca ttt tac tgc tcc	487
	Gly Phe Leu Ala Pro Val Phe Ala Leu Phe Val Pro Phe Tyr Cys Ser	
	130 135 140	
	ata cca aga gtc caa gtg gca caa att ctg ggt ccg ttg tcc atc aca	535
	Ile Pro Arg Val Gln Val Ala Gln Ile Leu Gly Pro Leu Ser Ile Thr	
30	145 150 155 160	
	aac aag aca ttg att tat ata ttg gga ctg cag ctt ttc acc tct ggt	583
	Asn Lys Thr Leu Ile Tyr Ile Leu Gly Leu Gln Leu Phe Thr Ser Gly	
	165 170 175	
	tcc tac atc tgg att gta gcc ata agt gga ctt atg tcc ggt ctg tgc	631
35	Ser Tyr Ile Trp Ile Val Ala Ile Ser Gly Leu Met Ser Gly Leu Cys	

173/177

	180	185	190	
	tac gac agc aaa atg ttc cag gtg cat cag gtg ctc tgc atc ccc agc			679
	Tyr Asp Ser Lys Met Phe Gln Val His Gln Val Leu Cys Ile Pro Ser			
	195	200	205	
5	tgg atg gca aaa ttc ttt tct tgg aca ctt gaa ccc atc ttc tct tct			727
	Trp Met Ala Lys Phe Phe Ser Trp Thr Leu Glu Pro Ile Phe Ser Ser			
	210	215	220	
	tca gaa ccc acc agc gaa gcc aga att ggg atg gga gcc acg ctg gac			775
	Ser Glu Pro Thr Ser Glu Ala Arg Ile Gly Met Gly Ala Thr Leu Asp			
10	225	230	235	240
	atc cag aga cag cag aga atg gag ctg ctg gac cgg cag ctg atg ttc			823
	Ile Gln Arg Gln Gln Arg Met Glu Leu Leu Asp Arg Gln Leu Met Phe			
	245	250	255	
	tct cag ttt gca caa ggg agg cga cag aga cag cag cag gga gga atg			871
15	Ser Gln Phe Ala Gln Gly Arg Arg Gln Arg Gln Gln Gln Gly Gly Met			
	260	265	270	
	atc aat tgg aat cgt ctt ttt cct cct tta cgt cag cga caa aac gta			919
	Ile Asn Trp Asn Arg Leu Phe Pro Pro Leu Arg Gln Arg Gln Asn Val			
	275	280	285	
20	aac tat cag ggc ggt cgg cag tct gag cca gca gcg ccc cct cta gaa			967
	Asn Tyr Gln Gly Gly Arg Gln Ser Glu Pro Ala Ala Pro Pro Leu Glu			
	290	295	300	
	gtt tct gag gaa cag gtc gcc cgg ctc atg gag atg gga ttt tcc aga			1015
	Val Ser Glu Glu Gln Val Ala Arg Leu Met Glu Met Gly Phe Ser Arg			
25	305	310	315	320
	ggt gat gct ttg gaa gcc ctg aga gct tca aac aat gac ctc aat gtc			1063
	Gly Asp Ala Leu Glu Ala Leu Arg Ala Ser Asn Asn Asp Leu Asn Val			
	325	330	335	
	gcc acc aac ttc ctg ctg cag cac tgatagtcac aggccaacac tgg			1110
30	Ala Thr Asn Phe Leu Leu Gln His			
	340			
	gaccggaccg gcagccgagt gacagtgcgt ggccccacc atcagatcag cccggggacc			1170
	gagcatctct ggtgctgatg ttcttgtggg aagaggagg ttccaccgca ccctgcct			1230
	caaccgcaag actgttgccg ttttagtgtg gagataagtt tgccattaca ttagcatgta			1290
35	ttttctatct atatttttta ttgggcattt tcctaggtt ggagagtcag cactcgtttt			1350

176/177

	Phe Ile Ile Thr Ala Ala Thr Val Gly Tyr Phe Ile Phe Tyr Ser Ala	
	220 225 230	
	cga agg cta cgg aat gca aga gct caa agc agg aag cag agg caa tta	951
	Arg Arg Leu Arg Asn Ala Arg Ala Gln Ser Arg Lys Gln Arg Gln Leu	
5	235 240 245	
	aag gca gat gct aaa aaa gct att gga agg ctt caa cta cgc aca ctg	999
	Lys Ala Asp Ala Lys Lys Ala Ile Gly Arg Leu Gln Leu Arg Thr Leu	
	250 255 260	
	aaa caa gga gac aag gaa att ggc cct gat gga gat agt tgt gct gtg	1047
10	Lys Gln Gly Asp Lys Glu Ile Gly Pro Asp Gly Asp Ser Cys Ala Val	
	265 270 275	
	tgc att gaa ttg tat aaa cca aat gat ttg gta cgc atc tta acg tgc	1095
	Cys Ile Glu Leu Tyr Lys Pro Asn Asp Leu Val Arg Ile Leu Thr Cys	
	280 285 290 295	
15	aac cat att ttc cat aag aca tgt gtt gac cca tgg ctg tta gaa cac	1143
	Asn His Ile Phe His Lys Thr Cys Val Asp Pro Trp Leu Leu Glu His	
	300 305 310	
	agg act tgc ccc atg tgc aaa tgt gac ata ctc aaa gct ttg gga att	1191
	Arg Thr Cys Pro Met Cys Lys Cys Asp Ile Leu Lys Ala Leu Gly Ile	
20	315 320 325	
	gag gtg gat gtt gaa gat gga tca gtg tct tta caa gtc cct gta tcc	1239
	Glu Val Asp Val Glu Asp Gly Ser Val Ser Leu Gln Val Pro Val Ser	
	330 335 340	
	aat gaa ata tct aat agt gcc tcc tcc cat gaa gag gat aat cgc agc	1287
25	Asn Glu Ile Ser Asn Ser Ala Ser Ser His Glu Glu Asp Asn Arg Ser	
	345 350 355	
	gag acc gca tca tct gga tat gct tca gta cag gga aca gat gaa ccg	1335
	Glu Thr Ala Ser Ser Gly Tyr Ala Ser Val Gln Gly Thr Asp Glu Pro	
	360 365 370 375	
30	cct ctg gag gaa cac gtg cag tca aca aat gaa agt cta cag ctg gta	1383
	Pro Leu Glu Glu His Val Gln Ser Thr Asn Glu Ser Leu Gln Leu Val	
	380 385 390	
	aac cat gaa gca aat tct gtg gca gtg gat gtt att cct cat gtt gac	1431
	Asn His Glu Ala Asn Ser Val Ala Val Asp Val Ile Pro His Val Asp	
35	395 400 405	

177/177

	aac cca acc ttt gaa gaa gac gaa act cct aat caa gag act gct gtt	1479
	Asn Pro Thr Phe Glu Glu Asp Glu Thr Pro Asn Gln Glu Thr Ala Val	
	410 415 420	
	cga gaa att aaa tct taaaatctgt gtaaatagaa aacttgaacc attagt	1530
5	Arg Glu Ile Lys Ser	
	425	
	aataacagaa ctgccaatca gggcctagtt tctattaata aattggataa atttaataaa	1590
	ataagagtga tactgaaagt gctcagatga ctaatattat gctatagtta aatggcttaa	1650
	aatattttaac ctgttaactt ttttcacaaa actcattata atatttttca taggcaagtt	1710
10	tcctctcagt agtgataaca acatttttag acattcaaaa ctgtcttcaa gaagtcacgt	1770
	ttttcattta taacaatttt cttataaaaa catgttgctt ttaaaatgtg gagtagctgt	1830
	aatcacttta ttttatgata gtatcttaat gaaaaatact acttctttag cttgggctac	1890
	atgtgtcagg gtttttctcc aggtgcttat attgatctgg aattgtaatg taaaaagcaa	1950
	tgcaaaactta ggcgagtact tcttgaaatg tctattttaag ctgctttaag ttaatagaaa	2010
15	agattaaagc aaaatattca tttttacttt ttcttatttt taaaattagg ctgaatgtac	2070
	ttcatgtgat ttgtcaacca tagtttatca gagattatgg acttaattga ttggtatatt	2130
	agtgacatca acttgacaca agattagaca aaaaattcct tacaaaaata ctgtgtaact	2190
	atttctcaaa cttgtgggat ttttcaaaag ctgagtatat gaatcatcat actgtttgaa	2250
	attgctaattg acagagtaag taacactaat attggctcatt gatcttcgtt catgaattag	2310
20	tctacagaaa aaaaatgttc tgtaaaatta gtctgttgaa aatgttttcc aaacaatgtt	2370
	actttgaaaa ttgagtttat gtttgaccta aatgggctaa aattatatta gataaactaa	2430
	aattctgtcc gtgtaactat aaattttgtg aatgcatttt cctgggtgtt gaaaaagaag	2490
	ggggggagaa ttccaggtgc cttaatataa agtttgaagc ttcacccacc aaagttaaat	2550
	agagctattt aaaaatgcac tttatttgta ctctgtgtgg cttttgtttt agaattttgt	2610
25	tcaaattata gcagaattta ggcaaaaata aaacagacat gtatttttgt ttgtgaatg	2670
	gatgaaacca ttgcattctt gtacactgat ttgaaatgct gtaaataatgt cccaatttgt	2730
	attgattctc tttaaatata aaatgtaaat aaaatattcc aat	2773

174/177

	gaatgtgttt aaaatgcatt aaaatggaag atttctgcag gcagttgaat ggcactccag	1410
	atggggaatt gctgtaaccc tcttactgta acatgtcatc tcctgcgtcg tgatggggag	1470
	agggtaatgt tacttcacaa aggacatgtc agatccttct tcatggactt ttttagttac	1530
	tgttttttct ctcaaacttg ttttcgaatc tcctgggagt gagggagaaa caggagactg	1590
5	aatectcccc caagctgttc caggccagag gactctgcag taccttctcc tacatctagt	1650
	aacaaagaat ggtgataacc atgcactggt tcaaggttct ggagttctcc atgaaacttg	1710
	ggttaatttt gctcagagta tccggagtta gccactaggc tgcgggtgaa atgggatgga	1770
	gtagaacaac agcaggett caggagccac atgggctgac tagggcactc tgtggtggc	1830
	ctggcacggg ctacagccag gaagaggaga aacgatccct tgctgcccc tccctgtggc	1890
10	agggctaact gcctggccct cctggctcgc agccagccag cccctggca gcaggttctc	1950
	ctcagggctt gggctctcaa cctgtggcga caggaggcag ggcagactgt ggaggacagg	2010
	atgcaggtea gggagagggg aggcaggggt ggaccgccat gagcatgaaa agaccggaag	2070
	caagttgact cttgcaatgt gcaactgtta tgttctgcaa aatgagcaac gatgtatcaa	2130
	attgatgcaa atttagatgt tgatacttac aataaagttt ttaatgtgtt tt	2182
15	<210> 150	
	<211> 2773	
	<212> DNA	
	<213> Homo sapience	
20	<220>	
	<221> CDS	
	<222> (211)...(1497)	
	<400> 150	
25	gtagcggaga agactggagc tccgaggagc tgcattctgcg gcaacctgtg tgctgacget	60
	acgtgcctcc tggetccgac gtagctcgca gctccccagt ctactccat tccttcccca	120
	cctggcgcgc acctgctcaa gaccagggtc ctgccaaagcg ctaggagggc gcgtgccagg	180
	ggcgctaggg aactgcggag cgcgcgcgcc atg ggg ccg ccg cct ggg gcc	231
	Met Gly Pro Pro Pro Gly Ala	
30	1 5	
	ggg gtc tcc tgc cgc ggt ggc tgc ggc ttt tcc aga ttg ctg gca tgg	279
	Gly Val Ser Cys Arg Gly Gly Cys Gly Phe Ser Arg Leu Leu Ala Trp	
	10 15 20	
	tgc ttc ctg ctg gcc ctg agt ccg cag gca ccc ggt tcc cgg ggg gct	327
35	Cys Phe Leu Leu Ala Leu Ser Pro Gln Ala Pro Gly Ser Arg Gly Ala	

175/177

	25	30	35	
	gaa gca gtg tgg acc gcg tac ctc aac gtg tcc tgg cgg gtt ccg cac			375
	Glu Ala Val Trp Thr Ala Tyr Leu Asn Val Ser Trp Arg Val Pro His			
	40	45	50	55
5	acg gga gtg aac cgt acg gtg tgg gag ctg agc gag gag ggc gtg tac			423
	Thr Gly Val Asn Arg Thr Val Trp Glu Leu Ser Glu Glu Gly Val Tyr			
	60	65	70	
	ggc cag gac tcg ccg ctg gag cct gtg gct ggg gtc ctg gta ccg ccc			471
	Gly Gln Asp Ser Pro Leu Glu Pro Val Ala Gly Val Leu Val Pro Pro			
10	75	80	85	
	gac ggg ccc ggg gcg ctt aac gcc tgt aac ccg cac acg aat ttc acg			519
	Asp Gly Pro Gly Ala Leu Asn Ala Cys Asn Pro His Thr Asn Phe Thr			
	90	95	100	
	gtg ccc acg gtt tgg gga agc acc gtg caa gtc tct tgg ttg gcc ctc			567
15	Val Pro Thr Val Trp Gly Ser Thr Val Gln Val Ser Trp Leu Ala Leu			
	105	110	115	
	atc caa cgc ggc ggg ggc tgc acc ttc gca gac aag atc cat ctg gct			615
	Ile Gln Arg Gly Gly Gly Cys Thr Phe Ala Asp Lys Ile His Leu Ala			
	120	125	130	135
20	tat gag aga ggg gcg tct gga gcc gtc atc ttt aac ttc ccc ggg acc			663
	Tyr Glu Arg Gly Ala Ser Gly Ala Val Ile Phe Asn Phe Pro Gly Thr			
	140	145	150	
	cgc aat gag gtc atc ccc atg tct cac ccg ggt gca gta gac att gtt			711
	Arg Asn Glu Val Ile Pro Met Ser His Pro Gly Ala Val Asp Ile Val			
25	155	160	165	
	gca atc atg atc ggc aat ctg aaa ggc aca aaa att ctg caa tct att			759
	Ala Ile Met Ile Gly Asn Leu Lys Gly Thr Lys Ile Leu Gln Ser Ile			
	170	175	180	
	caa aga ggc ata caa gtg aca atg gtc ata gaa gta ggg aaa aaa cat			807
30	Gln Arg Gly Ile Gln Val Thr Met Val Ile Glu Val Gly Lys Lys His			
	185	190	195	
	ggc cct tgg gtg aat cac tat tca att ttt ttc gtt tct gtg tcc ttt			855
	Gly Pro Trp Val Asn His Tyr Ser Ile Phe Phe Val Ser Val Ser Phe			
	200	205	210	215
35	ttt att att acg gcg gca act gtg ggc tat ttt atc ttt tat tct gct			903